

HEALTH

Can a micro replace your doctor?

Special guide to operating systems – CP/M, MS-DOS, Unix

Reviews – Kaypro 10 Yamaha MSX Tomorrow's Office Delta, Rescue

All about Basicode

Top 20 transportables

BBC games



Denmark DKr34,50 Greece Dra 245 Holland DFL8.50 Italy L4100 Spain, Pts360 Switzerland Germany DM8.50 France France France Canada C\$4.50 Australia A\$3.00 USA S.95(D72162)

IS THIS LEVEL OF RELIABILITY REALLY NECESSARY? ACCUTRACK MINITERIAL DISKS

FLEXIBLEDIS

If you've ever lost data due to a faulty disk, you know how important reliability can be.

That's why Accutrack disks are critically certified at 2-3 times the error threshold of your system. Why they're precision fabricated for higher signal quality, longer life and less head wear. And why we take such extra steps as testing single-density mini disks at double-density levels. So you don't have to worry about the reliability of your media.

Accutrack disks. OEMs have specified them for years. You can trust them for your data.

Distributed in the United Kingdom by:

Penbie International (C.A.) Ltd. 23 Addington Road Reading RG1 5PZ Berkshire Tel: (734) 664361

ACCUTRACK Dennison KYBE (UK)

9 Colonial Way Watford WD2 4JY Tel: (923) 50596 Telex: 923321 Offices and representatives worldwide

PLIST

PRACTICAL COMPUTING

APRIL 1984

>NEWS

13 HARDWARE NEWS
A roundup of the machines
now appearing on the horizon

21 SOFTWARE NEWS Microsoft backs Macintosh, plus a pile of Commodore goodies.

47 IBM PC NEWS
Hardware add-ons, new software and comms are the main trends this month.

>REVIEWS

50 BEST OF BRITISH DATABASES

Paul Myerscough reviews three of the leading U.K. packages — Delta, Tomorrow's Office and Rescue.

64 YAMAHA + MSX — THE NEW STANDARD?

We preview the first of the 15 Japanese MSX-standard micros to reach the U.K.

68 KAYPRO'S PORTABLE HARD-DISC MICRO

Our Transportable of the Year for 1983 reappears with a 10Mbyte hard disc at a very attractive price.

74 HEALTH AND EFFICIENCY

Chris Naylor looks at a selection of programs that help you to stay young and beautiful, diagnose your illnesses, etc.

134 BBC GAMES
A selection of offerings for the Acorn BBC Micro, put through their paces by Neville Maude.

143 BOOKS John Cookson reviews three volumes on advanced programming techniques.

>FEATURES

72 WIN A £2,500 RML 480Z OUTFIT

Your last chance to enter our languages competition for a luxury Research Machines outfit complete with colour monitor and software.

80 BACKGROUND TO BASICODE

Glyn Moody investigates Basicode, the language adopted by Radio 4's *Chip Shop* computer programme.

82 BBC MICRO — VIEW PRINTER DRIVER

Save money and get more features with this versatile printer driver from T L Morris.

87 APPLE II — IN THE REAL WORLD


Peter and Owen Benson set up the Apple II as a universal monitor for physical processes.

92 COMMODORE 64 GRAPHICS — PART 2

Boris Allan's series on graphics plotting introduces routines for controlling colour.

96 FICTION — THE
SAME OLD QUESTION
In John Clarkson's story an Al

In John Clarkson's story an AI system turns philosophical.



123 TOP 20 TRANSPORTABLES Ian Stobie presents a section of likely contenders from the mains-

powered portable micro market.

OPERATING SYSTEMS

100 BRIDGING THE GAP

Mike Lewis explains the purpose of operating systems, and the way they have evolved.

102 OPERATING SYSTEMS AT A GLANCE

A concise guide to the best established operating systems, and some new contenders.

104 THE STORY OF CP/M

Mike Lewis on Gary Kildall's brainchild, now the dominant business operating system.

107 UNIX — THE MULTI-USER OS

Today's trendiest operating system, dubbed "the octopus in your tank" assessed by Chris Bidmead.

110 MS-DOS — THE 16-BIT LEADER

Chris Bidmead on the origins and progress of the system adopted by IBM for its PC.

112 PICK — ONE FOR THE FUTURE?

Russell Jones describes the powerful mainframe and mini operating system just appearing on micros.

>REGULARS

5 EDITORIAL — BOOM AND BUST

The micro industry went into loss in 1983, and more firms will go to the wall.

FEEDBACK

Are computer war games corrupting and immoral, or harmless fun? The debate continues. . .

29 CHIP-CHAT SON OF 6502


Ray Coles on an important new 16-bit chip descended from the popular 6502.

35 SOFTWARE WORKSHOP Mike Lewis's monthly column for software users moves on to multi-tasking.

147 OPEN FILE 160
Free software for BBC,
Commodore, Sharp, Sinclair, Tandy
and Atari micros.

185 LAST WORD CP/M IN BASIC

Complete listing for a new operating system which "simulates CP/M" but is adaptable for any small micro with Basic. It's unbelievable!



WHAT IS IM?

* IM is a 4th generation information management system * It allows you to quickly and easily develop your own systems without computer expertise * IM is intelligent * Tell it your problem and it will produce the solution * IM does not let you make mistakes * It is designed for the businessman not the computer expert.

WHY USE IM?

* 7000 copies already sold * WINNER of Wangs Award for Technical Excellence * Links with IBM's general accounting package * Manufactured by BPI who supply over 50% of IBM PC software * Part of a developing range of integrated PC software products. Fully supported * Update service * Clear and easy to use documentation.

CALL THANS NOW

or circle enquiry

For information on M and local dealers
Tel: 01-609 9661 Telex: 266222 ROLLIN G

Thames Software, Omnibus House 41 North Road, London N7 9DP

Pressent Computing

EDITORIAL 01-661 3609

Editor Jack Schofield Assistant Editors lan Stobie Glyn Moody Art Editor Stephen Miller Production Editor John Liebmann Sub-editor Carol Hammond Editorial Secretary Sue Jordan Consultants Chris Bidmead Peter Laurie

ADVERTISING 01-661 3612 Advertisement Manager Ian Carter 01-661 3021 Assistant Advertisement Manager Paul Braybrooke 01-661 8626

Advertisement Executives Desmond Bond 01-661 3468 Lynne Brennan 01-661 8100 Mike Crimp 01-661 8425 Chris Markiewicz 01-661 3633

Advertisement Secretary Janet Thorpe Midlands office: David Harvett 021-356 4838 Northern office: Geoff Aikin 061-872 8861

PUBLISHING DIRECTOR Chris Hipwell

Published by Electrical Electronic Press, Quadrant House, The Quadrant. Sutton, Surrey SM25AS. Tel: 01-661 3500. Telex/grams 892084 BISPRS G

Distributed by Business Press International Ltd, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

Subscriptions: U.K. £13 per annum; Overseas £19 per annum; selling price in Eire subject to currency exchange fluctuations and VAT; airmail rates available on application to Subscription Manager. Business Press International Ltd. Oakfield House. Perrymount Road. Haywards Heath, Sussex RH16 3DH. Tel: 0444 459188.

Printed in Great Britain for the proprietors Business Press International Ltd by Eden Fisher (Southend) Ltd, Southend-on-Sea. Typeset by Centrepoint Typesetters, London EC1

© Business Press International Ltd 1984

Would be authors are welcome to send articles to the Editor but PC cannot undertake to return them. Payment is at £35 per published page. Submissions should be typed or computer-printed and should include a tape or disc of any program. Handwritten material is liable to delay and error.

Every effort is made to check articles and listings but PC cannot guarantee that programs will run and can accept no responsibility for any errors.

Boom-bust

TAKE A revolutionary new product that over a mere seven years will change the lives of two-thirds of the country's population. The product is highly portable, production costs are lower than anywhere else and the quality is higher. You know that sales will increase by over 10,000 percent in seven years, then spread over two-thirds of the entire world. Would you invest in it?

No, this is not the microcomputer. This is America in 1946, it's the television set, and the figures are for sales up to 1953.

According to Norman Macrae in *The Economist* magazine, the number of firms making TVs in America quadrupled. But "even in the boom years, less than half of the American firms sometime operating in this healthy market ever showed a really healthy positive cash flow, and in the five years after 1953 more than three-quarters closed down, increasingly on terms equivalent to going bust."

There are innumerable other examples. Macrae quotes the correct forecasts for 1952 to 1982 of passenger miles flown in airlines increasing by 3,200 percent and that by 1982 all the biggest airlines would be going bust.

In the middle of last year, *Practical Computing* in its Fifth Birthday Editorial was sounding a warning note. "This is the microcomputer boom. After the boom comes bust."

It is extremely unlikely that anyone took the warning seriously. Yet within a few months companies began to go into receivership with increasing frequency, and in America sought protection from creditors under the Chapter 11 law. The list includes Osborne, Computer Devices, HH, Almarc, Digico, Grundy Business Systems, Victor, Information Technology and Computer Services, and many more. Other companies have secured injections of cash, including Dragon, Torch, Oric and Camputers.

Two major companies, Texas Instruments and Mattel, have been forced out of the home-computer market by massive losses. Several companies have made smaller losses. Vector Graphic is having problems. Corvus is moving

into loss and Apple's fourth-quarter profits crashed. In 1983/4, Atari is set to lose over \$500 million.

All the firms mentioned, and their products, may survive and prosper. Osborne is still trading successfully, the Newbrain lives on in Holland, Almarc has been purchased as a going concern—and so on. But the severity of the situation was made clear by Apple's recent annual report which said that "At one point in 1983, the combined losses in the home computer segment of the market exceeded the profits being earned in the total industry." In 1983, for the first time the microcomputer industry went into loss.

Some companies will still makes lots of money out of micros. Sinclair, for example, could easily sell a million QLs. Orders could already run to 100,000 machines worth £40 million. But it is unlikely that the industry as a whole will make a worthwhile profit for some years now. It is a sobering thought.

In our own field, while *Practical Computing* has shown a profit this financial year, we suspect that the business of publishing microcomputer magazines is already running heavily into loss. Companies are supposedly investing in the future by desperately throwing magazines at the bookstalls. As we know, most will survive for a couple of years, because there are always mugs who will buy them and their hard-sell advertising space. But when the real shake-out comes they will disappear, having lost their publishers a considerable amount of money in the meantime. Another sobering thought.

If it is any consolation, the successes will be worthwhile. A lot of small companies will do very well, just as today small airlines are prospering as never before. It is encouraging too that a small company like Microvitee can make a better colour monitor than the mighty IBM, can make it in Bradford, and can sell it cheaper than IBM.

But the microcomputer industry is now pretty much on a par with slot-machines in Las Vegas, with one difference. In the micro industry far more money is at risk. Just hope none of it is your pension fund.

"I sold my HP calculator and Steve sold his van and we used the money to hire a printed circuit artist to lay out the boards. While we were thinking about making the first boards, Steve received a telephone call to place a \$25,000 order for 50 complete computers, fully built. We were planning to sell only blank boards but these were orders

"The order was from the local Byte Shop. By arranging credit properly we were able to get all the components we needed to build the boards. Then we went and sold them on the date for which the purchase order was made out and were able to pay our creditors. It was a very neat

for boards which were fully stocked with the ICs.

operation. We were able to turn the whole thing around very fast, in less than a month. That put us in business — In a garage.

"We decided to call the company Apple. Steve was working at a place called Apple Orchard, or something like that, in Oregon. It's a really great name — it's one of those names which sticks.

"We used the garage for a year and we didn't move too many computers, about 200; but it was the name which sold, and we started advertising in the magazines."

Steve Wosniak

Interviewed in PC Volume 2 Issue 4

LONDON COMPUTER CENTRE

PERSONAL COMPUTER

16 bit 8086 128K RAM 2.4 Mb Disk storage CP/M86-MSDOS Green Screen Colour Display

LCC SPECIAL BUNDLE

NEC APC RRP NEC Dot Matrix Printer £1.985 RRP £395 Benchmark WP Software RRP £311
Cables RRP £30 P £30 £2,721

you pay £1,985 you save



256K RAM 16 Bit

Nearly £1,000 Software included from £1,495

SITIUS 1

1.2 Mb Disk storage 2.4 Mb Disk storage £2,195 £2,895 10 Mb Disk storage £3,995 ## (The second second



555 £999

16 bit 128K Expandable to 256K. MSDOS. 2 Drives, Monitor £1,200 software included (Wordstar, Mailmerge, Spellstar, Supersort, Datastar, Reportstar, Calcstar)

SANYO 550 £799

16 bit 123K. **MSDOS One Drive Monitor** Software included worth £500 (Wordstar, Calcstar)

COMPUTERS

EPSON QX10 £1,735 TANDY 4 from £1,299 TELEVIDEO 806/816 PHONE SUPERBRAIN PHONE

PORTABLES

CORONA PC IBM PC Compatible 256K RAM Twin Drives £2,295 ZORBA with free 12" Monitor. Software worth £800 included £1,395

LAP PORTABLES

NEC 8201 16K EPSON HX20 16K from £402 **TANDY 100 8K** £433

DOT MATRIX PRINTERS

STAR DELTA 10 160cps	£399
GEMINI 10X 120cps	£249
EPSON FX80 160cps	PHONE
,, FX100 160cps	PHONE
,, RX80 160cps	PHONE
" RX80FT 100cps	PHONE
NEC 8023 100cps	£375
TOSHIBA 2100	£1,130
CANON PT1080A Colour Pi	rinter £453

DAISYWHEEL PRINTERS

£1,600
£1,350
£450
£399
0000
£399

SHEET FEEDERS

SHEET FEEDE	
BDT 2 Tray Auto	£595
BDT 3 Tray Auto	£695
BDT Single	£375
Juki Sheet Feeder	£239
Juki Tractor Feeder	663

HARD DISKS

Hard Disks for IBM PC	
Sirius QX10, NEC	
10 Mb	£1,545
15 Mb	£1,695
20 Mb	£1,995
20 Mb Tape Streamer	£1,495

PLOTTERS

HEWLETT-PACKARD 7475A	04.404
6 Pen colour	£1,401
ROLAND DXY 800/101	
6 Pen colour A3	£520
PIXY3 3 Pen colour A4	£599
SWEET P 6 Pen colour	
HP7475A Compatible	£995

MODEMS/MONITORS

Buzz Box. Direct Connect Modem	£65
Sendata Acoustic Coupler	£220
Philips 12" Green. Hi Res	£75
Taxan 12" RGB Hi Res for IBM	£399

ACCESSORIES

Floppy Disks Printer Buffers Daisywheels Ribbons Paper Labels Cables Disk containers Computer cleaning kits

The comprehensive range includes

THO OUTTIP		VO I UII QU I	IIVIUU
WORDSTAR £235 SUPERCALC II/III £		D BASE II £349 SPELLING CHECKER	2 080
WORD PROCESSING	3	LANGUAGES	£
Spellbinder	290		
		MBasic	215
Peach Pack*	332	MBasic Compiler	235
Mutimate	332	C Compiler	330
Spellstar	134	Fortran 80/86	325
Maillist	50	Cis Cobol/Forms2	399/105
Grammatik	85	Pascal MT +	240
FINANCIAL PLANNING	3	Pascal MT + SSP	350
Plannercalc	85	ACCOUNTING	000
Multiplan	170		250
Lotus 1-2-3	357	Pegasus from	
	331	Peachtree from	325
D BASE CORNER	450	Sage	375
FastBase	150	Exact	500
Autocode	195	Pulsar from	195
Quickcode	205	COMMUNICATIONS	
Dgraph	190	Bstam	130
Friday	185	Crosstalk	135
Infostar	266	Moveit 80/86	90
DMS	400		
UTILITIES	100	*Incl. PeachSpell/Ma	aillist
Sid £60, ZSid £76.		Please telephone for	the LCC
Mac \$133		Software Catalogue	250

FORMATS: Superbrain, Televideo, Sirius, Sanyo, Osborne Northstar, 8" SD, DEC, Epson OX-10, IBM ICL, H-P, XEROX, ALTOS, Apricot, NEC-APC & many more All prices are exclusivé of VAT

Looking for an easy-to-use cost effective File Handling System?

Thank god it's by ASHTON TATE

Friday will take care of your Files, Reports, Diary, Mailing and much more. It enables electronic files to be set up. Reports can be displayed and retrieved fast from all or part of a file. Friday is fast and versatile. It is designed for beginners.

Friday enables you to prepare custom reports to suit your requirements and presentation. Friday enables you to sort and select any field.

Friday uses on screen prompts and help menus to guide you through the job you are doing.

43 Grafton Way, London W1P 5LA (Opposite Maples)
Opening Hours: 10-7 Mon-Fri. 12-4 Sat.
01-387 4455 (4 lines) Telephone Answering Service After Office Hours Telex: 8953742

Wargames

computer war games - PC, February, page 7 — deserve wider currency. The editorial comment suggests three possible considerations:

- 1. computer war games may be bracketed with chess, and hence share its social responsibility
- 2. computer war games may be historically accurate
- 3. computer war games may be educational.

To describe chess as a war game is really stretching semantics to the extreme. Chess is an abstract, intellectual game, played according to strict and fixed rules. To attempt to describe it in the vocabulary of conflict as a war game is at worst dishonest and at best merely trite.

Mere historical accuracy is not of itself a justification for the marketing of programs or games that attempt to simulate the death or torture of other people. Would historical accuracy alone justify games along the lines of "... vou are leader of a group of militiamen in Beirut, and your task is to break into the refugee camps and machine-gun to death as many men, women and children as you can ..." or "... how many Jews can you gas before the Allies arrive (bonus points for gold fillings) . . . ''?

Such computer nasties are not so far away. Yet historically accurate games simulating the killing of other people are not qualitatively different from these. In any case, historical accuracy is not a particularly important attribute of role-play war games where the player is not confined greatly by the original situation being modelled.

The concept of situation modelling is important in relation to arguments that war games can have an educational value. A model of any situation is an abstraction of certain elements of what is being modelled. The first thing to be realised by any competent computer scientist is the grave limitations imposed on a model

OLIVER VOLCKERS' remarks on by the abstraction process, and the almost grievous consequences of significant deviations from these limitations. Ignorance of the limitations of a model may not mean much to a war-game role player, but it makes nonsense of any educational value. Nor is the player's involvement a passive one; it is an active involvement in and reinforcement of the ethos of killing.

> It may be argued that computer war games can inculcate a sense of revulsion in the player, or that clearing graphic blobs from a TV screen is too distant from the real world. Nevertheless such games do not sell on the basis of teaching revulsion of war, but allow the sensation of killing to be experienced at considerable psychological distance from the objects of the killing, a factor described by Jo Weizenbaum as the "psychic numbing" required to make ordinary people do horrible things to ordinary people.

> It is no accident that the U.S. Army has reportedly installed video machines so that soldiers may play war games supplied by a well known computer games organisation. This is happening in a world where Mr Reagan has stated that "the Space Invader playing kids of today will be the fighter and bomber pilots of tomorrow". In real high-tech warfare, where the enemy may well only be seen as graphic blobs on a TV screen, the notion of the computer war game may not seem too far removed from the real world after all.

> > Alex Macphee, Edinburgh.

I WONDER whether Mr Völckers is pulling your leg? The object of Eastern Front is not to plan the death of men most effectively. The object is to understand what happened note the tense, this is history and hope to understand better why it happened.

If children stand any chance of believing war is fun as a result

of playing the game, then TV and the elaborate reaction timers called arcade games will already have turned them into psychotics.

Bill Radcliffe, Teddington, Middlesex.

YOU ARE WRONG. Chess is not a war game, any more than bridge or cribbage are. As for war games, yes they are harmful especially to people of poor character and inadequate imagination. They instil a dangerous ability to depersonalise death, destruction and the "enemy". They are extended in wartime by deliberate phrases like Gooks, Reds, the Hun, who can be "wiped away" "liquidated"

On the other hand, I know several people who played with toy soldiers as children and became pacifists. But I suspect they were more sensitive than most.

If this is true, war games are a means of brutalising people in the guise of entertainment for the profit of a few. Therefore they are to be opposed, like video nasties. Both induce laziness too! But minorities copy them to commit some crimes.

A Kennaway, Ashtead. Surrey.

FOR SOME time now we have been concerned about the warlike nature of most computer games. War is horrible, and using it as a basis for games must influence the player's mind to an acceptance of death and destruction.

There is a growing number of people who are searching for games that are not warlike. We know of some such games but feel that there are many more.

Our group is working towards the publication of a list of nonwarlike games. We would be glad to receive suggestions of games suitable for inclusion.

James Hough, Microtechnology Group, **Quaker Social** Responsibility and Education, Friends House, Euston Road, London NW1 2BJ

• The editor replies:

1. Surely most games are war games in the sense that the player tries to occupy the opponent's territory, often remove his players, or pieces, or counters, or armies, and convert supremacy into victory. Backgammon and Go are two examples. The board game Risk is a classic in this genre. Chess is about the death of enemy pawns and the capture of the enemy warlord, isn't it? The only difference is the level of abstraction. In Eastern Front, the object of the game is to move your little white squares as far to the right of the board as possible, though in the game this is put in historical context. Why is this harmful?

2. At first sight the argument has nothing to do with video games, insofar as the principle is the same with board games, etc. However, when human plays computer, human is most likely to lose. It seems more significant that in most video games the human players are faced with ultimate defeat, no matter how heroically they battle against overwhelming odds. Space Invaders, Defender, Missile Command and Gorf are examples; Eastern Front is another. Computers are already better than humans at Backgammon and Go, and better than 98 percent of humans at chess. Are we being conditioned to lose, and how will this affect society?

Pi-mania

NO, nobody can give Mr Mehew - see Feedback, PC, October 1983 — a precise value for π . Such a thing does not exist, and (continued on next page)

Our Feedback columns offer readers the opportunity of bringing their computing experience and problems to the attention of others, as well as to seek our advice or to make suggestions, which we are always happy to receive. Make sure you use Feedback — it is your chance to keep in touch.

(continued from previous page) this is the implicit in Mr Chugg's reply, January 1984, when he gave the infinite series for π . The number π is transcendental, it cannot be expressed as a fraction, and does not recur or terminate when expressed as a decimal. All values obtainable are therefore approximations of differing degrees of accuracy.

Various fractions or expressions used to give an approximation may be put further in error by the method that the computer uses to evaluate them. The most reliable method would seem to be to enter the required value directly, stored as a variable if necessary. It is quite easy to keep a reference note of a value to a much higher degree of precision than will be needed, and enter the number of correct significant figures when wanted.

1 keep a record of the value correct to 15 significant figures: 3.14159265358979

which if used in any calculation would give an error of less than 4cm. in a light-year. As an engineer 1 am not really interested in such precision, and in the cold hard world of cost-effective compromises six significant figures give all the accuracy that anyone is normally prepared to pay for.

A Jackson, Pollenca, Mallorca, Spain.

Nascom lives!

READ in the "5 Years Ago" spot on page 5 of the December issue of the delivery of your first Nascom 1.

You may be interested to know that the Nascom I is still available in kit form for immediate delivery at £49.95 plus VAT. Since our purchase of the assets of Nascom Ltd, Nascom I and Nascom 2 kits have been offered alongside our range of business and educational machines and have continued to sell well, mainly in OEM form but also to endusers.

J B Garner, Lucas Microcomputers, Wedgnock Industrial Estate, Warwick

Microbee users

I AM a user of the Australian Z-80 based Microbee personal computer. It is good value for money as it has a built-in word processor and ADM3A terminal emulator in ROM with the Christensen protocol, battery backed-up CMOS RAM, 64-by-16 or 80-by-24 screen and has serial and parallel ports as standard fittings. The disc model is supplied with MBasic, WordStar, Multiplan and public domain CP/M utilities.

I know that the Microbee is sold in many European and Asian countries. I would like to get in touch with users outside Australia who would like to know more about the local scene. I would also like to see copies of Bee advertisements in foreign magazines. All letters will be answered.

Flt Lt Ash Nallawalla, RAAF Academy, Point Cook, Vic 3029, Australia.

Five years on

JUST TO let you know that I have picked up my prize in your Commodore Birthday Competition from Peter Walker

Associates with whom I have been corresponding since November. I would like you to know that they were very helpful and considerate to me and managed to get most of my selection for me before Christmas.

As a result of this new toy in our household, two people previously uninterested in computers have now become computer fans. Amy, our two-year old, is not surprisingly fascinated with it. More remarkably her mother, previously a campaigning computerphobic, has become hooked so I now find difficulty in using the 64 as she is constantly at the keys.

Five years ago *Practical Computing* introduced me to the fascination of personal computers, and it looks as if this year you've done it again for the rest of my family. I can't tell you how pleased I am.

Trevor Hatchett, Manchester.

CP/M recovery

MIKE LEWIS'S tip for recovering from a situation in which a CP/M BDOS error has aborted the program is to have a zerolength file on disc called Restart.Com. An attempt to load this file results in a jump to 100, the start of the transient program area, where the aborted program and all its variables should, with luck, be found intact.

Actually Restart.Com need not already be on disc. You can SAVE 0 RESTART COM

even after the crash. In fact you can perform any of the resident CP/M commands — Dir, Ren, Era, etc. — without mucking up your program because they do not use the TPA.

Even if you inadvertently use a non-resident command, such as Stat or Pip, all may not be lost. Restore will not get back your program but you can

SAVE 50 RAMBUFF.COM the name is not important. You can then work on it with DDT or Zspat.

The Zspat utility is invaluable to anyone with CP/M. I don't know how I survived two years without it. It enables you to examine the disc sector by sector, jumping directly to any specified track/sector you wish and then to overwrite any ASCII data you find there. I only wish it could send a Null, Ctrl-L; it would be the handiest way of unerasing a file.


Malcolm Ross-Macdonald, Offaly, Ireland.

Acacia diary


MANY THANKS to Neville Maude for his factual and accurate review of the Acacia's Electronic Diary system for the BBC Microcomputer. However, his comparison of the desk-top diary plus an alarm clock with our device on the price-only basis is not valid.

The Electronic Diary provides its user with facilities that are just not available with the paper version. A desk-top diary will not automatically sort out and display all the messages relevant to today, including the reminders from previous dates that have not been taken care of. It is possible to enter reminders beyond the end of this century. The equivalent desk-top diaries will occupy considerable space, and are not even in print yet.

Eugene Zabarski, Acacia Computers Ltd, Bromley, Kent. [1]







COMPLETE NEW RAN

Position in Company

Telephone No.

Return to Marketing Deartment Sans of Marketing Deartment

This is Sanyo's new range of normal to high resolu tion graphic display monitors. Designed for the custome who specifically demands a high quality product a a realistic price.

A complete range in every sense (size, colour capability and input versatility) that has evolved directly from the experience and advanced technology of one of the



TIPS THE KEY TO A CE OF DATA MONITORS.

world's leading colour television and computer product manufacturers.

A range that's available now at your fingertips.

If you're investing in business micros for the first time, or just simply extending your present system, phone STC on 0279 26777 or Micro Peripheral on 0256 3232.

Alternatively, clip the coupon and we'll tell you all about Sanyo,

the key to a complete new range of data monitors.

SEE SANYO, THEN DECIDE



Sanyo's 16 bits Shorts • Digital Resea is available for

SANYO HAS launched two new machines based on the 8088 processor, running under MS-DOS. The MBC-550 is the entry machine with up to 256K of RAM and 8K of ROM. The 550 has one floppy with a capacity of 160K and the MBC-555 has

The detachable keyboard is connected by a coiled cord and has five function keys in addition to a numeric keypad. The monitor is extra; both highresolution mono and colour options are available. A Centronics port is provided as



standard, with an additional RS-232 option.

The MBC-550 comes with WordStar and Calcstar, and the 555 also offers Spellstar, Mailmerge and Datastar among others as standard. It is claimed that a substantial amount of IBM PC compatible software can be run.

The MBC-550 costs £699 plus VAT, and the MBC-555 sells for £899. Details from Sanyo Marubeni (U.K.) Limited, 8 Greycaine Estate, Watford, Hertfordshire WD2 4QU. Telephone: Watford 46363.

Datapen Lightpen

DATAPEN'S LIGHTPEN allows high-resolution pictures to be generated on the BBC Micro, Dragon 32, Vic-20 and Commodore 64. It is used in conjunction with the associated software package Hi-res Draw.

An on-screen menu normally resides at the bottom of the screen. Toggling it on or off permits both freehand and accurate line drawing.

A further program called Colour-Draw allows the colour facilities of the micros to be utilised on screen. Intro is used to move sprite graphics. Graphics may be saved to tape at any point.

The Datapen Lightpen together with the three programs and a handbook cost £25, inclusive of VAT and postage. Details from Datapen Microtechnology Limited, Kingsclere Road, Overton, Hampshire RG25 3JB.



16032 upgrade for Z-80 micros

RESEARCH MACHINES 380Z machines and S-100 based micros based on a Z-80 CPU can now be upgraded to run National Semiconductor's powerful new 32-bit 16032 processor.

The 16032 uses the Z-80 for all I/O operations, so there is no need to rewrite the discoperating software. As a result, the user can swap easily between CP/M and the 16032's multitasking operating system MDOS-16000.

A macroassembler and a text editor, are supplied with the system. Pascal and Fortran compilers are promised too. Both will generate native code for the 16032, rather than using the slower intermediate p-code

Kit-1 costs £1,795. As well as the 16032 it includes an additional floating-point arithmetic chip. Further information can be obtained from Merlin Microcomputers Limited, 6 Wesley House Cottage, New Inn Hall Street, Oxford OX1 2DW. Telephone: (0865) 251255.

8086 on a Rana

THE RANA 8086/2 allows the Apple II to run both MS-DOS and standard Apple DOS programs. The appropriate operating system is selected automatically according to the format of the disc inserted.

The 8086-based system comes complete with two disc drives, 356K of RAM and video circuitry allowing various text and graphics modes. Software included with the system is MS-DOS, GWBasic and Microsoft Windows.

The system costs about £1,300 and is available from Pete & Pam Computers, New Hall Hey Road, Rawtenstall, Rossendale, Lancashire. Telephone: (0706) 212321.


Brother computer typewriter

BROTHER'S EP-44 offers a range of functions from electronic typewriter to full duplex sendand-receive computer terminal. The unit is powered by four standard 1.5V batteries, and weighs less than 5lb. An adaptor is also available for mains operation.

In addition to a button-type keyboard - like the IBM PCir — there is a 15-character liquidcrystal display unit and a dense 24-by-18 non-impact dot-matrix printer. This thermal head is claimed to provide letter-quality print with true ascenders and descenders on lower-case letters

The machine possesses a (continued on page 15)

- Digital Research's Soft Net is available for the Future range of micros. The system runs on Concurrent CP/M and requires a £184 RAM upgrade to 256K. The network system itself will either cost £10 per unit or £100 for a complete configuration. Details from Future. Telephone: 01-683 0111.
- The A3 and A4 digital graphics plotters from Gould Bryans have been reduced in price. The A4 version with seven colour pens now costs £1,495 instead of £1,895, and the 10-pen A3 is now £1,995 instead of £2,290. Information on 01-640 3490.
- Spectravideo Ltd has been set up to handle the importation and distribution of all Spectravideo products, for which it will have sole U.K. distribution rights. CK Computers of Weston-Super-Mare, which hitherto has distributed the Spectravideo SV-318 and SV-328, will continue to deal with the machines, acting as a link to the small retailer section of the distribution market.
- Plessey is introducing a new micro built around the iAPX 80186 processor running at 8MHz. The machine will come with 256K of RAM as standard, together with two 400K 3.5in. floppies. Also included in the £1,895 price is a monitor, keyboard and one operating system. Further information from Plessey. Telephone: (0602) 254822.
- The Ampex Pyxis 5.25in. Winchester sub-system can be hooked up to a range of machines including the Apple II and IBM PC. The basic unit costs from £1,767 for the 5Mbyte version to £2,518 for the 20Mbyte system. Interface adaptors for specific machines cost from £107 for the Apple to £142 for the IBM PC. Telephone: (04215) 66321.
- GEC McMichael Ltd, the consumer electronics division of GEC, has taken over the sales and marketing functions for all Dragon products within the U.K.



Over the past seven years, we've got used to solving other peoples' problems.

The chances are we have the answers to your computer queries, too. We'll suggest the system that will best fit into your business environment, help you put the pieces together, and show you how data processing completes the picture.

In other words, pre-sales advice, installation and training, plus full technical support, are all part of our comprehensive service.

Call us today, and we'll arrange a free demonstration.







apricot

Telephone or write now for a free product catalogue:

Interam Computer Store, FREEPOST, 46 Balham High Road, London, SW12 OBR. Tel: 01-675 5325 Telex: 925859



Ly FLOOR, THAMES HOUSE, SOUTHBANK BUSINESS CENTRE, 140 BATTERSEA PARK ROAD, LONDON SWII 4NB Tel: 01-622 9373 Telex: 925859 (continued from page 13)

4,000 character memory and RS-232 interface. A number of word-processing functions are available, including automatic carriage return at line end, line centring and underlining and superscript and subscript printing.

The EP-44 costs £220 plus VAT. Brother has also announced the HR-5 computer printer, with 80 columns and a non-impact dot-matrix head. The price is £179.95 plus VAT.

Details may be obtained from Brother Office Equipment Division, Shepley Street, Guide Bridge, Audenshaw, Manchester M34 5JD. Telephone: 061-330 0111.

Graphics pad

THE KOALA PAINTER graphics pad, is now available for Apple and Atari micros. The Apple version costrs £91.60 and can be obtained from Pete & Pam Computers. Telephone: (0706) 227011. The Atari version costs £69 and comes from Silica Shop Ltd. Telephone: 01-310 1111.



Optim Personal

THE OPTIM 1050 personal computer has two processors, a Z-80A and a 6502, but is not Apple compatible. The Z-80A is used as the CPU and handles 128K of RAM, while the 6502 controls the screen, providing 640-by-300 pixel bit-mapped graphics.

It has twin 400K floppy-disc drives which are said to read Kaypro and DEC Rainbow disc formats too. In other respects the Optim 1050 is a fairly standard system with a 93-key detached keyboard featuring a numeric keypad and 17 function keys.

Software bundled with the package is WordStar, Mailmerge, Multiplan and DR Graph, plus CBasic. The price is £1,995.

Contact Optim Computer Group plc, Lawford House, Harrow Road, London W10 4RE. Telephone: 01-969 6768.

Class warfare

THE BATTLE for the minds of today's youth is hotting up. Until March 31 Apple is offering educational establishments 30 percent off a range of Apple II and III systems. As reported last month in *Practical Computing* Commodore is currently promoting an educational package with a saving of £170 on the list price of £469.99.

In retaliation to all this transatlantic hard sell, Acorn Computers is striking back by offering a \$995 package to American schools and colleges. It consists of the BBC Micro, disc unit, speech synthesis and word-processing software. Econet is also included. Acorn aims to capture a major share of the market by the end of 1984 — and that market is estimated as being worth over \$600 million by 1986.

Details of the Apple and Commodore schemes can be obtained from local dealers.

BBC digitiser

A VIDEO DIGITISER for the BBC Micro has been produced by R H Electronics Ltd. The unit comes complete with power supply, and is connected to the computer using the 1MHz bus. The digitiser can be used with any video source, including a video camera or recorder.

The software is supplied on a ROM chip that plugs into one of the micro's spare slots. The digitised image may be displayed in all graphics modes of the BBC Micro, stored on disc or cassette and reproduced on an Epson printer.

A software package called Artfun allows selected portions of a digitised image to be blown up and modified with a lightpen.

The digitiser costs £212.50 plus VAT, and Artfun costs £11.95 and £9.95 for the disc and cassette versions respectively. Details can be obtained from R H Electronics Ltd, Chesterton Mill, French's Road, Cambridge CB4 3NP. Telephone: (0223) 311290.

Coleco Adam nearly here

THE LONG-AWAITED Coleco Adam almost put in an appearance at the recent Toy Fair in London, but in fact versions shown were still plugged into the CBS Colecovision video-games machine. In this form it is known as Expansion Module 3, which doesn't have quite the same ring to it.


The CBS Colecovision has a Z-80 with 16K of RAM. What is inside the Expansion Module

remains a mystery, except for the Applesoft-type Basic, and the word processor into which the Adam boots on powering on. The word processor imitates a typewriter in design: you type on to a black "roller" as the video "paper" scrolls past.

In the U.S. the Adam is supplied with a cheap letter-quality printer, plus a game which is called Buck Rogers — Planet of Zoom.

The price of the Expansion Module package is expected to be in the £600 to £700 range. Contact CBS Electronics, Headingly Road East, Woodley, Berkshire. Telephone: (0734) 698188.





The Adam comes with a letter-quality printer in the U.S.

Now you can fight off the hordes of invading aliens with a British-made joystick, the Pro Ace. It has two fire buttons, one placed centrally on the base for both right- and lefthanders, plus one on top of the control column. So far the Pro Ace is available in the standard Atari fitting, which is also suitable for Commodore machines, most video games and Spectrum add-ons, BBC and Dragon versions are to follow. The Pro Ace costs £12.95. Contact Sumlock Microware, 198 Deansgate, Manchester M3 3NE. Telephone: 061-834 4233.





MICROCOMPUTER HARDWARE, SOFTWARE AND ACCESSORIES WITH FULL AFTER SALES SUPPORT

SPECIAL INTRODUCTORY PRICES

FREE DELIVERY IN THE UK FOR ORDERS OVER £200

CP/M SOFTWARE

ASHTON TATE	
D Bacoll*	COOF
D Base II* Financial Planner*	.2333
Financial Planner	.£3/5
Friday*	.£170
BYROM	
BSTAM*	£115
BSTMS	9115
CAXTON	
Cardboy*	01/15
Cardbox* DIGITAL RESEARCH	. L 140
Assess Manager	0400
Access Manager	.£182
Access Manager ————————————————————————————————————	£242
Display Manager	£242
Display Manager – 86* C Basic	£304
C Basic	290
C Basic -86	£195
C Basic Compiler	6300
C Basic Compiler C Basic Compiler – 86*	6360
Page IMT	.E300
Pascal MT+	.£210
Pascal MT+ 86	
PL/1	£330
PL/1 -86*	.£450
FOX & GELLER	
d Graph*	£170
d Util*	260
d Util*Quickcode*	C170
MICROPRO	.2170
Coloctor	005
Calcstar*	£95
Infostar	£255
Mailmerge*	£120
Wordstar*	£225
Wordstar*	£450
Datastar*	€150
MICROSOFT	2.00
Basic Compiler*	6250
Basic Interpretor*	C220
Basic Compiler*	C210
Fortram Compiler	£310
Cobol Compiler*	£475
Multiplan*	£168
PEACHTREE	
Basic Accounting System	
per module	£300
Business Management Systems	
per module	2550
Peachcale*	2000
Peachcalc* Peachtext* Peachpack*	
Peachealt*	1100
Peachpack	£300
SORCIM	
Supercalc*	£105
Supercalc 2*	£165
Supercalc 2*	£255
SAGE	
Accounting*	£350
_	
Most popular machine formats	are
available.	

SOFTWARE FOR IBM/PC

Please see CP/M listing. All products with an * will also run on MS-DOS and PC-DOS and are priced the same.

DIGITAL RESEARCH

C Basic	£120
CP/M-86 + GSX	£40
Pascal MT+	£265
IUS	
Easy Filer	£235
Easy Speller II	£120
Easy Writer II	£185
EasyWrit/Spell/Mail	£385
MICRÓSOFT	
Fortram Compiler	£235
Flight Simulator	
LOTUS	
Lotus 123	£330
SOFTWORDSYSTEMS	
Multimate	£309
SORCIM	2000
Supercalc 3	. £265

BOARDS FOR IBM/PC

AST RESEARCH	
Mega Plus 64K	£288
Combo Plus 64K	£288
MICROSOFT	
64K RAM Card	£237
256K RAM Card	£600
Mouse	£130
Multi-tool Word + Mouse	£340
System Cad 64K	£290
QUADRAM	
Quadboard II 64K RAM	£280
Quadlink	£495

MONITORS

(One year warranty)	
KAGA	
Kaga RGB Vision-I 12"	£215
Kaga RGB Vision-II 12"	£257
Kaga RGB Vision-III 12"	
SANYO	
Sanvo 12" Hi-Res Green	598

PRINTERS

(One year warranty)	
EPSON	
Epson RX-80 FT	£262
Epson FX-80	£349
JUKI	
Juki 6100	£399
MANNSMAN-TALLY	
MT80	£225
MT 160	£449
STAR	
Delta-10	
Gemini 10X	
Gemini 15X	£329

All products subject to availability. CP/M is a registered trademark of Digital Research, IBM is the registered trademark of International Business Machines.

We cannot list all the products we carry – please call for further details.

HOW TO ORDER

Simply write to Oryx (stating machine format and disk size), or telephone 01-636 0476 to place an order or make an appointment to discuss your requirements. Or ring 01-631 4341 without obligation to reach our technical advice hotline.

Orders will be acknowledged by return of post and goods will normally be despatched within 7 days. All products are supplied new and are sealed complete with manufacturers documentation and factory warranties.

All prices exclude VAT and are subject to change without notice.

Oryx Systems (U.K.) Limited, Mappin House, 4 Winsley Street, London W1N 7AR.

DRYX-U.S. LEADERS IN TECHNOLOGY-NOW IN THE U.K



Circle No. 108

Commodore 64 Sid chips

A COMMODORE TECHNOTE from Slough reads as follows: "Because of the variations in Sid chips, it is not advisable to include the filter in the sound of commercial software. Doing so may result in sounds that are unexpected or not audible on some 64s. There is, of course, no problem in setting the filter in software one writes to one's own computer."

If you have experienced problems with sound in commercial software this could be the reason, and it is worth mentioning the fact to the author of the program.

QLMON

HAVE YOU ordered your amazing Sinclair QL yet? If so, when? Please fill in the small questionnaire, including the estimated date of arrival. When the machine actually arrives, fill in the date and send us the form. Take a photostat if you want to avoid cutting up the magazine.

It will come as no surprise to regular readers of this magazine that Sinclair has, yet again, been overwhelmed by the size of the demand, which has been described as "phenomenal". With your assistance, we will try to track deliveries and monitor the state of the waiting list.

Practical Computing

Name......
Telephone number.....

Date QL ordered.....

Estimated delivery date as notified

by Sinclair Research.....

Actual delivery date.....

Comments.....

Post completed coupon to: QLMON, Practical Computing, Room L306, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

Bad Apples

A U.S. GRAND JURY has indicted six people and five companies on charges of criminal conspiracy and smuggling counterfeit Apple micros and software into the U.S. from Taiwan.

This is the first time criminal charges have been brought, as opposed to civil ones, according to a report in the *Wall Street Journal*.

Apple has also filed criminal charges in Italy and Taiwan, while there are more than 50 lawsuits alleging copyright infringement in 16 countries. In

Mannesmann Tally Ltd

Berkshire RG11 2QT

Molly Millar's Lane Wokingham

Taiwan, six computer company executives have been sentenced to eight-month prison terms for pirating Apple software.

Info for free

PRACTICAL COMPUTING magazine is published by Business Press International, the world's largest publisher of business magazines. Computer publications in the group range from Computer Choice to Your Computer to Computer Weekly, and general magazines ranging from Amateur Photograher to Yachting World.

All the Reader Enquiry cards, such as you will find facing page 178 in this issue, are processed by a central organisation. Many people prefer to contact advertisers direct, and of course most enquiries are made in this way. However, the big advantage of the Reader Enquiry card is that it enables you to obtain information about a wide variety of equipment advertised in the magazine without spending a fortune on stamps. In fact, postage is paid so it costs nothing. Readers who have not used this very efficient service are invited to try it now.




Dealers-if you would like

to handle the MT80-

ring Geoff Thomas on the MT Direct Hotline WOKINGHAM 791619

New-Sinclair QL There's no comparison chart,



The Sinclair QL is a new computer.

Not just a new Sinclair computer, but a totally new sort of computer – nothing like it exists anywhere.

It's not just a bit better than this, or a bit cheaper than that – it's a computer that's very hard to compare with anything. Just check the features below – and if you don't agree, take up the challenge at the end of the advertisement.

If you do agree, there's only one course of action you can take... get yourself a Sinclair QL at the earliest possible moment.

The Sinclair QL has 128K RAM. Big deal?

Several micros offer 128K RAM, or more, as standard. The 'What Micro?' table for December 1983 lists over 50 of them – but 40 of the 50 micros listed cost over £2,500!

The Sinclair QL offers you 128K RAM for under £400, and an option to expand to 640K. That's a lot of bytes to the pound!

The Sinclair QL has a 32-bit processor. Who else?

Under £2,700, nobody. Even the new generation of business computers, such as the IBM PC, are only now beginning to use 16-bit processors.

beginning to use 16-bit processors.
At prices like this, the Motorola 68000 family – widely regarded as the most powerful microprocessors available – will remain a luxury.

Yet with the Sinclair QL, the 32-bit Motorola 68008 is available for less than £400.

You can also be sure that the QL will not become outdated. 32-bit architecture is future-proof.

32-bit processor architecture, 128K RAM, and QDOS combine to give the QL the performance of a minicomputer for the price of a micro.

Exclusive: new QDOS operating system

No competition! QDOS sets a new standard in operating systems for the 68000 family of processors, and may well become the industry standard.

QDOS is a single-user, multitasking, time-sliced system using Sinclair's new SuperBASIC as a command language.

One of its most significant features is its very powerful multitasking capability – the ability to run several programs individually and simultaneously. It can also display the results simultaneously in different portions of the screen. These are features not normally available on computers costing less than £7,000.

Eleven input/output ports

QL ROM Cartridge slot

Expansion slot

New professional keyboard

The QL keyboard is designed for fast input of data and programs.

It is a full-size QWERTY keyboard, with 65 keys, including a space bar; left-and right-hand shift keys; five function keys; and four separate cursor-control keys – key action is positive and precise

A membrane beneath the keyboard protects the machine from dust (and coffee!), and for users who find an angled keyboard more comfortable, the computer can be raised slightly at the back by small detachable feet.



M Sinclair, QL, QDOS, QLUB and ZX Microdrive are trade marks of Sinclair Research Ltd.


£399

ecause there's no comparison!

Advanced new friendly language – Sinclair SuperBASIC

The new Sinclair SuperBASIC combines the familiarity of BASIC with a number of major developments which allow the QL's full power to be exploited.

Unlike conventional BASIC, its procedure facility allows code to be written in clearly-defined blocks; extendability allows new procedures to be added which will work in exactly the same way as the command procedures built into the ROM; and its constant execution speed means that SuperBASIC does not get slower as programs get larger.



Microdrive extension slot -

Two 100K microdrives built in

The Microdrives for the Sinclair QL are identical in principle to the popular and proven ZX Microdrives, but give increased capacity (at least 100K bytes each) and a faster data-transfer rate. Typical access speed is 3.5 seconds, and loading is at up to 15K bytes per second. The Sinclair QL has two built-in Microdrives. If required, a further six units can be connected.

Four blank cartridges are supplied with the machine.



(N) Quill, Easel, Archive and Abacus are trade marks of Psion Ltd.

Included - superb professional software

The suite of four programs is written by Psion specially for the QL and incorporates many major developments. All programs use full colour, and data is transportable from one to another. (For example, figures can be transferred from spreadsheet to graphics for an instant visual presentation.)

Word-processing



Certain to set a new standard of excellence, QL Quill uses the power of the QL to show on the screen exactly what you key in, and to print out exactly what you see on the screen.

Á beginner can be using QL Quill for word-processing within

QL Quill brings you all the facilities of a very advanced word-processing package.

Spreadsheet



QL Abacus makes simultaneous calculations and 'what if' model-construction easier than they've ever been. Sample applications are provided, including budget-planning and cash-flow analysis. QL Abacus allows you to refer to rows, columns and cells by names, not just letters and numbers. Function keys can be assigned to change a variable and carry out a complete 'what if' calculation with a single key-stroke.

Business graphics



QL Easel is a high-resolution colour program so easy to use you probably won't refer to the manual! It handles anything from lines, shaded curves or histograms to overlapping or stacked bars or pie charts. QL Easel does not require you to format your display before entering data; it handles design and scaling automatically or under your control. Text can be added and altered as simply as data.

Database management



QL Archive is a very powerful filing system which sets new standards, using a language even simpler than BASIC. It combines ease of use for simple applications – such as card indices – with huge power as a multi-file data processor.

An easy-to-use labelling facility means that you don't have to ask for your file by its full name – a few letters are enough.

New - the Sinclair QLUB

The QLUB is the QL Users Bureau. Membership is open to all QL owners. For an annual subscription of £35, QLUB members receive one free update to each of the four programs supplied with the QL, and six bi-monthly newsletters. Sinclair has also made exclusive arrangements for QLUB members to obtain software assistance on QL Quill, Abacus, Archive or Easel by writing to Psion.

The Sinclair QL challenge

If you're seriously considering any other computer, post the coupon for a blow-by-blow comparison. We'll take a *published* comparison chart for the machine you're considering (not one we've created ourselves) and give you the Sinclair QL figures, detail by detail.

Take action today! To order by mail

 complete the coupon and send it to the FREEPOST address below.
 For credit card holders it may be possible to extend your credit limit.
 Full details will be sent when we acknowledge your order.

To order by telephone

 phone Camberley (0276) 685311;
 have your credit card (Access, Barclaycard, Trustcard) number ready.
 It may be possible to extend your existing credit limit. Please ask our telephone staff for more details.
 Please do not use this number for other enquiries.


For more information

Phone Camberley (0276) 686100, or use the coupon to get a QL brochure. Due to demand, delivery may take more than 28 days. Your order will be acknowledged immediately with an expected shipment date. Remember that Sinclair offers a 14-day moneyback undertaking.

Send to: Sin	nclair Research Ltd, Computer Division, FREEPOST, Camberley, Surre Item	ey, GU15 3BR. Code	• Circle No. 110 Item Price £ Total £		
<u>qiy</u>	Sinclair QL Computer	6000	399.00		
	QLUB membership (one year)	6100	35.00		
	Postage & packing (any order over £390)	6999	7.95		
□ I enclose	the appropriate box- a cheque made payable to Sinclair Research Ltd for £ arge my Access/Barclaycard Trustcard Account No.			£	
	Signature				
Mr/Mrs/N	iss				
Address		1 1 1 1			
				PRC4O4	

☐ Please send me a Sinclair QL brochure

Sinclair Research Ltd, Stanhope Road, Camberley, Surrey, GU15 3PS.



The DASH-80, designed and assembled in Great Britain to exploit the vast range of CP/M based application software, provides a processor performance that exceeds that of most current 16-bit systems and floppy disk access times as fast as those of many hard disks. The DASH-80 comes complete with a selection of powerful software tools including:

WORDSTAR, the world's most popular word processor software,

CALCSTAR, wordstar compatible electronic spreadsheet,

Trademarks: (1) Digital Research, (2) Micropro, (3) Relational Systems.

PERSONAL PEARL, a powerful data base application generator.

DASH-80 processor prices (inclusive of software) start at — £1084.00 (RRP, excl VAT), DASH-10 terminal shown above — £ 560.00 (RRP, excl VAT).

For further information on the system, and for details and listings of disk and processor benchmarks, telephone or write to the address shown below:

PROCESSOR BENCHMARKS					DISK BENCHMARKS								
2.00	BM1	BM2	ВМЗ	BM4	BM5	BM6	BM7	BM8	DBM1	DBM2	DBM3	DBM4	DBM5
DASH-80	.73	2.4	6.6	6.5	7.0	12.7	20.2	34.3	0.6	4.3	4.2	3.8	3.7
IBM PC	1.2	4.8	11.7	12.2	13.4	23.3	37.4	30.0	3.8	21.2	20.8	12.7	10.4
APRICOT	1.5	4.8	10.4	10.8	12.2	22.8	35.5	34.0	3.0	9.5	14.0	8.0	7.5
SIRIUS	1.7	5.4	11.1	11.5	13.6	26.2	40.1	29.0	2.5	37.0	37.0	12.0	12.0


aculab Unit A, Station Approach,

Leighton Buzzard, Beds. LU7 7LY 0525 371393

Microsoft backs Software flashes Macintosh

MICROSOFT is backing Apple's new Macintosh, reviewed in the March issue of Practical Computing, with its range of application programs. First to be implemented are Multiplan and Word, along with two new programs, File and Chart. Microsoft File is a databasemanagement program, and Chart a graphics package. Data is said to be interchangeable between the programs. Microsoft Basic will also be made available.

Multiplan has several useful enhancements, such as an Undo command to reverse the last change. Printing options now include headers, footers and automatic page numbering.



The Microsoft programs do not follow the style that has become well known from implementations on other micros. Instead they use pull- Berkshire. Tel: (07535) 59951.

down menus like Macword and

Contact Microsoft Ltd, Piper House, Hatch Lane, Windsor

Jack-2

AFTER The Incredible Jack comes Jack-2, the Apple 11 version of the integrated program originally written for the IBM PC. Jack does word processing, calc-sheeting, charting and filing or database management on screen at the same time without windows.

Contact Business Solutions Inc., 60 East Main Street, Kings Park, New York NY 11754. Telephone: (area code 516) 269-1120. Or contact Pete & Pam, New Hall Hey Road, Rossendale, Lancashire BB4 6JG. Telephone: (0706) 212321.

QL support

IT MAY BE impossible to get hold of a Sinclair QL, but the quaintly named software house Joe the Lion has already announced the first of a range of programs.

The program is called the Spectrum Emulator, and it is claimed it will allow the QL to load and run Spectrum machine-code programs. It is supplied on a Microdrive tape and comes with a connector to allow a cassette recorder to be connected to the QL.

The price is expected to be around £25. Contact Joe the Lion at 213-215 Market Street, Hyde, Cheshire SK14 1HF.

Meanwhile, Leon Heller and Brian Pain launched an independent QL users' group called, acronymically, IQLUG. The first 16-page news letter has already been published. Price is £3.25 for a trial six-month subscription.

Contact Brian Pain, Acting Secretary, at 24 Oxford Street, Stony Stratford, Milton Keynes, Buckinghamshire. Telephone: (0908) 564271.

See Jane run

JANE is a fascinating piece of integrated software, just like the Incredible Jack. The differences are that Jane uses little drawings or icons, is mouse operated, and has overlapping windows.

Jane comes complete with Janewrite, Janecale and Janelist on a single disc, plus a threebutton mouse. One of the designers, Bobby Kotick, describes it modestly as "similar in principle to the Apple Lisa and Xerox work station, but Jane goes much further. It creates the ultimate interactive environment for the user".

Jane was written by Kotick



and Howard Marks, undergraduates aged 20 and 21, and room-mates at the University of Michigan. Launch investment came from the chairman of the Golden Nugget hotels and casinos in Las Vegas and Atlantic City. However, the man running the new company, James Spillers, certainly knows the business: he spent 14 years at Xerox and was vice-president of Microsoft. Sales of 100,000 programs are projected for Jane in 1984.

So far you can only see Jane run on an Apple II micro. However, it is claimed to be easy to transfer to any machine with 64K of RAM. Commodore 64, IBM PC, PCjr and Atari 800XL versions are under development.

Retail price in the U.S. is only \$295. So far Jane is not

(continued on page 23)

- Raymond Briggs' twee Snowman character features in one of Ouicksilva's new games for the 48K Spectrum. Other new Spectrum games are Dragonsbane, Fred, and Jeff Minter's Laserzone. Telephone: (0703) 37497.
- Peale is a spreadsheet for the Kyocera lap computers: the NEC 8201A, Tandy Model 100 and Olivetti M-10. It costs £25 from Capra-Cinderstan Associates, 5 Oliver Court, South Hill Park Gardens, London NW3 2TE. Telephone: 01-794 8899.
- Gemini Marketing's database for the BBC Micro is now available on ROM for users with disc drives. Gemini is also to supply a suite of business software including purchase and sales ledgers, invoicing and payroll at £99.95 per module. Telephone: (0395) 265165.
- Interior Designers can now do it on the Spectrum. Richard Williams' program will also print out room plans, and at £4.95 could be worth having even if you are just moving house. Contact Richard Williams, 84 Brentmoor Road, Bramhall, Stockport SK7 3PY.
- BBC Micro owners can now obtain more good-value software from Beebugsoft. The new offerings are Toolbox, Paintbox, Teletext Pack and Design. Toolkit is on EPROM; the others are available on either cassette or disc. Contact Beebug Publications, PO Box 50, St. Albans, Hertfordshire.
- Y Software has produced a neat utility called TH for CP/M micros. TH stands for Text Handler. It allows the text part of programs, such as help menus and error messages, to be held in separate files from compiled machine-code programs in MBasic, Macro-80 and ProPascal. The result is smaller, faster programs with longer, more helpful text screens. Contact Y Software, 34 Watson Road, Killiney, Co. Dublin, Ireland.



(continued from page 21)

available in the U.K. However, Arktronics can be contacted at 113 South Fourth Avenue, Ann Arbor, Mi 48104. Telephone: (area code 313) 769-7253.

Jane is marketed as "the most simple way to operate a computer". Shouldn't that be "simplest"?

Lifeboat

Associates has closed its London office. Distribution and support is being taken over by Roundhill Computer Systems. Products include the Lattice C compiler, now available in a new, revised version for MS-DOS and PC-DOS 2 and offering a megabyte of address space.

Contact Roundhill Computer Systems Ltd, Axholme, London Road, Marlborough, Wiltshire SN8 1LR. Telephone: (0672) 54675.

HX-20 meets Prestel

ADD A MODEM or acoustic coupler along with the Deskmaster 20 HX-Viewdata program and the Epson HX-20 can talk to the Prestel computers. At least it can if the HX-20 packs 32K of RAM. Kuma Computers, which supplies the software, also has a 16K RAM upgrade board that fits inside the HX-20 case.

Another Kuma package for the HX-20 is Deskmaster 17 Pert and Critical Path Analysis

Program. If you don't know what it does, you don't need it.

Contact Kuma Computers Ltd, Unit 12, Horseshoe Park, Horseshoe Road, Pangbourne, Berkshire RG8 7JW. Telephone: (07357) 4335.


68000 takeover?

TODAY'S CHIP is certainly Intel's 8086/8, as used in the IBM PC, Sirius and ACT Apricot micros. Tomorrow's chip could be the Motorola 68000. This is the CPU family used by Apple's Macintosh and the Sinclair QL, as well as powerful machines like the Sage 11, Fortune 32:16 and Wicat 150.

One problem with 68000 based micros is a slight shortage of applications software. Digital Research is planning to plug that gap with a version of its forthcoming operating system Concurrent DOS, which is expected to be released around the end of this year.

The point about C-DOS is that it will allow programs written for the IBM PC under PC-DOS to run on 68000-based micros. It has not escaped anyone's notice that PC-DOS is a version of the MS-DOS produced by Digital Research's arch-rival Microsoft. A case of, if you can't beat 'em, outsmart 'em?

In theory, it should be possible to implement C-DOS on the Sinclair QL. This would allow the QL to run IBM PC software at a somewhat lower price than is likely to be offered by IBM.



The first product from Digital Research's new hardware division is a Gold Card for the Apple II. It provides CP/M, which is hardly news, but the use of a 6MHz Z-80 is said to allow applications to run three times faster than with competitive cards. The Gold Card also provides an 80-column screen and CP/M Plus, as reviewed in Practical Computing, October 1983 issue. It costs £399. A further version of the card offers 128K of RAM instead of 64K, plus a cache memory, and costs £640. Contact Digital Research, Oxford House, Oxford Street, Newbury, Berkshire RG13 1JB. Telephone: (0635) 35304.

C for 8086/8

THE DESMET C COMPILER is now available from MLH Technology for the Sirius, Apricot and IBM PC. Operating systems supported are MS-DOS and PC-DOS, with CP/M-86 to follow shortly.

The package includes an extensive set of utilities: compiler, linker, assembler, screen editor, cross referencer, full-function library and demonstration programs. Assembly language may be included in the C source files. In addition, there are no royalties on generated code, so users can sell or distribute programs produced with the compiler.

With the recent growth of interest in C, MLH has priced the package at only £125 plus VAT, to try to capture a wide market. The manual may be purchased separately for £20; if you subsequently buy the package the £20 can be deducted from the price.

Contract MLH Technology, 14 Burgamot Lane, Comberbach, Cheshire CW9 6PB.

Graphics pack for Sirius

KEYDRAW is a text-illustration and graphics package for the Sirius 1 from Tarot Ltd, the supplier of Keyplot, Keyform and Keylogo, Keydraw costs £250 plus VAT. Telephone: 01-650 2999.

CFACC

LOGICAL STEP LID's popular integrated accounts package CFACC — Computerised Financial Accounts — already runs on any CP/M, CP/M-86 or MS-DOS micro. Now it is going to a wider market in alternative language versions. The first of these are Arabic and German. In addition CFACC is now available to run under the Unix operating system.

Contact Janet Webberley, Logical Step Ltd, Wellesbourne House, Walton Road, Wellesbourne, Warwickshire CV35 9RH. Telephone: (0789) 842082.

More and more for the 64

- Audiogenic has announced Magpie, a powerful new menu-driven database for the Commodore 64. It comes on a cartridge, like Audiogenic's Wordcraft 40 to which it links. It costs £99.95. Application modules to follow will be priced from £19.95, and include accounts, mailing list, records and invoicing. More information from Audiogenic. Telephone: 01-290 6044.
- New games for the Commodore 64 include Gridtrap 64, Jumping Jack 64 and Triad 64 from Sumlock; Dancing Feats, Mothership, Planet of Death, Inca Curse, Ship of Doom, Espionage Island and Golden Apple from the well known Spectrum house Artic Computing; Sting 64 and Boog-a-Boo (The Flea) from Quicksilva; and Hideous Bill and the Gi-Gants from Virgin. Jumping Jack is a version of Frogger - not the same as Jumping Jak for the Spectrum, alias Leggit for the Atari. The Sumlock Games are £8.95 each, and all the others are £6.95 each. Contact Sumlock on 061-834 4233; Artic on (0401) 43553; Quicksilva on (0703) 37497; Virgin Games on 01-221 7535.
- Those struggling with the pathetic Basic 2 built into the Commodore 64, or the bugs in Simon's Basic, might like to try the BC-Basic Toolkit from Kuma. This 9K Basic extension cartridge adds over 97 new or modified commands, including 17 sound commands. It costs £57.50 including VAT. Telephone: (07357) 4335.
- Oxford Computer Systems can now supply a range of compilers for the Commodore 64. The Integer Basic compiler costs £125, and the Pascal compiler costs £49.95. Two cross-compilers, Portspeed and X-64, allow code to be compiled on Commodore 8000-series micros for running on the Commodore 64. Telephone: (0993) 812700.

BUYAN GAPPIC In our Winter Sale

while stocks last

The Professional Home Solution

Apple Ile 64K

Disk Drive
With Controller

£760

Includes over £300 of extras

TV modulator colour and sound 3 Apple books £100 Training Voucher Apple Monitor Voucher Software Vouchers Micronet/Prestel Voucher

Windfall Voucher

Apple Sports Bag

The Personal Solution

Apple IIe 64K

APPLE IIe

Disk Drive with £900 80 column card 12" High Res. Monitor Apple Ile £599 Monitor £90 Colour Monitor **RGB** and Composite £199 Disk Drive Without £200 80 col + 64K f 150 Applewriter £119

The Business Solution

APPLE III

Apple III 256K
Monitor III
SOS System Software
with Apple II emulation
built in disk drive

Apple III 256K Computer as above plus Profile 5mbyte hard disk

Applewriter III £130
Visicalc III £170
Quickfile III £ 55
(All 3 packages for £295)
Complete range of invoicing, ledgers and stock packages available.

THE SUPPORT PACKAGE

Training — Free half day appreciation course before you BUY

Quickfile

Multiplan

80 Col. Card

- Free one day application training when you buy your Apple from us.

£ 60

£175

- Full year guarantee on all parts and labour.
- On site maintenance available.

Simmons Magee Price Promise

We will guarantee to compete with any advertised price on APPLE.

Printers

EPSON RX80 £242 RX80ft £269 FX80 £350 OKI 82A £299 92 £439

For computerised solutions to business problems contact

SIMMONS MAGEE COMPUTERS LTD

13 YORK STREET, TWICKENHAM, MIDDLESEX TW1 3JZ

01.891.4477 ALL PRICES EXCLUSIVE OF V.A.T.

Commercial Press (Guildford) Limited

Lithographic and Letterpress **Printers**

Designers

Stationers and

Tel Guildford 38835 Reg Office as above

25 Recreation Road

Guildford Surrey GU1 1HQ

Reg in England No.1136401

Mr. J. Radley, Allfit Stationers, 12, The Hill, Newtown, Yorks.

Just a quick note to let you know that our troubles are over. I've just discovered an amazing 12th Feb 1984 way to keep in touch with you in the future — it will also make my business much more efficient. Dear John,

Last week I spent £195.00 on a computer program called DMS+. Sue typed your name and address on to disk, as well as all my other long-suffering clients. She added a few details about everyone, and now DMS+ will automatically write to you whenever I've got something important to everyone, and now DINGT win automatically write to you whenever the got sometime tell you — such as a special offer, or a new product that you ought to know about.

DMS+ is a special program that combines a really easy to learn letter writing program with a marvellous record keeping program. It means that I can ask my computer to select all my clients who live in a certain area. Or who enegislies in certain markets at a Then it writes in according to the specialise in certain markets. marvenous record keeping program. It means that I can ask my computer to select an my chemic who live in a certain area, or who specialise in certain markets, etc. Then it writes 'personalised' letters for me, and even prints the self adhesive labels. In fact, this letter was written by DMS+ and all I have me, and even prints the self adhesive labels. In fact, this letter was written by DMS+, and all I have to do is sign it! I'm going to use it for my club subscriptions, various management reports, VAT (it has it's own calculation program), and probably my stock file too.

Sue went on one of Compsoft's training courses the other day. She actually enjoyed learning DMS+, and tells me that if ever we outgrow DMS+ we can exchange it for another Compsoft database program called Delta. This one costs £495.00 but by all accounts its the most powerful and sophisticated database on the market.

So be warned - you're going to find us a lot more efficient in the future. Taurel Hown.

Yours faithfully,

P.S. DMS+ works on virtually any microcomputer. If you want to know more about DMS+ for your own use ring Compact on Guildford (0483) 808545 and they'll send you a complete full colour own use, ring Compsoft on Guildford (0483) 898545 and they'll send you a complete full colour



Compsoft Limited, Hallams Court, Shamley Green, Nr Guildford, Surrey, England GU4 8QZ

Telephone: Guildford (0483) 898545

Telex: 859210 CMPSFT G

guide.

Microline 84

Highest performance and reliability place these printers on top of the Microline printer series. The printhead is designed for over 200 Million character printing.

Printing speed is 200 cps in data processing mode and 50 cps is achieved in correspondence quality mode. Character types are user defined.

A choice of character sets is permanently stored in the printer's EPROMs.

Additional memory space is provided to store one's own specific character set. This happens by downbading the specific character set from one's computer to the printer before the printer the prin to the printer before the printout begins.

The carriage width of 136 characters allows the use of A4 paper in portrait or landscape formats, from an optionally available single sheet feeder.

The interface parts allow for parallel or serial data transfer – buffered or unbuffered –, from most popular desk top computers and widely used PC's.



MICROLINE - more than 150. 000 printers in Europe in use.

OKI ELECTRIC EUROPE GmbH Emanuel-Leutze-Str. 8 - D-4000 Düsseldorf 11 Telefon 02 11/59 20 31 - Telex 8 587 218

U.K. X-Data Ltd F-705/751 Deal Avenue Trading Estate. Slough Berkshire SLI 4SH Tel.: 0044-753-72331 Tlx: 051-847728

COUPON Please send me/us more information to: MICROLINE 84 The whole MICROLINE program	PC4/84
Name:	
Street:	
City:	
Phone:	

COMPSOFT THE EVOLUTION OF DATABASE MAN



From the beginning of time man has been fascinated by his inability to solve even his simplest problems ...




As man's knowledge grew, so did his problems ... and so did his inability to solve them ...



And man's knowledge was vast.

– And so were his problems. But he was no nearer solving them ...



From the beginning of **Delta**,man has been fascinated by his ability to solve even the most complicated problems quickly and effortlessly.

Delta is the most comprehensive and sophisticated database program on the market today. Faster and more powerful than ever before, Delta offers a unique 'three dimensional' file structure. Users can create their own records, sort, select, print reports, labels and print automatic personalised letters, do calculations, and link to other software including Lotus 123, Multiplan, Wordstar, Peachtext, etc. Users can design their own 'menu' of options, thus producing dedicated database systems. Delta is perfect for stock recording, personnel, parts files, clients records, brokers, libraries, Local Authority records, etc, etc. Available for most business microcomputers with the PCDOS, MSDOS or CP/M operating systems, including the IBM PC, SIRIUS, APRICOT, XEROX, EPSON, WANG, and many more. Full colour guide, plus technical specification free on request on Guildford (0483) 898545.



DELTA

COMPSOFT DATA MANAGEMENT SYSTEM

COMPSOFT Ltd., Hallams Court, Shamley Green, Nr. Guildford, Surrey GU4 8QZ, England.

Tel: Guildford (0483) 898545 Telex: 859210 CMPSFT

• Circle No. 115

Into a world of chaos, clutter and conflict-OZ brings control!

to give you total control over your business. Whether it's for corporate managers, small businesses, line managers, financial analysts, controllers, sales managers, engineers or investors OZ will change the chaos, clutter and conflict into simple, effective and total control.

CONSOLIDATION



Managers don't have time to teach their computers about business. With OZ they don't have to. OZ will actually store your organisation chart as an organisation chart and all data relationships will be controlled by this simple chart. So OZ will automatically perform consolidations for you on any organisation up to 50 units. OZ will make your re-organisations and mergers as easy as touching a key. It can't get much easier than that.


FINANCIAL REPORTS

Description	Y-T-D	O/U Budget	
Brand X	10	-	
Brand Y	15	-5	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
oz	20	10	

With OZ, the profit and loss forecast is always up-to-the-minute because OZ will up-date it automatically whenever it's needed. Not only that, but also the annual budget is always available for comparison at the touch of


In addition OZ provides a complete reporting package with indicators such as: actual vs budget, quarterly actuals and full year forecasts. And as all reports are presentation-quality you can use them immediately. Finally, to back up reports OZ gives you a 3D financial analysis capability so you can view your information in a way that's precisely relevant to what you're analysing.

VARIANCE ANALYSIS



Business managers must know whether they are 'on plan.' OZ has a variance analysis system that will assist in understanding when and why performance is 'off the mark'. With OZ you can look at variances for all the line items by month and by department then, at the touch of a key, get the reasons which explain the variance. OZ gives you complete control over your costs.

COLOUR GRAPHICS



With just a single keystroke OZ lets you see important trends as a colourful chart on screen. There is a wide variety of formats and OZ prints or plots any chart instantly with just one keystroke.

DEALERS

Contact Fox & Geller or one of these distributors for more details: Softsel 01-844 2040 Midlectron (077382) 6811

Tamsys (Windsor) 56747 Software Ltd 01-833 1173
Pete & Pam 01-769 1022 Xitan (0703) 871211 MPI 01-591 6511
Tradesoft 01-627 1800 Soft Option (0476) 860171.

To use OZ you must have IBM PC or XT with 256K memory



FOX&GELLE

Fox & Geller (UK) Ltd, 17 Wigmore Street, London W1. Tel: 01-580 5816.



THE 6502 microprocessor used in the Pet, Apple, Oric, BBC and many other microcomputers is about to gain a new lease of life which may see it survive to the end of the decade.

Based on the architecture and instruction set of the less successful Motorola 6800, the 6502 was tailored to the needs of personal-computer and video-game designers. It has achieved phenomenal success because of its suitability for handling high-level languages such as Basic.

Compared with its main competitor, the Zilog Z-80, the 6502 has a primitive architecture with fewer registers and instructions, and a slower clock. Yet thanks to the provision of a pipelined Fetch/Execute CPU and the inclusion of some crafty addressing modes, the 6502 often shows up better than its rival when running Basic Benchmarks.

Success

Despite this success, the 6502 seems to have reached the end of the road. While Intel, Motorola and Zilog have gone on to introduce 16-bit successors to their 8080, 6800 and Z-80, there has been a lack of 16-bit progeny from the 6502. As a result microcomputer manufacturers, including those with a historical loyalty to the 6502, are desperately trying to get 16-bit goodies proffered by the other manufacturers. Even Apple has now adopted the 68000 chip from Motorla for its flagship the Lisa.

One often-heard explanation for this lack of a successor is that the 68000 provides a perfectly good upgrade route, and so there is no real need for a 6502-like 16-bit processor. This assumes that all 16-bit processors are necessarily so different from their eight-bit ancestors that there is nothing to be gained by staying with a single line of evolution since the board design and the software will have to change anyway.

Non-compatible

This line of reasoning was followed by Zilog when the company introduced the Z-8000, which is non-compatible with the Z-80. Although the Z-8000 is regarded as a superb processor technically, it is now an embarrassing flop because it lacks an eight-bit bus version and is unable to run any Z-80 software. Thus Zilog has had to start again with the 16-bit Z-800, which will run Z-80 code. On the other hand, Intel retained a measure of 8080 compatibility with its 8086 and, perhaps as a result, this less powerful 16-bit device has swept the board.

Having watched this shake-out in the 16-bit market, a group of engineers working at the Western Design Center based in Tempe, Arizona decided that there must be a potential market for a 6502-compatible 16-bit processor. As a result they have designed the most compatible 16-bit successor to emerge yet, the W65SC816.

The 6502 life preserver

Now this good old eight-bit workhorse has a compatible 16-bit successor.

In spite of its late entry into the market, it seems likely that the W65SC816 will find a lot of willing sockets. Many writers of 6502 software will be relieved to discover that their investment will not be rendered obsolete, and many personal-computer designers will welcome this straightforward route to higher performance.

Code unchanged

Compatibility is the keyword of the W65SC816 design. It will be possible to run 6502 code unaltered on the new chip, but what is more remarkable is that the W65SC816 uses the same pin connections as its ancestor, which means that it can, in theory, be used as a drop-in upgrade for systems already in production but presently using the 6502.

In spite of all this eight-bit compatibility, there really is a 16-bit processor lurking inside the package, ready to provide greatly increased performance when unlocked by the programmer or the system designer. Although the W65SC816 retains an eight-bit external data bus like the 6502, inside the package a 16-bit bus is provided to increase throughput. Memory-addressing range has been increased from 64K to a more respectable 16Mbyte, because of the provision of an additional eight address bits which act as bank selects.

The puny eight-bit register set of the 6502 has been extended so that all registers are at least 16 bits long, with the program counter and index registers being extended to a total of 24 bits each by concatenation of the two new eight-bit program bank and data bank registers respectively. Like the 6502, the W65SC816 has a pipelined Fetch/Execute architecture, and like other 16-bit processors with an eight-bit data bus such as the Intel 8088, the processor retrieves 16-bit data by the use of two successive Fetches. Unlike other 16-bit processors however, the W65SC816 Fetches the low byte first and starts to act upon it even before the second byte has been Fetched. This simple pipeline

approach is made more effective by the retention of eight-bit op codes for all instructions.

To use the new chip to run unmodified 6502 code, the programmer has only to set the new E flag bit to a 1. While this flag is set the W65SC816 performs like a 6502 with the same clock timing, instruction cycles, and other features such as effective register length. When the E flag is reset, new 16-bit code can be executed to provide the higher speeds and greater memory-addressing range that is normally associated with the 16-bit processors from other manufacturers.

In the 16-bit mode, the facilities of a memory manager become available — facilities which on other 16-bit processors usually require the use of an external MMU chip. Even in eight-bit mode this chip will outperform a standard 6502, thanks to a 4MHz clock rate.

Licensing

One surprising feature of the W65SC816 is that the chip designers will not make it themselves. Instead, they plan to license the design to other manufacturers and to use the so-called silicon foundries to produce it for them. One of the first suppliers of this device will be GTE Microcircuits, but do not be surprised to see other traditional 6502 suppliers such as the CBM Semiconductor Group, Rockwell and Synertek join the 16-bit 6502 bandwagon before long.

The W65SC816 chip is currently available only in sample form, but already its undoubted attractions are becoming evident to existing 6502 system designers. No doubt there will be a big demand. Production chips will be fairly easy to make due to the conservative technology selected by the Western Design Center. We should not have to wait too long before all 6502 fans can take advantage of the easiest route yet developed to compatible 16-bit processing.

Micro Computer Disks Ltd

Computer supplies for the end-user LOWEST PRICES FOR HIGHEST QUALITY PRODUCTS

MAXELL FLOPPY DISKS DYSAN FLOPPY DISKS MEMOREX FLOPPY DISKS

prices from £20.50 per box prices from £22.50 per box prices from £17.50 per box

Ribbons (over 50 varieties in stock) Multistrike High Capacity Ribbons £.1.95!! Diablo/Qume Daisywheels only £3.95 each!!

NO MIDDLE MEN! NO FRILLS! STRAIGHT FROM THE WAREHOUSE!

0990 23002/3

M.C.D. LTD WILBURN HOUSE, LONDON ROAD, SUNNINGDALE, BERKSHIRE SL5 0ER

Circle No. 117

THE COMPUTER PEOPLE

COVENTRY ROAD, SMALL HEATH

BIRMINGHAM B10 OUG Telephone: 021-771 3636 (10 lines) Telex: 335909 (Camden G)





SPECIAL OFFER

APPLE IIE PLUS GREEN SCREEN MONITOR 5 MEG WINCHESTER WITH BUILT-IN RECOMMENDED PRICE £2810 **OUR PRICE** £1995

Ph	
	Total Control of the

	RRP	CAMDEN PRICE
APPLE IIE	845	645
80 COL CARD	80	70
80 COL + 64K	180	150
DISK WITH CON	345	270
DISK W/OUT	245	220
TRIDENT 5 MEG	1450	1150
TRIDENT 5 MEG		
PLUS FLOPPY	1700	1465



10 MEG VERSION

£2275

ALL PRICES EXCLUDING VAT

12 MONTHS PARTS AND LABOUR ON ALL APPLE AND TRIDENT PRODUCTS



PRICE DUSH! REAKTHROUGH! MICROCOMP

TWIN-DRIVE OMPUTER SYSTEM

FROM ONLY




Now MICRONIX smashes the price barrier of Professional Systems — 100% British designed and built. No frills, no gimmicks, no forced purchase of unwanted software at hidden cost! Our low, low system cost gives you freedom to choose and buy software to suit your requirement and still save money! Four models to choose from and a massive 21 Mbyte Hard disk Subsystem is also available. Based on the versatile MICRONIX 80HD Single Board Micro all models have • Z80A MHz CPU ● 64k (expandable to 128k) RAM ● 24 x 80 VDU ● Floppy Disk Controller ● SASI Hard Disk Interface ● Real Time Clock/Calendar with battery back-up ● Two RS232c Ports ● Two Parallel I/O ● Buffered BUS ● ASCII Parallel Keyboard Port ● Composite Video ● CP/M compatible Operating System. Just add a terminal or video monitor and a keyboard (optionally available) and you are in business!

LOOK AT THESE PRICES!

MODEL MX400: 400K TWIN 51/4" SYSTEMonly **£799** MODEL MX800: 800K TWIN 51/4" SYSTEMDoly **£899**

MODEL MX1600: 1600K TWIN 51/4" SYSTEM......only **£999** MODEL MX2400: 2400K TWIN 51/4" SYSTEM....only **£1,199**



The heart of the system — MICRONIX 80HD Single Board Micro - also available separately.



KEYBOARD: 102 Key Low Profile ASCII Keyboard only £125 (£5 carriage) HARD DISK: Mass Storage Hard Disk

Sub-systems complete with Software and ready to plug into any MX System above: Model MX115HD 11.5 Mbyte Hard Disk only

Model MX216HD 21.6 Mbyte Hard Disk only

All prices are exclusive of carriage (£15 per System) and VAT.

Suite 2, 26 Charing Cross Road, London WC2. Tel. 01-240 0213/0217. Telex 295173 VILORD G



Northern Amateur Radio Societies Association -

The Association is holding its 22nd Annual Radio/Electronics Exhibition at Pontins Holiday Village, Ainsdale, Southport on Saturday, 7th April and Sunday, 8th April 1984 opening at 11.00 a.m. each day.

It will include interclub quiz, construction contest, grand raffle, R.S.G.B. book stall, amateur computers, N.A.R.S.A. stands and trophy, a demonstration station and Trade Stands featuring all types of radio/electronic equipment.

Admission will be £1 per day but lots of 20 or more tickets may be booked in advance from Mike Bainbridge GAGSY, 7 Rothbury Close, Bury BL8 2TT at a 20% discount by sending the appropriate cash and s.a.e.

Chalets may be booked direct from Pontins 0704 77165 and range from £11 + VAT (2 persons) to £31 + VAT (6 persons).

Bar and Restaurant facilities will be available during the day while the Restaurant will be open for breakfasts and from 1700 to 1900 on the Saturday evening. There will be evening entertainment limited by the capacity of the entertainment hall. Children's play areas will be available during the days.

Car parking will be available at a small charge but please follow all instructions of attendants to avoid congestion.

Talk in will be available on S22 or other available simplex channels.

Come along and enjoy yourself at this family weekend exhibition and make it a great success.

Circle No. 120

Analysts/Programmers

£8,000-£15,000

PSION



We are a leading microcomputer software house with an outstanding record of growth and profitability, active in the fields of business applications, systems and home entertainment software.

We are currently recruiting analysts/
programmers with microcomputer
experience and experience of VAX VMS,
C. MS-DOS, 8086, 68000, Z80, 6502,
Cross Assemblers or Simulators.

Competitive salaries are offered, based on relevant experience. This is an exciting opportunity to join a young, dedicated and highly trained team in one of Britain's fastest growing companies.

Apply in writing, enclosing a Curriculum Vitae to: The Recruitment Manager, Psion Ltd, 2 Huntsworth Mews, Gloucester Place, London NW1 6DD

• Circle No. 121

LONDON COMPUTER CENTRE

8/16 bit SOFTWARE The comprehensive range includes

WORDSTAR £235 D BASE II £349
SPELLING CHECKER £80
LANGUAGES £ SUPERCALC II/III £190/£275 WORD PROCESSING £ 290 Spellbinder Peach Pack* MBasic Compiler 332 332 235 Mutimate C Compiler Fortran 80/86 Cis Cobol/Forms2 330 Spellstar Maillist 134 325 399/105 Grammatik
FINANCIAL PLANNING 85 Pascal MT +
Pascal MT +*SSP 350 85 Plannercalc ACCOUNTING Multiplan Lotus 1-2-3 Pegasus from Peachtree from 250 325 375 357 D BASE CORNER FastBase Exact 500 195 Autocode 195 Quickcode COMMUNICATIONS Dgraph Friday 190 130 Bstam 185 Crosstalk Infostar DMS Moveit 80/86 UTILITIES Sid £60, ZSid £76, *Incl. PeachSpell/Maillist Please telephone for the LCC Mac £133 Software Catalogue

FORMATS: Superbrain, Televideo, Sirius, Sanyo, Osborne Northstar, 8" SD, DEC, Epson OX-10, IBM ICL, H-P, XEROX, ALTOS, Apricot, NEC-APC & many more All prices are exclusive of VAT Looking for an easy-to-use cost effective File Handling System?

Thank god it's Iniday £185 by ASHTON TATE

Friday will take care of your Files, Reports, Diary, Mailing and much more. It enables electronic files to be set up. Reports can be displayed and retrieved fast from all or part of a file. Friday is fast and versatile. It is designed for beginners.

Friday enables you to prepare custom reports to suit your requirements and presentation. Friday enables you to sort and select any field.

Friday uses on screen prompts and help menus to guide you through the job you are doing.

43 Grafton Way, London W1P 5LA (Opposite Maples)
Opening Hours: 10-7 Mon-Fri. 12-4 Sat.
01-387 4455 (4 lines) Telephone Answering Service After Office Hours
Telex: 8953742

• Circle No. 122

How to turn a BBC Micro into 14 lab technicians. For only £325.

As if the BBC Micro weren't already famous for its versatility, we've now taken it a step further.

14 ways to control science.

With the simple, and remarkably inexpensive addition of the Acorn IEEE Interface, the BBC Micro can control, manage and exchange data with up to 14 separate devices compatible with the IEEE 488 standard.

Which means you get the speed, accuracy and repeatability of computer-controlled operations at a

fraction of the price of other systems. And without sacrificing the IEEE 488 standard.

The possibilities are limitless. The peripherals can range from a simple printer or a digital voltmeter to oscilloscopes, logic analysers, spectrum analysers, function generators, frequency meters - even a complete configuration of multiple controllers and complex equipment.

The Interface is familiar.

A Read Only Memory plugs into one of the Micro's spare ROM slots, providing the Interface Filing System, a set of commands in plain

English, and in the straightforward format already familiar to those who know the Micro. (Commands can be incorporated in any language available on the BBC Micro, including the popular BBC Basic.)

More facilities.

But the BBC Micro/IEEE Interface combination

gives you more than just control.

Thanks to its renowned graphics capabilities, it provides the ideal way to present experimental results in an instantly understandable form. A second processor can be connected for even faster processing and greater memory capacity. Or the Micro can be linked into Acorn's Econet local area network.

And even more.

And with its additional 1 MHz Bus connection, the Interface can even be linked to other interfaces, including Acorn's Teletext adaptor.

Finally, because the Interface operates independently,

the BBC Micro is free to perform all its other functions as well.

So you can take advantage of the ready-made programs covering education and business subjects. You can use it as a word processor. Add a disc drive. And that's only the beginning.

How to get yours.

The IEEE Interface costs just £325, matches the BBC Micro in colour and profile, and comes complete with integral power supply and file server ROM.

If you're a credit card holder, you can order the IEEE by ringing 01-200 0200 anytime.

Or 0933 79300 during office hours. (By ringing the same number, you can get the address of your nearest stockist, or full details of the BBC Microcomputer system if you don't already have one.)

Alternatively, you can order the package by sending the order form below to: Acorn Computers, c/o Vector Marketing, Denington Estate, Wellingborough, Northants NN8 2RL.

Please allow 28 days for delivery.

Credit card holders, telephone 01-200 0200 anytime, or 0933 79300 office hours.

<u>Technical Specifications.</u> PCB carrying IEEE 488 bus interface circuitry, using TMS 9914 integrated circuit. Internal power supply. Height 70mm. Depth 350mm. Width 210mm. Weight 2.1kg. Colour: BBC Computer cream. Construction: Moulded top and bottom to match BBC Computer profile. ABS injection moulded plastic. Power in: 240v, 50Hz, 3w. Operating Temperature: 10° to 35°C. Designed and manufactured to comply with BS415 Class 1 standard.

To: Acorn Computers, c/o Vector Marketing,	1
Denington Estate, Wellingborough, Northants NN8 2RL.	
Please send me Acorn IEEE Interfaces at £325 each, incl. VAT and delivery. I enclose PO/cheque payable to Acorn Computers Limited Readers A/C or charge my credit card.	
Card Number	
Name	
Address	
ACORN Postcode	
COMPUTER Signature_ Registered No. 140 3810 VAT No. 215 400220	
• Circle No. 12	3

COMPUTERS

BITTEN OFF LESS THAN YOU CAN CHEW?

You'd be doing much better with a fast selling system to really get your teeth

You're selling personals but need a really good multi-user system at the top end?...

or may be you're selling mini systems and need a high performance well priced alternative?

YES, YES, YES!

Then we've got just what you need to cure product starvation. We'll also help you grow fast and increase profitability margins.

Take a good look at Alpha Micro: ● 7 Terminal table top system AM1000

30 Terminal AM1042E40 Plus

Terminal AM1092 ● compatible software

through the range best operating system in

its class o excellent dealer margins all the

support you'll ever need

ALPHA MICRO

We eat Apples for Breakfast

Call Alpha Micro Dealer Manager, Laurie Bright, on 0753-821922 for the full story.

Alpha Micro GB is the wholly owned subsidiary of Alpha Microsystems of Irvine, California.

Alpha Microsystems (GB) Ltd, Berkshire House, 56 Herschel Street, Slough, Berkshire Telephone: 0753-821922

Alpha Microsystems Belgium, Chaussee de la Hulpe 130, Box 14, 1050 Brussels, Belgium Telephone: 660 5093 / 5094

How to turn a BBC Micro into 14 lab technicians. For only £325.

As if the BBC Micro weren't already famous for its versatility, we've now taken it a step further.

14 ways to control science.

With the simple, and remarkably inexpensive addition of the Acorn IEEE Interface, the BBC Micro can control, manage and exchange data with up to 14 separate devices compatible with the IEEE 488 standard.

Which means you get the speed, accuracy and repeatability of computer-controlled operations at a

fraction of the price of other systems. And without sacrificing the IEEE 488 standard.

The possibilities are limitless. The peripherals can range from a simple printer or a digital voltmeter to oscilloscopes, logic analysers, spectrum analysers, function generators, frequency meters - even a complete configuration of multiple controllers and complex equipment.

The Interface is familiar.

A Read Only Memory plugs into one of the Micro's spare ROM slots, providing the Interface Filing System, a set of commands in plain

English, and in the straightforward format already familiar to those who know the Micro. (Commands can be incorporated in any language available on the BBC Micro, including the popular BBC Basic.)

More facilities.

But the BBC Micro/IEEE Interface combination

gives you more than just control.

Thanks to its renowned graphics capabilities, it provides the ideal way to present experimental results in an instantly understandable form. A second processor can be connected for even faster processing and greater memory capacity. Or the Micro can be linked into Acorn's Econet local area network.

And even more.

And with its additional 1 MHz Bus connection, the Interface can even be linked to other interfaces, including Acorn's Teletext adaptor.

Finally, because the Interface operates independently,

the BBC Micro is free to perform all its other functions as well.

So you can take advantage of the ready-made programs covering education and business subjects. You can use it as a word processor. Add a disc drive. And that's only the beginning.

How to get yours.

The IEEE Interface costs just £325, matches the BBC Micro in colour and profile, and comes complete with integral power supply and file server ROM.

If you're a credit card holder, you can order the IEEE by ringing 01-200 0200 anytime.

Or 0933 79300 during office hours. (By ringing the same number, you can get the address of your nearest stockist, or full details of the BBC Microcomputer system if you don't already have one.)

Alternatively, you can order the package by sending the order form below to: Acorn Computers, c/o Vector Marketing, Denington Estate, Wellingborough, Northants NN8 2RL.

Please allow 28 days for delivery.

Credit card holders, telephone 01-200 0200 anytime, or 0933 79300 office hours.

Technical Specifications. PCB carrying IEEE 488 bus interface circuitry, using TMS 9914 integrated circuit. Internal power supply.

Height 70mm. Depth 350mm. Width 210mm. Weight 2.1kg.

Colour: BBC Computer cream.

Construction: Moulded top and bottom to match BBC Computer profile. ABS injection moulded plastic.

Power in: 240v, 50Hz, 3w.

Operating Temperature: 10° to 35°C.

Designed and manufactured to comply with BS415 Class 1 standard.

To: Acorn Computers, c/o Vector Marketing,	PC4
Denington Estate, Wellingborough, Northants NN8 2RL.	
Please send me Acorn IEEE Interfaces at £3	
each, incl. VAT and delivery. I enclose PO/cheque payable t	0
Acorn Computers Limited Readers A/C or charge my credit c	ard.
Card Number	
Amex/Diners/Visa/Access (Delete)	
Name	
Address	
ACORN Postcode	
OCHULTED Signature	
Registered No. 140 3810 VAT No. 215 40	0220



COMPUTERS!

BITTEN OFF LESS THAN YOU CAN CHEW?

multi-user with systemy

You'd be doing much better with a fast selling system to really get your teeth into?

You're selling personals but need a really good multi-user system at the top end? . . .

or may be you're selling mini systems and need a high performance well priced alternative?

YES, YES, YES!

Then we've got just what you need to cure product starvation. We'll also help you grow fast and increase profitability margins.

- Take a good look at Alpha Micro:

 7 Terminal table top system AM1000
- 30 Terminal AM1042E 40 Plus
- Terminal AM1092 compatible software through the range best operating system in
- its class

 excellent dealer margins

 all the support you'll ever need

ALPHA MICRO

We eat Apples for Breakfast

Call Alpha Micro Dealer Manager, Laurie Bright, on 0753-821922 for the full story.

Alpha Micro GB is the wholly owned subsidiary of Alpha Microsystems of Irvine, California.

Alpha Microsystems (GB) Ltd, Berkshire House, 56 Herschel Street, Slough, Berkshire Telephone: 0753-821922

Alpha Microsystems Belgium, Chaussee de la Hulpe 130, Box 14, 1050 Brussels, Belgium Telephone: 660 5093 / 5094

Software workshop

by Mike Lewis



Two at a time

How to achieve multi-tasking with even the most modest machine.

WOULDN'T IT be nice if your computer could do several things at the same time; if you could enter data for one program while printing the results of the previous one, for example. If you can afford a 16-bit processor with around 256K of RAM this is no great problem. You buy a multi-tasking operating system like Concurrent CP/M or MS-DOS 2, and you are in business.

But if yours is a more modest machine or you have a more restricted budget you can still achieve a degree of simultaneity. Moreover the technique can be handled in high-level languages like Basic, and while some careful programming is needed, you will not need to delve into the operating system or hardware.

In-built delay

The trick is to take advantage of the delay that occurs whenever the program is waiting for input from the operator. Even the fastest typist needs a few hundred milliseconds to hit a key, and the program can use this time to do something else.

Suppose you have a large table holding the names and addresses of several hundred customers and you want to be able to print address labels for any specified customer. The operator must be able to type in the customer's surname, at which point the program searches for the required table entry, does some editing on it, then prints it

This process could be speeded up if the program could deal with one customer at the same time as the user was typing in the name of the next one. To do this, you need to think of the program in two parts. First, there must be a keyboard-handling routine that collects characters from the console and stores them in a holding area. Secondly, there is the main processing loop. It must be able to take an entry from the holding buffer each time it is ready to process the next item of data.

Status test

At the heart of the keyboard routine is an instruction for testing the status of the console. Many high-level language implementations have this feature. For example, Microsoft Basic uses the Inkey\$ function, as shown on lines 9020 and 9090 of the listing. It returns the value of the last key that was hit, or a null string if no key was pressed since the previous call to Inkey\$.

In CBasic and CB-80, you would use Constat% and Conchar% returns the value of the key. In some versions of C, there is a similar function called KBHit(). Check

your manual for other languages and versions.

Two points need watching. In some implementations, the keyboard-testing function echoes the entered character to the screen; in others you have to do this yourself. Microsoft Basic is one of the latter kind, and this is the reason for the Print statement in line 9030. Secondly, make sure that the function does not suspend the program if no key has been hit. Thus, Microsoft's Input and Applesoft's Get would both be unacceptable here.

As soon as the keyboard-handling routine is called, it tests the keyboard status and exits if no key has been pressed. In the sample listing, this is handled by the While-Wend loop starting in line 9030. This is preferable to a Goto because it allows you to put another keyboard test at the foot of the loop.

Once the routine detects a keystroke it checks to see if it represents a printable ASCII character, as opposed to a cursor key, tab, line feed, etc. If it is a printable character, the routine echoes it and adds it to the end of a string that represents the current entry. If the key is a Backspace or a Delete, the previous character is dropped from the string and erased from the screen.

When the operator presses the Return key, the program treats the current entry as complete. It stores the string in the next free entry of the holding area and clears the input string ready for the next entry. This action is also carried out if the string exceeds a pre-specified length.

The main part of the program handles the actual processing of the data entered by the user. In the example this would search the main name and address table, edit the required entry and print it.

The important point is that the mainprogram loop must be liberally sprinkled with calls to the keyboard routine — using Gosub 9000 in the example. The exact position of these calls is not critical, but ideally they should be executed at the rate of about 10 per second. When the main program requires an entry for processing, it gets the next one from the buffer. If there is no entry waiting, the program loops until one arrives — see line 350.

Extra functions

The good thing about this scheme is that the mechanics of the input routine are independent of the main program. You could rewrite the input module, adding cursor-control and editing functions perhaps, without any effect on the overall logic. By the same token, the fact that the sample program expects a null entry to signal the end of the session is of no concern to the input routine.

The input buffer in the sample program is a 25-entry array, allowing up to 24 entries to be waiting at any one time. The array is a (continued on next page)

Fast table look-up

It appears to be a law of programming that however simple and efficient a piece of coding may be, there is always some way of improving it. Take the method described in February's *Practical Computing* for searching an unordered table. The linear search method that was described can be summed up as follows:

- Look at the next table entry.
- If it is the one you want, Stop.
- Otherwise, repeat until you reach the end of the table.

In Basic, this would be coded as an If statement within a For-Next loop.

A faster method is to start by storing a copy of the searched-for value in an extra slot at the end of the table. You then look at each item in the table until you reach the one you want. You can rely on always getting a Hit before you fall off the end of the table, so you no longer need to check for this.

You end by checking the subscript of

the found value. If it points to the final entry in the table, then the search has failed because you have found the dummy value. In contrast to the previous method, here you only need to do this test once, at the end of the search.

In Basic, the routine would look as follows — assume you are searching for Key\$ in an array Table\$(N+1), which contains N values

J% = 1TABLE\$(N + 1) = KEY\$
WHILE TABLE\$(J%) < > KEY\$ J% = J% + 1WEND
IF J% < = N THEN hit ELSE miss

This is considerably faster than the original linear search. Using the old method, I timed a search for the 500th element of a 1,000-entry table at 4.2 seconds in interpreted Basic. This new method took 2.3 seconds.

Software workshop



(continued from previous page)

circular one, with the first entry being stored and processed immediately after the last. This is handled by the Mod function in lines 370 and 9070, which calculates the modulus or remainder of an integer division. In this way, the subscripts into the array — Dothis% and Replied% — never have to click back to zero, which means that they never get out of sequence.

The printing of the Backspace/Space/Backspace string in line 9050 is the only reliable hardware-independent method of backspacing and erasing a character from the screen. On many terminals, issuing a Delete character does not have this effect. Note too the single Print statement in line 9080. It advances the cursor to the start of the next line, thus echoing the user's Return key. This type of feedback is an important feature of any interactive system.

Alternative

There is another approach that does not involve programming. This is spooling, a term which goes back to the days when a mainframe computer would send a printout to a spool of tape for later printing at a more convenient time.

The easiest way to set up spooling is to use the CP/M extension package produced by FBN Software. It includes a program called Spool, which can be resident while any application program is running. Spool will intercept the output that the application program tries to send to the printer, and write it to a disc file of your choice.

When you are ready to commit the printout to paper you use another program in the FBN package, called Unspool. Like the sample program, Unspool uses the keyboard waiting time to do the actual printing.

Using Spool and Unspool together you could, for instance, print one batch of invoices while entering data for the next. The beauty of it is that you can use this method with virtually any CP/M program, and no patching is necessary. It is superior to Digital Research's Despool program, which handles the simultaneous printing but not the intercepting of the original output.

There is a minor snag. Unspool occasionally needs to talk to the operator, mainly to get the names of disc files. The resulting messages could spoil the appearance of the screen if it has already been nicely formatted by the application program.

But if you can live with this small difficulty, you will find the FBN package a useful productivity booster. It also has a Submit-type utility that allows you to enter several commands on the same line, and a program for recovering erased disc files. It is available from Transam Microsystems, 59 Theobalds Road, London WC1; telephone 01-404 4554. The cost is £45 plus VAT.

```
Program to demonstrate simultaneous keyboard entry and printing
        Variables used:
                 MAXK%=25
                                   'Max. number of keyboard entries waiting to
                                    be processed
                 BACK$=CHR$(B)
                                   Backspace key
                 DFI $=CHR$ (127)
                                   'Delete key
70
                 RTN$=CHR$(13)
                                   Carriage-return key
80
                 REPLIED%=0
                                   Actual number of keyboard entries this session
                                    Points to next entry to be processed
90
                 DOTHIS%=0
                                   The current string being entered 'Max. length of an entry
100
                 ENTRYS=
                 MAXLEN%=80
110
140
150
                 DIM ENTRIES$ (MAXK%)
                                            'This array will hold the entries
                                             waiting to be processed
200
                 Program initialisation goes here
220
240
310
        PRINT "Please enter required name; to finish, just press RTN"
330
340
        Main loop starts here WHILE DOTHIS%=REPLIED%:
350
                 GOSUB 9000:
                                            'Keep getting keystrokes until there is
                                            at least one entry waiting
360 '
         THISENTRY $= ENTRIES $ (DOTHIS% MOD MAXK%)
370
                                            'THISENTRY$ contains the entry to be
                                             processed next
         IF THISENTRY = " " THEN
380
                 PRINT "Finished": END
                                            'If empty, end the run
390
         GOSUB 9000
                                            'Get keystrokes
400
        GDSUB 2000
                                            Perform search of main table
410
         GOSUB 9000
420
        GOSUB 3000
                                            'Edit the target name
430
         GDSUB 9000
440
        GOSUB 4000
                                            'And print it
450
        GDSUB 9000
460 '
470 '
                 The subroutine calls in the previous eight lines could
                 perform any appropriate function. But they must be liberally
                 interspersed with calls to the routine that gets keystrokes.
480 '
        DOTHIS% = DOTHIS% + 1
500
                                           'Increment pointer
510
        GOTO 350
                                            and loop back for next entry
2000 .
                 The subroutines that perform the main parts of the
3000 '
                 program would go here. (Table searching, editing and
4000 .
                 printing in the present example.)
5000 '
9000 '
                 This is the keyboard handling routine
9020
        CHARS=INKEY$
                                            Test keyboard status and get character
9030
        WHILE CHAR$ <> "":
                 IF CHAR$>=" " AND CHAR$(="~" THEN
                         ENTRY$=ENTRY$+CHAR$: PRINT CHAR$ ; : GOTO 9090
9040
                                            'If printable character, add it to
                                            the current entry and echo it
9050
                 IF (CHAR$=BACK$ OR CHAR$=DEL$) AND LEN(ENTRY$)>0 THEN
                          ENTRYS=LEFTS (ENTRYS, LEN(ENTRYS) -1):
                          PRINT BACK$+"
                                         "+BACK$ : : GOTO 9090
9060
                                           'If backspace or delete, remove it from
                                            entry and from screen
9070
                 IF CHAR$=RTN$ DR LEN(ENTRY$) >= MAXLEN% THEN
                         PRINT: ENTRIES$ (REPLIED% MOD MAXK%) = ENTRY$:
                         ENTRY$="": REPLIED%=REPLIED%+1
9080
                                            'If RTN or string too long, add the entry to the table, reset it for next time, and increment the pointer
                 CHAR$=INKEY$:
        WEND
9100 RETURN
```

ASHTON TATE **dbase** world's leading micro database Jets the most out of dBASE II fast.

QUICKCODE – FOR PROFESSIONALS

With QUICKCODE professionals can concentrate on using their creativity for the interesting parts of the job and not get bogged down in repetitive detail.

QUICKCODE produces dBASE II command files to carry out many of the routine data handling tasks that come up again and again in every application. QUICKCODE does it automatically - you design the screen layout and QUICKCODE produces the code - an error-free foundation on which you can build your system. QUICKCODE gives you more valuable time.

To give their clients fast and accurate results professionals

choose QUICKCODE.

QUICKCODE – FOR NEW USERS

Imagine - you've just bought the market leader - dBASE II. Probably one of the most powerful packages you'll ever buy for your micro. You know it is flexible and very comprehensive. You can't wait to get started. With QUICKCODE you can get started fast.

QUICKCODE creates a complete database from your simple screen layout. In addition QUICKCODE automatically generates 12 dBASE II programs to manage your data. Programs to Add data, Edit data and verify it. Programs to produce labels and even to link your database to WordStar. Automatically. QUICKCODE gets the most out of dBASE II fast.

DEALERS – Contact Fox & Geller or one of these distributors for more details

Softsel **Tamsys** Pete & Pam MPI Soft Option ACT(Pulsar)

01-844 2040 (Windsor) 56747 01-769 1022 01-5916511

(0476) 860171

021-455 7000

Midlectron Software Ltd Xitan Tradesoft Ferrari

(077382) 6811 01-833 1173 (0703) 871211 01-627 1800 01-751 5791



XGE

Maximising



The British computer industry is small when judged by international standards. Two large American companies control 90% of world markets. They can do this because their products represent the standard by which others are judged. When these standards are accepted by the marketplace they have the effect of stabilising the technology. Thus CP/M is accepted as the industry standard operating system for 8 bit processors, and subsequent computer development has employed this standard, with the dual effect of making both man and machine portable. Operators can use different computers, with CP/M, and software can be switched from machine to machine. For the end user the emergence of



technology

these standards is critical because they allow him to experiment with the technology without risk of entering blind alleys where systems and products disappear. In order to avoid this situation Memotech has employed these standards within the MTX Series.

In the UK there has been such rapid development in microsystems that in many cases users have been seduced by the technology rather than the standards they should be following. In educational and business applications the need for continuity is obvious. This is accentuated by the development of database technology, where very large information files are accumulated. the primary expense being the input of data.

Companies and schools will not relish the idea of trying to rescue data when the standard 32 bit machines appear in two years time.

There has been a tendency for manufacturers to launch machines which are still on the drawing board, and for which no software standards exist. CP/M 80, the industry standard micro operating system, supports tens of thousands of commercially available software packages. IBM take the view that things should be done properly and then released to the user. This is a well tried and clearly well tested premise which Memotech has implemented in the MTX series.

The MTX Series begins with the MTX500. which costs £275.00 including VAT. The

MTX512, illustrated below, costs £315.00 including VAT, has 64K of User RAM plus 16K of dedicated Video RAM, and comes with extended BASIC, a powerful assembler/disassembler, Front Panel machine level editor/monitor, and Noddy, a new text and graphics processing language.

Also included in the series, and available now, are the DMX80 printer at £295.00 and the CMX and MMX monitors.

MEMOTECH


For further information, full technical specification and prices write to: Memotech Limited FREEPOST Witney, Oxon. OX8 6BR.

Circle No. 126

NTX5/12 LINE BY COMPUTER TRADE ASSOCIATION

IN THE WORLD OF COMPUTER CHESS THERE IS ONLY ONE

GRANDMASTER



AND THIS IS IT !

GRANDMASTER IS NOT JUST A SUPREMELY POWERFUL CHESS OPPONENT. GRANDMASTER ALSO INCLUDES THESE FEATURES TO HELP YOU TO ANALYSE AND IMPROVE YOUR GAME!

- ★ 10 LEVELS OF PLAY
- * HINT FUNCTION
- * TAKE BACK MOVES

- * 'HURRY UP' FUNCTION
 - * AUTOMATIC SELF PLAY
- * CHANGE LEVEL
- * SQUARE PLAYING BOARD * CHOICE OF COLOUR SCHEME
- * AUTOMATIC QUEENING, CASTLING, EN PASSANT

AVAILABLE ON CASSETTE FOR THE VIC 20 AND ON CASSETTE OR DISK FOR THE 64

ALL VERSIONS £17.95 EACH (INC. VAT)

Audioaenic

G. W. COMPUTERS LT

London's West End — Nationwide overnite service — More product ranges — Probably the widest selection of networks/micros/and printers

WE OFFER ONE OF THE BEST 'SYSTEM DEALS' IN THE U.K. (save 1500.00+) THE NEW DBMS III.7 (series III of the world's first 'task-robot-programs')

G.W. COMPUTERS LTD - Tel: 01-631-4818

Mbasic & word-star compatible
1400 character record sizes
mathematical scratchpad,
record relational indexes,
translateable to any language
User-defineable reporting
field protection/classification
either-or, same as, greater, smaller
sorts alphanumeric any window
12 online file architectures.
240 fields using cross-referencing
cross-record calculations.
Jumpto' any record in 12 files.
User-define tiles/field words/sizes.
User-define tiles/field words/sizes.

misses and a series of sizes and a series of sizes and and record related formulae cxes. Jump-10: any of 3200 records per filename and record related formulae cxes. Jump-10: any of 3200 records per file anguage random/binary/key/multiple filed ting search ill-then questioning fiscation. The protection/password entry range match, not match, integer match, any window sort speed 500 records per 20 seconds endless 'either-or' matching formulate/recall on selection criteria in 12 files short filing output/faudit frails words/sizes "sale-mail-shots", "production process-"purchase/sales-analysis", "personnel-file"

DBMS III 7 new switch mode facility enables you to cross up to 12 dillerent files (32000 records per file) pre-selecting *any* of up to 20 fields per record/file for display/print output (240 fields) in all. One massive enquiry can pass through 384,000 records

You might have two files whose records are directly related to each other, so that the first file (say containing names and addresses) refers to the second file (say financial and other information relating to the same record numbers in the first file) directly. Then you can simply choose that in file 1 you are interested in just the name and telephone numbers, whereas in file two, you are interested in the income, trading period and number of branches, information. Your enquiry can then pass through both files highlighting that information only. Actually there doesn't need to be a strict correlation between the same record numbers in different files, and you can also just on JUMP command go to any record in any of the 32000 records in any one of the twelve files and carry on cross-referencing from there onwards.

DBMS'S MACROS WORK FROM THE MOMENT YOU INSERT THE 'TASK DISK' IN THE COMPUTER

Simply design your life, give its fields your words, set up your report mask, and then enter your records. Switch to 'automatic drive' and formulate any task you wish the program to fulfil, the task is stored as a macro. Take a copy of the program on another 'task disk' and from then on, the task disc will function without a single key-stroke. Think of a number of such 'task disks' such as "stock-re-order reports". "stock valuation reports", analysis, "patient history analysis", "research-analysis", "budgeting", "plus more?"

Not only does this program surpass most of its kind that you might buy elsewhere, but if you buy the hardware from us, then you get it — FREE __DBMS.II (WITHOUT MACROS) AND DBMS III ARE FULLY IMPLEMENTED UNDER CPM-86 (tm) AND MS-DOS (tm) ie: < SIRIUS/VICTOR/IBMS > DBMS II IS 395.00 (or 250.00 by mail order ex, training). DBMS II s 575.00 (or 295.00 by mail order ex. training).

Contains the highest state of the art software available today

FORMS/TEXT/CALC/DBMS IV - ALL IN ONE PROGRAM THE -"KEY" - @ 575.00.

When you budget for a complete system of software you eventually end up with a host of packages like. Sales, Purchases, Nominal Data, Text, Calc, Mailshot, invoice, Order, Workflow, Personnel, and so on. The list is endless and the outlay several thousands of Features

Design a form as wide as a window of 250 characters, long as needed. Cursor movements are "left, right, up, down, delete left, delete right, tab right-left-up-down". Paint your form as you like directly on the screen. Write a letter as you see it on the screen, edit if then simply enter P to print. Set into the form, your data fields, "" # # # # #" and specific file-related activities. Iomruliae and validation checks. Enter values and see the spread-sheet calculate itself.

sheet calculate itself.

Search tiles for data to be inserted to fields specified. All the features of DBMS III. explained elsewhere in our ad.

Here's an example of an invoice you might design for your stationery. You could design you own spreadsheet, order form, statement, wage docket, or any other kind of form that is required to fit your existing stationery.

	INVOICE	<0> " " " " " " " " " " " " " " " " " " "
To = < 1 > = = = = = = = = = = = = = = = = = =	######### 55 B ######## Bedf ##### Lond	Ltd edford Court Mans. ord Avenue Ion W.C.1. 01-636-8210
Date < 6 > # # # #	Tax point < 7 > # #, # #	Agent < 8 > # # #
Quantity Description	Cos	t Tax Tota
< 9> = = = < 10 > = = = = < 14 > = = < t5 > = = = =		<12>## <13>### <17>## <18>###
so on Total < 19>	так	. < 20 > # # #

- <??> items <1> to <5> internal command to request name, input, and then search an address file for details.
 <??> Items <6> to <7> request date input and validate.
 <??> item <8> request agent number and validate range.
 <??> item <9> request quantity, validate range.
 <??> item <10> request description, search file, accept, and calculate fields <11> <12> <13> it finished invoice then calculate fields <19> and <20>

Now comes the more valuable facility. You can provide the 'FORM' with file-related instruc-tions, not only to request a 'console' input for file search against names, and stock, but after the invoice is linished, the fields you have selected may be passed to related files.

EG: Send fields <0>, <1>, <06>, <07>, <11>, <12>, <13>, <19>, <20>, to a

sales ledger. Then send fields <9>, <10>, <11> to product analysis file. Then send fields <0>, <1>, <7>, <19>, <20> to V.A.T. file. Then send fields <10>, <11>, <12>, <13> to Nominal ledger. Do you see?

SYSTEM DEAL (our speciality) SAVES YOU 1500.00

Buy any computer, any printer and 150.00 value diskettes add 85.00 for cables and

and get completely ****FREE*****

cpm handbook DBMS III.7 mbasic 80 library boxes

2000 sheets paper magic calc msort/dsort instant basic .50 basic exercises ..magic wand w/proc ..diagnostics ..autoload ..disk/games Based on 8 bit hardware, 16 bit software varies

2595 00 295.00 85.00 150.00 100 00 1—IBM PC or Corona Portable 2—Oki microline 80 printer 3—Cables & testing 4—Diskettes 5—price differential on magic/wand for word-star

Here's a typical example of a complete system deal

FREE software described above_ We specialise in 'STANDARD MICRO-PRINTER SYSTEMS' as well as 'NETWORK SYSTEMS BASED ON A SHARED HARD DISK'

The range of computer products (mostly ex stock) includes the most popular brands of micro-computers, printers, modems, buffers, spoolers and software.

POPULAR BRANDS OF EQUIPMENT WE SELL

Sirius/Victor/I.B.M./Dec/Epson/North-star Sanyo/Superbrain/Compustar/Altos/Apple-Lisa Televideo/Corona/Compaq/Eagle

 Nec/Qume/Diablo/Oki/Epson/Olympia/Ricoh
 Texas/Dre/Anadex/Others PRINTERS

— Corvus/Compustar/Syquest — hand disks networks and multiplexors — Spoolers/Modems/Bulters — most of the best known brands of software

Syquest 5.6MS cartridge drives on I.B M. PC.


Remember! the software is the 'key'. & the hardware less important.

TERMS & ETC


G.W. Computers Ltd [Grama (Winter) Ltd] 43/55 Bedford Court Mansions Bedford Avenue London W.C.1 England Telex 892031 TWC G Telephones 01-636-8210 01-631-4818 Boston office tix 94-0890

24 hour answerphones; leave address for 'inlopacks'. We do not operate a reader's reply card service. Terms: C.W.O. or C.O.D. Pricos exclude V.A.T., but include all non-credit discounts available. No localizes! The above lists are not exhaustive. Please call at our showroom only by prior appointment. Unless expressly agreed, all warranties are commercial 90 days return to base for parts and labour. Annual warranties and maintenance facilities available nationwide through closely related third parties.





5



CONFIGURATIONS The Professional Home Pack: Ile 64K, Disk Drive with Controller, Special Pack Starter System: Ile 64K, Disk Drive, Apple II, Monitor + 80 Col. card. Business system: Ile 128K, Disk Drive, Apple Monitor, Disk Drive.

* Price does not include Monitor, Printer or Disk Drives.

Our Price R.R.P. £749 £869.95

£939 £1419.00

£1199 £1764.00

We market the widest ranges of Business and Home Micros, peripherals, Printers, Plotters and Software from major manufacturers including Apple, Acorn, Commodore, Epson, Hewlett-Packard, Hitachi, Olivetti, Sharp, Sinclair, Apricot, IBM, Peachtree, Sage, Brother, Silver-Reed & Verbatim.


COMPUTERS

191, Kensington High Street, London, W.8.

Tel: 01-938 1588/937 7876 Ext 21. Prices are subject to change without prior notice. Prices shown are without VAT.

am interested in	Purchasing	Leasin	ng Renting
Apple IIe 64	Apple Ile Starte	er System	Apple 128K System
Apple III	Apple Mackintosh	Epson HX2	20 Epson QX10
Epson printer	Olivetti	Hitachi	Hewlett-Packard
IBM.			
Name		Position	
Company		Tel. N	lo
Address			

• Circle No. 152



SOFTWARE FOR THE

MI SERIES

CHESS

A fully comprehensive chess package. Ten levels of play, from novice to championship standard. Pitch your wits against the computer with this fast, versatile machine code program.

TOADO

The object of the game is to navigate each of five toads across a road and two rivers without being run down or drowning (toads can't swim).

WONDERLAND

A fully interactive machine code adventure game set in **Wonderland**. You play the part of **Alice**, and explore the fascinating world of Wonderland, full of excitement and suspense. Delve deep into tunnels, caves and wells in search of hidden treasure.

KILOPEDE

Eliminate mushrooms and the descending segmented Kilopede to gain bonus points—avoid killer crabs, fleas, spiders and jellyfish which chase you across multiple levels of increasing difficulty.

MINEFIELD

The object of the game is to get from one side of the minefield to the other without being blown up. You only get one life so be careful—not all the mines are visible. The only way you can tell how many mines are nearby is by looking at the mine detector in the top right hand corner of the screen.

BLOBBO

Run at high speed around the maze collecting treasure and fruit worth bonus points — but don't get caught by the Blobbo-eaters! Tactical dodging must be employed to avoid them. If you're caught or step on a skull and crossbones you lose one of your three lives.

KNUCKLES

Move **Knuckles** around his maze, using a joystick to kick **Roks** and **Magic Squares**. The object is to line up the Magic Squares, using the fire key, and so advance to the next level, gaining a level bonus.

Please send for our free colour catalogue of Business, Education and Games Software.

Illustration: Nick Mynheer.

Continental Software Limited, Unit 23, Station Lane, Witney, Oxon

• Circle No. 130

BEEF UP AN IBM SOUP UP A SIRIUS



EXPRESS

Another Great Idea from Intelligence Research



ATLAST **TRUE 16 BIT PROCESSING WITH AN INCREDIBLY FAST 10MHz 8086 PROCESSING BOARD**

Introducing the PC Express expansion card from Intelligence Research.

PC Express not only trebles the processing speed of an IBM PC or Sirius/Victor but expands the memory up to 512K.

Installation is fast and simple. The card plugs straight into one of the machine's expansion slots leaving the others available to meet your future needs.

PC Express is fully compatible with existing hardware and

> software and is produced with the performance and reliability for which our products are renowned. Make sure that you get

our brochure. It will explain why PC Express is the most advanced new enhancement card on the market.

Currently available for IBM PC, IBM XT, ACT SIRIUS 1, VICTOR 9000.

Intelligence Research Limited Unit 6, Sergeant Industrial Estate Garratt Lane London SW184DJ Telephone 01-871 1422 Telex 919368 INTSYS

PCBulletin: news

Keep on rolling

THE STEAM-ROLLER shows no sign of losing momentum. IBM profits for 1983 are up 24.1 percent at \$5.5 billion. Turnover is up 17 percent to \$40.2 billion, which is the equivalent of 70 million BBC Model Bs at retail prices, or 1,350,000 Sinclair QLs per week. Chairman John Opel is said to be quietly optimistic for 1984.

Our estimate is that IBM has delivered around a million IBM PCs so far: 800,000 or so in the U.S. and another 200,000 mainly in Europe. The number could increase to around 1.5 million deliveries in 1984. There will also be the 3270PC, XT/370 and forthcoming 80186-based Popcorn multi-user models to add to this figure. However, it now looks unlikely that anything like a million PCjrs will be delivered, due to the shortage of Intel 8088

For 1985, the American market research firm Future Computing Inc. estimates that the Fortune 2,000 companies in the U.S. will spend \$12.1 billion on personal computers, and estimates that 60 percent will be IBM PCs - around 2.5 million machines. In a survey of these firms, either the IBM PC or the XT was first choice on 67 percent of replies.

However, another market research company, International Resource Development Inc., warns that several Taiwanese firms are about to flood world markets with look-alike and fake copies of the IBM PC. Taiwan firm Mycomp already has a PC clone, with Multitech and Mitac poised to enter the look-alike market. This might offer some relief to Apple, whose products are currently the most frequently copied. IRD also speculates that IBM will go to the Far East for the manufacture of its own forthcoming portable model.

Meanwhile IBM is extending the huge success of its Japanese-made 5550 model of the PC. IBM has adopted the Dragon input system, developed by Taiwanese inventor Chu Bang-Fu after eight years of research. This is able to input directly more than 20,000 Chinese characters via the standard QWERTY keyboard.

Though the IBM model stores only 11,000 Chinese characters on a disc, this is expected to give IBM a huge advantage in the Chinese-speaking market. So far applications software is limited to a Chinese version of Microsoft's Multiplan spreadsheet. And yes, it does run under MS-DOS.

PC Terminal


SANTA CLARA SYSTEMS of San Jose has launched the first IBMulator with a built-in local area network. The PCTerminal has its own 8088 chip and 64K of RAM, but no disc storage, though there is a port for connecting a 5.25in. floppy. The software, PCNet, enables up to 16 PCTerminals to be connected to one IBM PC or XT. Each PCTerminal picks a PC or XT and shares its peripherals. This enables a PC network to be put together for relatively little cost.


PCTerminal runs under PC-DOS or the Santa Clara version of MS-DOS, called SCS-DOS. Each PCTerminal costs \$1,295.

Also from SCS comes a disc-cache system, Quick Disk, of which there are five models with from 128K to 1Mbyte of RAM.

Contact Santa Clara Systems, 1860 Hartog Drive, San Jose, California 95131, U.S.A. Telephone: (area code 408) 287-4640.




















Long columns of figures can often be double dutch to busy executives who need forecasts and analyses to make fast, accurate decisions.

That's why the new SuperCalc 3 electronic spreadsheet can not only perform a complete range of financial modelling and forecasting functions, but can also translate the results into versatile, presentation quality graphics that make instant sense of the most complex data – without having to change disks.

data – without having to change disks.

It's fully compatible with existing SuperCalc programs, and its memory-efficient storage gives you one of the largest useable spreadsheets available. For full details of SuperCalc 3 just return the coupon – and find out how you

could start breaking down the language barriers in your organisation.



ACT (Pulsar) Ltd

Freepost Birmingham B16 1BR

or call 021~455 7000

SuperCalc³ is a registered trademark of SORCIM CORPORATION

SuperCalc³

-you can see the difference

the leaflet - Br	. Please send me a copy of reak the Language Barrier
NAME	Circle No. 132
POSITION	
COMPANY	
-	
ADDRESS	
TELNO	

And now...PC/IX

SOME PEOPLE have supposed IBM to be antipathetic to the Unix operating system simply because it is produced by its socalled rival AT&T, which owns Bell Labs. But now that software house Interactive has managed the amazing feat of implementing Unix on the 8086 chip - with which the PC's 8088 is compatible — IBM has adopted it as PC/IX. The initials stand for personal computer interactive executive. The new operating system goes on sale in the U.S. this April at \$900. No U.K. launch date has been announced.

PC/IX is the System III brand of Unix, not the newest System V, though most implementations still seem to be running version 7 of System II.

It is not certain how this will affect the Microsoft implementation of Unix, which is called Xenix. However, continuing support for the PC-DOS verison of MS-DOS as the main IBM PC operating system looks assured.

AT&T is supposed to be introducing its own range of desk-top micros later this year. It would be very surprising if these did not also come with Unix.

Inner Product

IBM PC dealer Inner Product has developed some interesting software for the PC, including Viewcom. It provides access to Prestel and viewdata systems from Basic or APL programs, and presents two Prestel pages on screen at the same time. Viewcom will also transmit pages if you are an information provider. Of course, you also need a modem and asynch communications facilities.

IP supplies APL*Plus/PC with a set of free keycaps engraved with APL characters to fit the IBM keyboard. In addition, there is software to transfer data between dBase II and APL, and between Multiplan and APL. The Multiplan/APL interface will also move files between WordStar and APL.

Contact Inner Product, Eagle

House, 73 Clapham Common South Side, London SW4 9DG. Telephone: 01-673 4047.

Hardware shorts

- An 18Mbyte tape back-up streamer has been launched by Davong. It claims to copy a 15Mbyte hard disc in four minutes. Phone Davong in Sunnyvale, California, U.S.A. (area code 408) 734-4900.
- A magnetic strip reader for the IBM PC is available from Pete & Pam, if you want to read the strip on the back of someone's credit card. Telephone: (0706) 212321.
- Alloy can also supply a credit-card reader, called PC-Card, which attaches directly to the PC keyboard.
 Telephone: (0285) 68709.
- Digithurst's well known image analysis system is now available for the IBM PC. Microscale II comes with a vision interface, software, documentation and choice of camera. Contact Digithurst Ltd at Royston (0223) 208926.
- 3D Digital Systems has announced Inlab and Thinklab for the IBM PC. Both are Eurocard units for laboratory use, for data acquisition and control. Telephone: 01-387 7388.

Leading Edge

THE HUMAN EDGE Software Corporation of Palo Alto, California, is introducing a range of products classified as business strategy software. Packages are the Communication Edge, Leadership Edge and The Sales Edge. These packages claim to "build your personal power", because "personal power", because "personal power is the way to make your mark."

First package to reach the U.K. is The Sales Edge, which assesses your character and the character of the person you are selling to, gives advice, and tells you how to close the deal.

As well as running on the IBM PC, all the packages are promised for Apple's new Macintosh.

To contact Marketing Software telephone 01-731 3083.

APL*Plus 3.0

APL*PLUS/PC has been released in a new version for the IBM PC. A complete APL v3.0 kit costs £600, but existing users can upgrade for £105.

Meanwhile APL*Plus has relocated from London to Birmingham. The new address is Aston Science Park, Love Lane, Birmingham B7 4BJ. Telephone: 021-359 5096.



The Micro Technology Group of Tunbridge Wells has the Britishdesigned Honeycomb cartridge disc-storage system to match the PC. It has two removable 10Mbyte discs, and costs £3,750. A single 10Mbyte version is available for £2,800. Cartridges are £65 each. Contact the Micro Technology Group, 51 The Pantiles, Tunbridge Wells, Kent. Telephone: (0892) 45433.

Software shorts

- Peachtree's talking software, known as Speachware, now works with the IBM PC. Main use so far is speaking demo programs for Peachtree products. Telephone: (0628) 32711.
- The Mills and Allen software system Combat, a computer-based authoring system based on the IBM PC, is now supplied exclusively by Datasolve Education, which is part of Thorn EMI. Datasolve also works with the Wicat and BBC Micros. Telephone: (09327) 85566.
- Son of Incredible Jack is Jack 2, and it is now on the IBM PC as well as the Apple. Sales of \$1million are claimed for this integrated software product in its first two weeks on the market. Contact Business Solutions Inc. in New York at (area code 516) 269-1120 or, more likely, Pete & Pam will have it by now.
- Workwriter is an easy-touse screen-orientated word processor for the IBM PC from Micro Research in Brussels, Belgium. Telephone: (02) 736 9040.
- Softsel have two new American packages, R:base from Microrim, and MAG/base from MAG Software. R:Base is Multiplan-compatible and costs £345. Contact Softsel at 01-844 2040.
- Ncore is an integrated spreadsheet, financial modeller and graphics program for the IBM PC. The price is £395 plus VAT. The distributor is Ferrari Software. Telephone: 01-751 5795
- Micro/Prophit is a financial-modelling packge for PCs and look-alikes. It is available from Control Data. Telephone: 01-240 3400.
- The Witness is the latest Infocom game for Apple, Atari and other good computers. In it a cheap con-man tries to implicate a dead woman's millionaire husband. Pete & Pam has the IBM PC version for £33.95 plus VAT. Telephone: (0706) 212321. Probably the butler didn't do it.

A database by any other name

Paul Myerscough contrasts three information-management systems on his IBM PC.

ALL MAY NOT be what it seems when database systems are under discussion. The accepted definition depicts a store of data with a physical nature that is independent of how it appears to users and application programs. But users of the three systems reviewed here will find that applications often do impose constraints on file design. An alternative definition culled from the *Penguin Dictionary of Microprocessors* may be more appropriate: it describes a database as "any file which might sound more important if called a database".

The names of two of these products are equally fanciful. Tomorrow's Office, far from being software of the future, is a dinosaur of a system. It is still growing, but how long can it survive? A life-line to the business micro user is the message implicit in the name "Rescue". But to reach the market it deserves this package is sadly in need of a rescue itself in the form of an injection of cash for development and marketing effort. Only Delta avoids serious criticism.

Custom-built


All three packages are designed to provide a quick and easy means to develop a custom-built system. Such a system would consist of a set of data files, user input and enquiry screens, procedures for extracting and sorting data, procedures for creating reports, and special menus from which these options may be controlled.

The manuals that accompany the soft-ware seem accurate and comprehensive. But they are all too wordy, and they are not well formatted for quick reference. Delta's comes out on top: at 236 pages it is the shortest, very easy to comprehend, and includes a good, confidence-building tutorial introduction. Rescue's 408-page manual is far too long and its organisation is eccentric, though an excellent index makes it easy to use; it needs a rewrite.

The most remarkable first impressions come from the form in which the software is delivered. While Rescue arrives on one floppy disc and Delta on two, Tomorrow's Office requires no less than nine. Over 2Mbyte of program code prompts thoughts



Tomorrow's Office provides sophisticated screen presentation.



2Mbyte of program code prompts thoughts | The option menus and many messages provided by Delta make it simple to use.

Software review




Figure 1. One of the two menu networks in Rescue.

of inefficient programming, maintenance and enhancement problems, and the need for disc-swapping dexterity as different functions are used.


Setting up the systems to run on the computer is easy. Tomorrow's Office has the most polished screen presentation — see the opposite page — while Delta's option menus and many messages make it the easiest to operate. Rescue has separate programs for data and process definition and for run-time features, and each has its own burgeoning network of menus - see figure 1. A neat help facility provides a short message when? is entered in response to a prompt.

Rescue uses flat files of fixed-length records which hold up to 1,024 bytes. Each one can cope with up to 10 fields nominated as access keys. Tomorrow's Office and Delta use a master/transaction file structure with one master field nominated as the access key, which in Delta's case is sequenced. Tomorrow's Office allows only 508 bytes to be shared out between a master and transaction definition, while Delta permits up to 2,000 bytes. The maximum file size for Delta and Rescue is around 33,000 master records; Tomorrow's Office can handle multi-volume files to give 99 times this limit.

The process of defining a data file is prompt-driven. All the systems request entries for field name, type and length, which is a tedious business. It is made worse in Tomorrow's Office by a requirement for additional screen format data. Rescue is worse still, as it also requires report format data and prompts 13 or more times for each field. Field typing is from a standard set of character, number, or date, with an extended set for Rescue which makes provision for optimising disc storage space and for building in validation criteria.

Database systems are notoriously inept when it comes to changing the format of a file. Delta and Rescue allow a limited amount of restructuring without the need to create a new second copy of the data, and with Rescue new key fields can easily be nominated.

For major reorganisation the standard procedure is to copy fields from records in (continued on next page)



A database by any other name

Delta

Delta is a package that is professionally produced and easy to use. It has a range of features designed to equal or better most of the competition. Its design shows an appealing degree of flexibility, and progressive enhancements should keep it alive for some years.

The master-file/transaction-file structure has much to recommend it. At the conceptual level it provides a first step towards the development of a real network of database files. Allowing eight transaction types is fine, but it is disappointing that only one can be accessed at a time; when using this type of structure it is natural to need to use more.

Another disappointment is the limited Process facility, which could at least be enhanced for use in validating input data. The Link and Copy facility is simple in concept, but it is good and flexible. It scores well for the data-entry logging option and for the ability to update records using an

Delta is well placed for a successful ride in the market-place. The fact that it is being distributed by IBM, DEC, and Xerox must be regarded as a recommendation.

Tomorrow's Office

This product rose to fame with the Sirius computer, and caters for many of the file-processing needs of its user. It uses a master/transaction file structure and has fairly attractive development screen displays which consistently prompt for entries on a command line at the bottom of a

Its range of functions allows Tomorrow's Office to maintain its position in a feature-count with the competition. It is the only package among those reviewed that allows more than one volume of data, giving an almost unlimited file size. Multi-file allows secondary file look-ups and updates and is a feature worth having. It is not yet offered by Rescue or Delta.

Tomorrow's Office has grown so large that it is no longer usable on a small floppy-disc based system; changing program discs all the time soon becomes unbearably tedious. It is limited by a record size which cannot exceed 508 bytes for master and transaction combined, and more seriously by the fact that any master/transaction pair may only have one updating screen. No provision is made for the validation of input, and many features are not as complete as their equivalent in Delta.

Many data-processing systems contain information which is duplicated in different files, and it is here that the relatively new Multi-file option comes into play. When adding records to a main file, predetermined fields may be Filled from data held in a secondary file. Likewise, data from the main file may automatically be Put to a secondary file to update it. These two processes, Fill and Put, are in essence what Multi-file offers.

Multi-file uses windows in the creation of a process, as shown in figure 3. Some will contain processing options, while others may be scrolled across file-definition data. Most Multi-file processes can be defined simply by correctly positioning the cursor and pressing Enter to select both options and field names.

The limitations of Multi-file are largely those of Tomorrow's Office itself. It provides scope for handling data from several files at once, but only in the context of the 508-character main file. Data which is not stored in the main file or transferred to it cannot be accessed or displayed, and there is no real conditional processing at the field level.

(continued from previous page)

the old file to a newly defined and empty version. Here Tomorrow's Office leads the field with the Multi-file option. Delta's Link and Copy utility offers greater flexibility but requires more effort to use. Rescue has a Loader utility which will do the same for Rescue files.

The first chance to test whether or not a user view is independent of a data file layout comes during screen definition. 1 was recently involved in the design of a system to handle laboratory test results from customers' fuel samples. The prime piece of data is a fuel sample with transport/arrival information, laboratory test results and advice data that is sent back to the customer. That one record comes under three sets of fields, each with a different person responsible for updating them. What could be simpler than to provide three different screens to view the same record — one for the logging clerk, one for the lab manager and one for the fuel-quality adviser? Tomorrow's Office cannot deal with this problem. It provides only one screen view for updating a file. Delta and Rescue can have alternative updating screens and, unlike Tomorrow's Office, can spread data across more than one screen page.

Rescue provides a unique and useful feature which enables fields to be linked so that their display depends on values entered for previous fields. However, Delta is the outright winner for ease and sophistication in screen-design facilities — see figure 2. The Quick function enables immediate data entry on a screen which is generated automatically from the file description. A custom design is created by painting text on to the blank screen, and escaping to command mode to indicate data field names and display attributes.


Data validation

All three systems allow fields to be calculated from constants and entered field values. However, only Rescue addresses the serious requirement of data validation. For a first-time user it can be hard to grasp that a computer system based on inaccurate or out of date information is no better than a bad manual system.

Consider the simplest case of a field that should contain Y or N to indicate that an invoice is paid. What will happen to an invoice reporting system if the operator has entered H by mistake? Most systems have many fields where only certain values are acceptable. Rescue can associate a dictionary or table of correct values with a particular field which may be mandatory or optional. Numbers can be range checked and, furthermore, format masks may be used. These features are so valuable it is hard to understand why other designers have not followed Rescue's lead.

For data entry Delta provides a fullscreen mode of operation, and alone has a useful logging option that will

(continued on page 57)



ENHANCEMENTS apability with a of essential features.

MAKE YOUR COMPUTER WORK HARDER FOR YOU

If you have purchased the IBM PC or XT then you are the owner of a very fine computer.

But like everything else it can be improved to work harder for you. It took a company like Qubie' to do it.

Qubie' can supply either the SixShooter or the Q Plus II to up-grade your IBM PC or XT. Both are engineered to match the IBM quality stamp.
While only occupying

one slot in your computer these

two boards boost your PC or XT's capability with a selection

SIXSHOOTER-IDEAL FOR PC OR XT

For most customers the SixShooter offers all that you require from a multifunction board. 64K or Ram (socketed up to 384K), a serial port, a parallel port, automatic clock/calendar with battery back up are all standard. An IBM compatible games port adaptor is optional.

Q PLUS II - MORE OPTIONS

Corporate customers and those with special needs will appreciate the ability of the Q plus II. Ram is expandable from 64K all the way to 512K. Add two serial ports, a parallel port clock/calendar and a games port to give 4 I/O connections from one slot.

IBM is the registered trademark of International Business Machines

QUBIE' PAK SOFTWARE SPEEDS THINGS UP

Free with each board are the custom-made Qubie' drivetm and Qubie' spooltm programmes.

Qubie' drivetm disk emulation software allows you to create up to three 'electronic disk drives" in memory which access your programmes at the speed of

RAM memory. Qubie' spooltm is a

programme which allows you to assign a portion of memory to act as a print spooler.

QUALITY BACKED BY WARRANTY

Both boards are backed by our one year parts and labour warranty.

Visit your local dealer and pick up a brochure with the full details. If he does not have the information contact us.

It's the best way to improve your PC.



Oubie' Distributing Ltd. Tempo House, 15 Falcon Road, London SW11. (01) 223-4569/7662. Telex: 8956035. G.


Qubie' Distributing Ltd. 4809 Calle Alto, Camarillo, CA 93010, USA. 805-987-9741.

• Circle No. 133

Never und the power



Format options.



Formatting with windows.

Now there is a new product from Microsoft that has fundamentally redefined word processing.

It's called WORD.

Yet because it is so simple and straightforward to use, it tends to get underestimated.

People think nothing that easy can be that powerful. Wrong.



Layout and commands.



Print options.

WORD has power and speed.

Power to let you do more than any other word processing program could before.

Single key execution of complex inputs.

Unique UNDO facility that corrects even command key errors at a stroke.

And an unrivalled choice of characters from bold to italic, all shown on the screen *exactly* as they will print out.

erestimate fthe word.

WORD lets you assign different styles to ifferent documents.

You say what. And when.

All available for instant recall when needed.

A window on the world.

Everybody knows about multiple windows. But eight windows?

At a time?


WORD lets you edit and compare, from vindow to window, document to document.

As quick as a mouse.

WORD'S special mouse driven facility means rou can move sentences around as quickly and as naturally as you move your hand.

It's an optional extra.

But get used to it and you'll never look back.



A total word processing program.

The things your WORD could do are many.
Indispensable facilities like automatic
footnotes with their own window.

The special horizontal scroll allowing a full 255 characters to be viewed at a glance.

And the super efficient search command which will locate *one* word in a 250 page document.

That's WORD from Microsoft.

Simple, comprehensive and invaluable. Remember, WORD gives you the power. Then you take the glory.

MICR@SOFT

Right. First time.

Microsoft WORD is available from dealers of the IBM personal computer.

If you require more information complete the details below or telephone us direct.

Please send me further information on Microsoft WORD.

Name_____

Position__

Company___

Address__


Microsoft Ltd., Piper House, Hatch Lane, Windsor, Berks SL4 3QJ. Tel: (0753) 559951.

• Circle No. 134

The Alphatronic







instruction and BASIC interpreter manual. Now to business. The Alphatronic PC is unusual in

The Alphatronic Personal Computer makes playing, learning and working more fun, more fullfilling, more rewarding. But when you put it to work, then it really means business. In fact it's probably the cheapest way to access business programmes through CP/M software.

The games first though — enough for the most ardent player. Some just plug into a socket at the back, with their own 16K Rom module. Others can be played from virtually any cassette recorder. There are arcade games to sharpen reflexes and test imagination. Educational programmes to increase knowledge, plus chess and other traditional games.

You'll benefit from the learning programs. There are cassette instruction courses on writing programs in BASIC. Other cassettes get you and your family off to a flying start into skills like typing, household budgeting, tax returns and investment management. And of course there's our own

giving you low-cost access to a complete version of CP/M, the world's most popular operating system for business software. You just connect up one or two floppy disc drives and a printer, then you can run a whole host of new management programs: office word processing, business accounting packages and financial planning — the choice tremendous.

The keyboard is a real delight compared with competitive models. There are very few confusing multi-function keys, and a really professional numeric keypad is included. Six separate keys can be programmed and indexed for special routines. And the full alphanumeric keyboard is just like a modern electronic typewriter.

You may recognise the keyboard, because the

Microware and IBM -We're unbeatable.

We promise to:

- Analyse and identify your requirements.
- Advise on your system needs.
- Supply and install your equipment.
- Provide the widest range of software support.
- Offer comprehensive maintenance contracts.
- Take pride in our unparalleled after-sales service.

MEMORY EXPANSION

- 1. Memory expansion from 64-512K
- 2. Memory expansion with extended features:
 - Printer port
 - R232
 - Games control
 - Battery clock/calendar
 - Expansion up to 512K
- 3. Memory expansion for electronic disk (RAM) providing capacity of up to 2 Mb

MULTI-TASKING

- Multi-tasking software is now available for PC DOS – up to 9 tasks can be run
- Concurrent CPM

SOFTWARE

Pegasus-Business application systems


- Sales Ledger
- Purchase Ledger
- Nominal Ledger
- Invoicing
- Payroll
- Stock Control
- Order Processing

Database-


- Dbase II Applications
- DMS-DELTA
- Everyman

Lotus 1-2-3

- Colour or Mono
- Hercules Graphics
- Pixy 3 Colour Plotter
- Lotus Training Courses







SOFTWARE

Word processing

- Wordstar
- Microsoft Word and Mouse
- Multimate
- Word Craft
- Word Perfect

Accountancy

Auditman

Our complete list of software is too long to publish, but a wide range is available from stock.

NETWORKING

PC net

- Local area network and shared resource
- Independent of disk type ie XT, corvus etc
- Independent hard disk system
- Remote PC
- IBM PC DOS 1.1, 2.0
- Disk and file sharing
- Low cost, easy to use

TRAINING

We offer training to our IBM PC customers:

- 1. Computer aided training, which after initial set-up, guides you through the sofware.
- 2. On site personal training by our experienced professional instructors

MONITORS

We recommend from our range the following:

- The new IBM colour monitor
- AMDEK-the only IBM compatible amber screen monochrome available

SERVICE

We offer a number of service options including:

- 1. Warranty/non-Warranty repairs
- 2. Extended Warranty contracts
- 3. Quick response service contracts covering both parts and labour

PURCHASE TERMS

- 1. Rental agreements
- 2. Leasing contracts
- 3. Approved credit purchase

• Circle No. 135



MICROMARE

Microware Business Systems Ltd.

Contact us at:

637 Holloway Road, London N19 5SS.

Telephone: 01-263 1124(9 lines) Telex: 297598 MICROW G.



and other hard disk systems.

With SKY's sophisticated yet easy to use software you have a straightforward expansion path from single-user floppy to multi-user hard disk without the need to learn new software or re-enter data.

Quality software available now:

WASTER — the management accounting suite — sales ledger, purchase ledger, nominal ledger, invoicing, stock control, payroll, contract costing, S.S.P. Records. Available separately or as a fully integrated suite on the XT. Features include: single or multi-user* multi-company* multi-currency* records accessed by number or name* multi-location stock.

SKYCOST - a contract costing package.

– a sophisticated mailing package, rebate sorting, automatic duplicate detection etc.

an integrated contractor's accounting suite on the XT, /BUILD – an integrated contractor s accounting some of the which includes construction industry payroll features. *Multi-user system utilises popular networks

Also available an extensive range of Commodore 8000 series software



For further details or the name of your local SKY Soft-ware dealer, contact us today. Dealer enquines welcome.

SKY SOFTWARE
13 NEW ROAD BROMSGROVE WORCESTERSHIRE B60 2JG
TELEPHONE (0527) 36299

Circle No. 136

SKILLS TRAINING

- 'dBASE II' Usder & Programming
- Advanced 'dBASE II' Techniques
- WordStar
- MailMerge
- SuperCalc

For further details, please contact:

The Training Dept., LANTECH Information Systems Ltd. 55 Peascod St., WINDSOR, Berks,

Tel: Windsor 58181

LAMEGH

Information Systems

• Circle No. 137



data buffers

FROM 16K TO 256K



Any combination of Parallel or Serial inputs and outputs, capacities 16k, 32k, 64k, 128k and 256k. Any combination of Parallel or Serial inputs and outputs, capacities 16k, 32k, 64k, 128k and 256k. Status indicator led's for data arriving, data present, buffer full etc. Buffer bypass facility for 'quick print' jobs, buffer repeat facility for multiple copies. Output hold facility to temporarily stop printing without destroying data. Separately selectable DTR, XON/XOFF, ETX/ACK handshaking, baud rate etc. on serial inputs and outputs. Serial input and output selection provides return data channel for KSR printers. Use for printer 'spooling', protocol conversions, data acquisition, machine monitoring etc.

For further information telephone or write to:

Parallel in-Parallel out DB3-1 from £186.00 (excl VAT) from £197.00 (excl VAT) from £197.00 (excl VAT) from £203.00 (excl VAT) from £221.00 (excl VAT) Parallel in-Serial out DB3-2 Serial in—Parallel out Serial in—Serial out Parallel/Serial in and out DB3-3 DB3-4 DB3-5

(aculab)_{Ltd.}

Unit A, Station Approach, Leighton Buzzard, Beds. LU7 7LY. 0525-371393

Circle No. 138

Free software, only £225.

If you own a BBC Micro, you can now download, store and run programs (transmitted free of charge via Ceefax) with the new Teletext Adaptor, priced £225 inc. VAT.

These programs make up the BBC Telesoftware Service (which is intended to become a computer software broadcasting channel) and although primarily educat-

ional, they will soon develop into general interest and business areas.

And, as they will change every two weeks, you'll soon be able to build up a vast bank of top quality software without ever having to put your hand in your pocket.

But that's not all the adaptor has to offer. It also enables you to gain access to the normal teletext store of data. This is different to simply having a teletext TV because it means this data can now be transferred to memory and manipulated in any way you wish (making graphs or bar charts for instance).

It's yet another development in our programme to help you fully realise your BBC Micro's potential.

If you're a credit card holder you can order the Teletext Adaptor by ringing

01-200 0200 at any time or 0933-79300 during office hours.

(You can also find out the address of your local BBC Micro dealer by calling the same numbers.)

Alternatively, you can order it by sending off the coupon below.





Technical Specifications

Access to Teletext and Telesoftware Services broadcast on U.H.F. channels E21 to E69.

Speed of max. data capture rate approx. 128k baud.

(8 lines of Teletext per frame.)

Height 70mm. Width 210mm. Depth 350mm. Weight 2kg.

Colour: BBC Computer cream.

Construction: Moulded top and bottom to match BBC computer profile. ABS injection moulded plastic.

Controls: Four tuning potentiometers on rear panel. Mains on/off switch on rear panel.

Power in 240v, 50Hz, 15w.

Operating Temperature: 10° to 35°C.

Designed and manufactured to comply with BS415 Class 1 standard.

To: BBC Microcomputers, c/o Vector Marketing,
Denington Estate, Wellingborough, Northants NN8 2RL.

Please send me______BBC Teletext Adaptors at £225

each, inc. VAT and delivery. I enclose PO/cheque payable to Readers A/C, Acorn Computers Ltd, or charge my credit card.

Card Number_______.
Amex/Diners/Visa/Access (Delete)

Name____

Address_

Postcode__

Signature.

Registered No. 140 3810 VAT No. 215 400220

The BBC Microcomputer System.


Designed, produced and distributed by Acorn Computers Limited.

The Alphatronic









The Alphatronic Personal Computer makes playing, learning and working more fun, more fullfilling, more rewarding. But when you put it to work, then it really means business. In fact it's probably the cheapest way to access business programmes through CP/M software.

The games first though — enough for the most ardent player. Some just plug into a socket at the back, with their own 16K Rom module. Others can be played from virtually any cassette recorder. There are arcade games to sharpen reflexes and test imagination. Educational programmes to increase knowledge, plus chess and other traditional games.

You'll benefit from the learning programs. There are cassette instruction courses on writing programs in BASIC. Other cassettes get you and your family off to a flying start into skills like typing, household budgeting, tax returns and investment management. And of course there's our own

instruction and BASIC interpreter manual.

Now to business. The Alphatronic PC is unusual in giving you low-cost access to a complete version of CP/M, the world's most popular operating system for business software. You just connect up one or two floppy disc drives and a printer, then you can run a whole host of new management programs: office word processing, business accounting packages and financial planning — the choice i tremendous.

The keyboard is a real delight compared with competitive models. There are very few confusing multifunction keys, and a really professional numeric keypad is included. Six separate keys can be programmed and indexed for special routines. And the full alphanumeric keyboard is just like a modern electronic typewriter.

You may recognise the keyboard, because the

C means business









phatronic PC is from Triumph Adler, leading European nufacturers of business machines, who supply offices in countries worldwide.

That means real commitment and continuity in sign, engineering and software support. For instance, TA ke sure you can get everything you'll need — ribbons, ationery, disks, upgrading peripherals — from just one

So you play and learn on the Alphatronic PC, and joy good value for money. Or you can really make it work you. Then you'll really see what it's worth.

you. Then you'll really see what it's worth.

For you, your family and your business, get your nds on an Alphatronic PC now.

Please let me know where I can try the Alphatronic PC.

Name:


Address:

Telephone:

7/4

TRIUMPH-ADLER

Triumph Adler (UK) Limited, 27 Goswell Road, London, EC1M 7AJ Telephone: 01-250 1717 • Circle No. 140



PRACTICAL COMPUTING does not normally review machines that are not available in the U.K., but in some cases exceptions have to be made. The Yamaha YIS-503 is one of them. It is a Japanese MSX machine and thus typical of a large number of other MSX micros.

MSX is a hardware and software standard worked out between American software house Microsoft and 15 computer manufacturers, all but one of them Japanese. Essentially it is Microsoft Extended Basic, which gives the standard its name, plus a hardware specification which standardises I/O and graphics around a Z-80A based system with a 9918A display controller chip.

Cartridge, cassette and disc formats are defined in detail so that software from one MSX machine will run on other machines

that observe the standard. Such machines are currently selling very heavily in Japan, and are expected in the U.K. later this year.

The Yamaha machine reviewed here was provided by Microsoft, which recently showed Japanese MSX models in the U.K., including machines from Sony, National Panasonic, Toshiba, and Fujitsu as well as Yamaha. Most interesting of the bunch are the Sony and the Yamaha offerings. The Sony Hit Bit seems to be the cheapest, while the Yamaha YIS-503 seems the best built and has an amazing, low-cost add-on synthesiser unit.

No U.K. marketing plans have been announced for any of these machines. There may be changes in styling and probably in name for Europe, but the prices in Japan suggest U.K. prices somewhere round the £200 mark.

The Yamaha MSX machine is a grey, wedge-shaped unit. It is larger than a Spectrum but smaller than a BBC Micro, measuring 16.5in. by 8in. The full-size keyboard is well made and generates both upper- and lower-case characters. There are five function keys and the cursor-control keys are sensibly laid out.


The cartridge slot is located on the right, above the keyboard. There are two joystick ports on the side of the machine and printer, while cassette and general system interfaces are provided along the back. When plugged into the mains and connected to a TV, the system is ready to be turned on.

The system first presents a two-tone blue screen saying

MSX system version 1.0 copyright Microsoft Ltd



The optional synthesiser clips under the main unit.



Ample shielding is provided in this well engineered micro.

You are in Basic and ready to go. At this point we impulsively picked up an MSX game cartridge which comes with the Sony machine and pushed it into the cartridge slot. You are not meant to do this on most machines without first switching off, but the Yamaha seemed to survive. The screen flashed off and then came back on with a copyright message. We were successfully running a Japanese computer game developed for the Sony Hit Bit machine.

The Basic is a very full version based on GWBasic for the IBM. Some 28,815 bytes are free to the user on the Yamaha machine, which comes with a total of 48K, of which 16K is reserved for mapping the display. The MSX spec allows for machines with up to 1Mbyte of RAM organised in 16 blocks of 64K, and the Basic will support this without the user having to worry about bank switching.

High precision

MSX Basic automatically calculates and displays numeric data to 14-significant-digit precision, which can sometimes make the system appear slow. It also supports a six-significant-digit variable type and integers, so obviously when programming you would declare the faster types whenever possible.

The 16-colour, 256-by-192 dot graphics are fully supported by Basic commands. They allow plotting, line, circle and box drawing, area filling, block copying and the drawing of shapes defined in string variables. Up to 32 sprites can be on the screen at a time, with the Basic providing simple ways of controlling them. Sound commands equal those of the Oric, and let you produce three-note chords over eight octaves with some control over the sound envelope.

Several intructions in the form On-Event-Gosub are provided, to eliminate the need for program-slowing loops just to wait for input. They redirect program flow when either a joystick button is pressed, a key hit or the in-built timer reaches a set value. The usual Microsoft string functions are provided, and there is a full, businessstyle Print Using command to format

(continued on next page)



The 3½-octave music keyboard plugs into the synthesiser; the software control panel is displayed on the screen by typing Call Music from Basic.

Benchmarks

The table shows the time in seconds to run eight standard Basic routines — see January issue, page 103 for listings. The Yamaha is rather faster than these particular figures suggest, as MSX Basic works out numeric variables with a 14-digit precision unless instructed otherwise. Benchmark 1, which repetitively executes an empty loop, takes 2.1s. with the default variable type but only 0.9s. using an integer variable. The Basic interpreter used was Microsoft MSX Basic version 1.0, as supplied with the Yamaha machine.

١		BM1	BM2	ВМ3	BM4	BM5	BM6	BM7	BM8	Av.
ı	BBC Model B—	1.0					13.9	-	14.8	
ı	Yamaha YIS-503—Z-80A	2.1	6.0	16.6	18.4	19.0	31.7	44.9	216	44.3
	look-alike									
ı	Sinclair Spectrum—Z-80A	4.8	8.7	21.1	20.4	24.0	55.3	80.7	253	58.5

YAMAHA YIS-503

(continued from previous page)

output more easily. Microsoft has made a good job of this Basic, which will be common to all the MSX machines.

Fitting neatly into the base of the review machine there was a paperback-size module containing the SFG-01 FM synthesiser. This is one optional goody which is well worth having. It has nothing to do with MSX but the system is wisely drawn up with provision for adding such special features without compromising MSX compatibility.

On the side of the synthesiser box beneath the Yamaha computer is a socket into which you plug the YK-01 mini music keyboard. It is then a matter of typing Call Music from Basic and the music keyboard is live. At the same time the screen clears and puts up a display of all the synthesiser parameters you can control.

Touching the keys causes a brassy sound to emanate from the TV speaker — brass is the one of the synthesiser's 48 preset voices. You can change voices by cursoring up to the Voice parameter on the control-panel display and zipping through the large number of options using the Left and Right arrow keys.

Sounds good

The sounds are particularly good, and come as a pleasant surprise to anyone who has used cheap battery-powered electronic keyboards. The string sounds are particularly authentic. The preset voices include electric piano, harsh and mellow electric bass, a nice-sounding clarinet and horn, steel drums, timpani and bell, and various electronic effects like raindrop and tweet. Any of these voices can be played around with to create completely new ones by using the six parameters shown on the display as AMS, PMS, Wave, Speed, PMD and AMD.

On the control-panel display Voice appears under both the polyphonic and the monophonic headings. Polyphonic lets you play chords of up to eight notes at a time, while with monophonic you play just one note, but in compensation you can manipulate it in more ways.

The music keyboard can be split anywhere to create, in effect, two smaller keyboards. For example, you can play a polyphonic horn bass part with your left hand and a monophonic violin with your right hand. The parameter Porta, which appears on the screen control-panel, lets you slur notes played in the monophonic voice into each other in different ways. This allows you to bend guitar notes or play eccentric violin styles.

The automatic rhythm section offers six predefined rhythms, such as 16-beat or jazz

rock, each rhythm consisting of up to four different parts playing together. You can control the tempo and choose, within limits, the instruments that play, or even silence some of the rhythm parts altogether. For instance, you can play horn chords accompanied by a rhythm guitar to a slow jazz rock beat, with the drum and high rhythm part silenced.

Many other wonderful things can be

Specification

CPU: eight-bit Z-80A look-alike RAM: 48K

ROM: 32K containing Microsoft MSX Basic and operating system

Display: plugs into domestic TV; shows 24 lines of 32 characters, 24 lines of 40 characters, or 256-by-192 dot graphics; both text and graphics in 16 colours; Basic provides sprite graphics

Keyboard: full-size QWERTY layout with separate cursor and control-key blocks and five programmable function keys; keys generate upper- and lower-case and graphic characters

Sound: eight octaves and three-note chords

Interfaces: MSX cartridge slot, cassette I/O, parallel printer port, two joystick ports, system expansion edge connector, synthesiser slot

Size: 16.5in. by 8.25in. Weight: about 5lb.

MUSIC ADD-ONS

SFG-01 FM Sound Synthesiser: provides monophonic, eight-note polyphonic, rhythm, bass and chord functions concurrently; 48 preset voices on poly and mono sections; attack, decay and other parameters can be altered to create new voices; portamento allows controlled slurring of monophonic notes; keyboard can be split any way; six preset rhythms; record playback facility to RAM or cassette tape; sound output to TV or through stereo sockets; Midi interface

YK-01 Music Keyboard: 44-key minikeyboard covering 3½ octaves; measures 22.25in. by 5.5in., with keys a little over 3in. long; larger size keyboards may also be offered with the system

Other music add-ons: Yamaha play-card system fits into cartridge slot and plays pre-programmed tunes; music. ROM cartridges create new preset voices and provide music-composition aids for the SFG-01 synthesiser

AVAILABILITY

U.K. price: not decided, but possibly around £200 for the computer itself and about £550 for the complete computer plus musical keyboard plus synthesiser

U.K. distribution: not sorted out but probably here foir Christmas 1984; Yamaha's U.K. music keyboard business is conducted by Kemble Organ Sales Ltd, Mount Avenue, Bletchley, Milton Keynes, Buckinghamshire MK1 1JE. Telephone: (0908) 640202 done with this unit, especially if it is placed in competent hands, but perhaps the main thing is that after using it for hours your ears don't hurt. The Yamaha will store what you play on the music keyboard into RAM for instant recall, or on to tape. The RAM limit seems to be several minutes long, but only your part is saved, not the automatic rhythm section.

The Midi interface on the side of the Yamaha synthesiser box is a major plus if you want to get seriously involved with electronic music. Midi is rapidly becoming established as the CP/M of the electronic keyboard world, with companies like Korg, Roland and Sequential Circuits adopting it. Midi compatibility lets you transfer stored program material between systems from different manufacturers, and allows one machine to sequence an array of other Midi synthesisers.

Yamaha's approach is to tie its computer offering into another technological leisure product area where it are strong, and in this it has been followed by some of the other Japanese MSX manufacturers. Sanyo has provided as MSX machine with the ability to merge computer-produced graphics on to video cassette material, and to grab frames of video and digitise them. JVC has a rack-mounted MSX system, to be used linked to its hi-fi systems. Part of the importance of MSX is the way it is being used to open up the home market.

Conclusions

- MSX cannot be ignored. Just because the machines have a Z-80 in them doesn't mean they are conservative.
- MSX Basic is very good, both for writing games and for more practical use.
- The MSX specification includes a definition of MSX-DOS, a disc operating system from Microsoft which will be file compatible with the MS-DOS used on 16-bit office machines. This holds out the possibility of some MSX machines emerging as very attractive home work-and-play machines along the lines of the Commodore 64. Microsoft is promising cut-down MSX versions of packages like Multiplan.
- Disc drives do not appear to be available yet for the MSX machines. Technically there would be little difficulty in attaching standard 5.25in. or Sony microfloppy drives, but the price would be out of step with the low cost of the MSX machines themselves. MSX may therefore spur Japanese manufacturers to develop cheap new mass-storage devices.
- To really take off in Europe and America MSX needs software, which has yet to be written.
- The Yamaha machine itself is a very competent computer for home use. It is well constructed, with few components, so it is probably cheap to manufacture.
- The Yamaha synthesiser add-on will prove irresistible to a great many people if the price is right.

The market leaders!...



Apple Ile Computer Disc Drive with Controller, T.V.

Modulator, Apple Books, Software Vouchers + FREE

Modulator, Apple Books, Software Vouchers + FREE

Apple Sports Bag

ONLY

Fing 01 833 0044 for latest PRICES

Attention Dealers!
As a result of demand ATA
UK has been established to
supply dealers, computer
products at attractive
prices.

Ring Now (dealers only). (0727) 37327 (0742) 700802

Export specialists - ring or telex for details

...with recognised professional support

£



Apple Hardware Apple IIe

Apple IIe 64K	499.00
Disk drive with controller	250.00
Disk drive	199 00
Disk drive	135.00
Apple Ile minotir	125.00
Phoenix hi-res green 12" monitor	99.00
Phoenix hi-res amber 12" monitor	105.00

Apple III

Apple III 256K including Monitor III,	
Disk drive & SOS	1980.00
Additional 5.25" disk drive	270.00
Profile 5mb Winchester	1299.0C
TOTAL CITIES TO SECTION OF THE SECTI	

Accessories

80 column card	65.0	0
80 column card 64K extended 1	45.0	0
Numeric keypad (//e)	85.0	0
Numeric keypad (][+)	75.0	0
T.V. modulator with sound	12.0	0
Videx Videoterm 80 column card 1	95.0	0
Videx Soft Switch (40/80 column)	20.0	0
Videx Keyboard Enhancer	87.0	0
Videx Inverse ROM and character sets	18.0	0
Microsoft Softcard (Z80 CP/M)	220.0	0
Microsoft Softcard Apple III (Z80 CP/M) 2	265.0	0
Accelerator card (3.6 mHz 6502C & 64K) . 2	289.0	0
Joystick (//e)	29.0	0
System Saver fan & voltage reg	59.0	0
Dust cover for Apple II	6.5	0
Dust cover for Apple II 2 × DD & 12" minitor	9.0	0
Dust cover for Apple III & Monitor III	11.9	9

Colour Monitors

Luxor high resolution	
25Mhz linear & TTL	499.00
Kaga Denshi medium resolution TTL	325.00
Kaga Denshi low resolution	265.00

We also stock the Hantarex RGB monitors, as recommended by Apple in Europe.

PRICES EXCLUSIVE OF VAT AND CURRENT AT TIME OF PRINTING

Interfaces

Apple RS232 Super Serial card 99.00
Apple IFEE 488 card 205.00
Apple parallel interface with cable 99.00
Apple III parallel interface with cable 130.00
CCS 7710-01 RS232 serial interface 109.00
Grappler + parallel graphics interface 105.00
PACT 8 bit A/D converter
Keyzone 12 bit A/D converter 138.00
PACT 12 channel D/A converter 125.00
RGB card TTL/analog output (programmable) 99.00
RGB card TTL output 85.00

Macintosh

£

Mackintosh the ultimate business machine.
32-bit MC68000 microprocessor
400 kilobyte 31 inch disk
The Mouse Replaces typed-in computer commands
with a form of communication you already
understand: pointing
Nineinch high-resolution (512 × 342-pixel) bitmapped diplay
RAM 128 kilobytes
ROM 64 kilobytes
Completely portable

Robocom Bit Stik C.A.D. Graphics System

•	
Robocom Bit Stik 1.1 system	390.00
Robocom Bit Stik 1000 upgrade software.	350.00
Robocom Bit Stik 1000 system package	545.00
Plotter driver for A4 and A3 plotters	180.00

Printers & Plotters

Epson RX80 120 CPS

Epson FX80 160CPS	265.00
Apple Dot Matrix 120 CPS	349.00
Apple Letter Quality Printer	
Ricoh 1300 Flow Writer	499.00
Mannesmann Tally MT180L	649.00

Plotters

Hewlett Packard HP7470	
Hewlett Packard HP7475(A3) TBA	1399.00
Calcomp 8 PEN (A3)	2999.00

WE ALSO STOCK APPLE AND HEWLETT PACKARD

TERMS AND CONDITIONS

For delivery please add £0-£199 + £5, £200-£1499 + £13, £1500 + 11/2%.

CHEQUES WITH ORDERS

Please allow 10 days for clearance.
PLC's, public sector etc 30 days
credit available on official orders,
subject to 5%
credit charge.

ATA — LONDON 4 Albion Hse, 1 Back Hill, London EC1. 01-833 0044 Telex 25102 CHACOM G

ATA — ST ALBANS 70 Park Street, St Albans. 0727 74361

ATA — SHEFFIELD 72 Eldon Street, Sheffield, S1 4GT. (0742) 700802 FREEPOST SHEFFIELD S1 1AY





KAYPRO 10

Glyn Moody tests the big brother to the machine that was voted 1983's Transportable Computer of the Year.

AT FIRST SIGHT the Kaypro 10 looks like a large tin box. Take off the lid and it proves to be a large tin box with a 9in. screen, 64K of RAM, a 390K floppy and a 10Mbyte Winchester running CP/M on a Z-80. Unremarkable statistics perhaps, except that the complete system costs only £2,595 plus VAT.

Though the Kaypro is supposed to be transportable, little attempt has been made to cram components together. Disc units positively luxuriate in space and the main PCB straddles the CRT in a relaxed sort of way. The box is consequently a substantial size: 18in. wide by 15in. deep and 8in. high. Of course there is no reason why a fetish should be made of packed, inaccessible boards and units, but for a machine that aspires to portability a more frugal approach to the use of internal space would be more appropriate.

The CRT and its associated power unit lie beneath the main circuit board, as does the power supply. The circuitry for the discs is contained on a second board, positioned vertically alongside the floppy on the right of the machine. A noisy fan cools the disc and the power supply.

At the back of the machine, above the fan's external mounting, is the Reset button. Moving to the right of that you find a parallel port, an RS-232 port, modem port and two further jacks, one for the detachable keyboard, the other for a lightpen. Beneath them lies the brightness control; there seems to be no provision for contrast changes.

You heave the Kaypro around in the screen-down position, so a sturdy carrying strap is fitted on the back as well. The ports are left open to the elements, and the numerous ventilation slots render the internal circuitry vulnerable. The keyboard clips on to the front of the screen and acts as a base for the unit when it is being

carried. Four plastic studs keep it off the ground.

To set up the machine for use, you unclip the keyboard and unwrap the mains lead from four pegs on the back. A coiled cable links the keyboard to the appropriate jack, also at the back. While in use the machine can be angled on a built-in metal stand which pulls down from the front.

Keyboard fault

In addition to the standard QWERTY keys there is a numeric pad, but there are no function keys; four cursor keys lie along the top above the QWERTY number keys. The key movement is very shallow and oversensitive, and the keys emit a tinny clanking sound when struck. For any touch-typist whose fingers have a tendency to linger on a key not in use the results are tiresome, with sprays of repeated characters peppering the text

The 10Mbyte hard disc is partitioned into 16 users, numbered 0 to 15. User 0 contains all the CP/M system utilities, and it is from here that the boot sequence is initiated when the machine is turned on or reset. An





The Kaypro comes with a generous quantity of software installed on the 10MByte Winchester, including WordStar and three Basics.

autostart routine immediately calls up a master menu.

Kaypro has been generous with bundled software. User area 1 contains that old friend WordStar, along with a spelling checker from Oasis systems called The Word Plus. A subsidiary program allows the numeric keypad to be configured with a selection of the WordStar command strings. Micropro's standard WordStar reference manual is supplied with the package.

Spelling

The Word Plus has a dictionary of some 40,000 words, which is used to check text files in WordStar format. Words not in the main dictionary or appended special dictionaries are first identified and their contexts retained. Each unknown word is then reviewed on screen, and the user may correct it or add it to the dictionary.

Another facility available on The Word Plus is a program known as Find, which searches for words on the basis of crossword-type skeletons. For example c?m?u?e?

will be found as "computer". The program also searches for words which begin and end with given strings, so

*hing

will produce all words in the dictionary that end in "hing".

The charmingly named Homonym Helper is intended for people who have difficulty in distinguishing between similarsounding words, like compliment and complement, stationery and stationary,

and even - if you are an American bizarre and bazaar. The program searches through the text to locate potential trouble spots. In fact, as every PC reader is sure to know, these are homophones. Homonyms are words that have different meanings but are spelt the same, like "pole" as in North and "pole" as in telegraph. Such quibbles aside, these facilities should be a boon to crossword addicts.

User area 2 is the home of the spreadsheet application package. Kaypro has chosen Supercalc. Negotiations are currently under way for a suitable database package to complete the software trinity.

User areas 3, 4 and 5 all contain dialects of Basic. Along with Microsoft's interpreted MBasic, user area 3 includes a few ancient games written in that language's previous incarnation, called OBasic.

Digital Research's CBasic, accommodated in user area 4, is a compiled language. CBasic programs are written using a word-processing package in its nontext mode. The complete file is then compiled, though only to an intermediate program which must itself then be (continued on next page)

Specification

CPU:Z-80, eight-bit running at 4MHz **RAM: 64K**

Dimensions: 18in. wide by 15in. deep by 8in. high

Weight: 31lb.

Display: 9in., 25-line by 80-character CRT Keyboard: detached QWERTY with numeric keypad

Interfaces: parallel printer interface, RS-232C serial printer port, modem interface, keyboard and light-pen

sockets Discs: 5.25in. 380K floppy, 10Mbyte Winchester hard disc

Software in price: CP/M, MBasic, CBasic, SBasic, WordStar, Supercalc, The Word Plus, Suprterm

Hardware options: 5MHz card Manufacturer: Non-Linear Systems of Solana Beach, California


U.K. distributor: CK Computers Ltd, Devonia House, High Street, Worle. Weston-super-Mare, Avon BS22 0JR. Telephone: (0934) 516246.

U.K. prices: Kaypro 10, £2,595; Kaypro II £1,520; Kaypro 4, £1,847; all prices exclude VAT


Benchmarks

Eight standard Benchmark routines — see PC, January issue, page 102 — were run in MBasic. The Kaypro emerges as a fast machine, neck and neck with the 8088-based IBM PC and close to the BBC Micro. All timings are in seconds.

	RM1	BM2	вмз	BM4	BM5	BM6	BM7	BM8	Av.
	12	38	95	9.7	10.5	19.0	29.5	51.0	16.9
Kaypro 10	1.2	0.0	0.0	8.7	92	13.9	21.9	52.0	14.8
BBC Model B-6502	1.0	3.1	0.5	10.7	12.4	23.3	37.4	30.0	16.8
IBM PC-8088	1.2	4.8	11.7	12.2	13.4	55.0	00.7	253.0	58.5
Sinclair Spectrum—Z-80	4.8	8.7	21.1	20.4	24.0	55.3	00.7	253.0	00.0



At 31lb. the machine is only just portable.



There is plenty of fresh air underneath the main board

Your last chance to enter our great Languages Competition

RML 480Z



Questions

- 1. Which of these is not a programming language?
- Dibol A.
- B. Snobol
- Cobol

- D Lisp
- Gargol

- 2. Which of these is not a high-level
- programming language?
- A. Pascal
- B. Basic
- C. Assembler
- D. Fortran
- Cobol
- 3. When did high-level programming languages first come into use?

Which of these languages was the

- 1940s C.
- B. 1950s
- 1960s
- 1970s D.
- E, 1980s

- Pascal Basic
- Fortran

- Cobol
- Logo
- 5. Which of these languages was first developed by Professors Kemeny and
- Kurtz? A. Pascal
- Modula-2
- BCPL
- Basic
- Smalltalk
- 6. Which of these languages was originally developed to control radiotelescopes?
- Logo
- B. Forth
- C. Fortran
- D. Lisp
- Occam
- 7. Which of these languages was designed for children to use, and embodied for the first time the idea of turtle graphics?
- A. Logo
- B. Lisp

- Pilot
- 8. Which of these languages was designed with the intention of inculcating good structured programming habits among students?
- Α. Basic
- B. Fortran

D. Forth

- C. Assembler
- D.
- Pascal
- 9. Which of these languages was developed in Britain?
- Ada
- B Pascal
- C. **BCPL**
- Fortran
- 10. Which of the following figures is closest to the percentage of British secondary schools that use Research Machines 380Z or 480Z computers?
- 5% C. 20%
- B. 10%
- 80%

The market leaders!...

NEW! Z HOME **COMPUTER PACK** Apple Ile Computer Disc Drive with Controller, T.V. Modulator, Apple Books, Software Vouchers + FREE Apple Sports Bag ring 01 833 0044 for latest PRICES

Attention Dealers! As a result of demand ATA UK has been established to supply dealers, computer products at attractive prices.

Ring Now (dealers only). (0727) 37327 (0742)700802

Export specialists - ring or telex for details

...with recognised professional support



Apple Hardware Apple Ile

Δ	pple Ile 64K	499.00
Ď	isk drive with controller	250.00
D	isk drive	199.00
A	pple lle minotir	125.00
P	hoenix hi-res green 12" monitor	99.00
Р	hoenix hi-res amber 12" monitor	105.00

Apple III

Apple III 256K including Monitor III,	
Disk drive & SOS	1980.00
Additional 5.25" disk drive	270.00
Profile 5mb Winchester	1299.00

Accessories

80 column card	65.00
80 column card 64K extended	. 145.00
Numeric keypad (//e)	85.00
Numeric keypad (][+)	
T.V. modulator with sound	
Videx Videoterm 80 column card	. 195.00
Videx Soft Switch (40/80 column)	20.00
Videx Keyboard Enhancer	87.00
Videx Inverse ROM and character sets	18.00
Microsoft Softcard (Z80 CP/M)	. 220.00
Microsoft Softcard Apple III (Z80 CP/M)	. 265.00
Accelerator card (3.6 mHz 6502C & 64K)	. 289.00
Joystick (//e)	29.00
System Saver fan & voltage reg	59.00
Dust cover for Apple II	6.50
Dust cover for Apple II 2 × DD & 12" minite	
Dust cover for Apple III & Monitor III	11.99

Colour Monitors

Luxor high resolution	
25Mhz linear & TTL	499.00
Kaga Denshi medium resolution TTL	325.00
Kaga Denshi low resolution	265.00

We also stock the Hantarex RGB monitors, as recommended by Apple in Europe.

PRICES EXCLUSIVE OF VAT AND CURRENT AT TIME OF PRINTING

Interfaces

Apple RS232 Super Serial card	. 99.00
Apple IFEE 488 card	
Apple parallel interface with cable	. 99.00
Apple III parallel interface with cable	130.00
CCS 7710-01 RS232 serial interface	109.00
Grappler + parallel graphics interface	105.00
PACT 8 bit A/D converter	115.00
Keyzone 12 bit A/D converter	138.00
PACT 12 channel D/A converter	
RGB card TTL/analog output (programmable	
RGB card TTL output	85.00

Macintosh

£

Mackintosh the ultimate business machine.
32-bit MC68000 microprocessor
400 kilobyte 3 inch disk
The Mouse Replaces typed-in computer commands
with a form of communication you already
understand: pointing
Nineinch high-resolution (512 × 342-pixel) bitmapped diplay
RAM 128 kilobytes
ROM 64 kilobytes
ROM 64 kilobytes
Completely portable Completely portable

Robocom Bit Stik C.A.D. Graphics £ System

Robocom Bit Stik 1.1 system	390.00
Robocom Bit Stik 1000 upgrade software.	350.00
Robocom Bit Stik 1000 system package	545.00
Plotter driver for A4 and A3 plotters	

Printers & Plotters

Tillitera de l'inttora	
Epson	
Epson RX80 120 CPS 24	5.00
Epson FX80 160CPS	
Epson RX80FT	5.00
Epson FX100 160CPS	0.00
Apple Apple Dot Matrix 120 CPS	9.00
Ricoh	
Ricoh 1300 Flow Writer 115	0.00
Ricoh RP1600 Flow Writer 149	
Mannesmann Tally MT160L 44	9.00
Mannesmann Tally MT180L 64	9.00
Plus full range of Centronics	
Printers Available.	

Plotters

Hewlett Packard HP7470	750.0
Hewlett Packard HP7475(A3) TBA	
Calcomp 8 PEN (A3)	2999.0

WE ALSO STOCK APPLE AND HEWLETT PACKARD

TERMS AND CONDITIONS

For delivery please add £0-£199 + £5, £200-£1499 + £13, £1500 + 11/2%.

CHEQUES WITH ORDERS

Please allow 10 days for clearance. PLC's, public sector etc 30 days credit available on official orders, subject to 5% credit charge.





ATA - LONDON 4 Albion Hse, 1 Back Hill, London EC1, 01-833 0044 Telex 25102 CHACOM G

ATA - ST ALBANS 70 Park Street, St Albans. 0727 74361

ATA - SHEFFIELD 72 Eldon Street, Sheffield, S1 4GT. (0742) 700802 FREEPOST SHEFFIELD S1 1AY





KAYPRO 10

Glyn Moody tests the big brother to the machine that was voted 1983's Transportable Computer of the Year.

AT FIRST SIGHT the Kaypro 10 looks like a large tin box. Take off the lid and it proves to be a large tin box with a 9in. screen, 64K of RAM, a 390K floppy and a 10Mbyte Winchester running CP/M on a Z-80. Unremarkable statistics perhaps, except that the complete system costs only £2,595 plus VAT.

Though the Kaypro is supposed to be transportable, little attempt has been made to cram components together. Disc units positively luxuriate in space and the main PCB straddles the CRT in a relaxed sort of way. The box is consequently a substantial size: 18in. wide by 15in. deep and 8in. high. Of course there is no reason why a fetish should be made of packed, inaccessible boards and units, but for a machine that aspires to portability a more frugal approach to the use of internal space would be more appropriate.

The CRT and its associated power unit lie beneath the main circuit board, as does the power supply. The circuitry for the discs is contained on a second board, positioned vertically alongside the floppy on the right of the machine. A noisy fan cools the disc and the power supply.

At the back of the machine, above the fan's external mounting, is the Reset button. Moving to the right of that you find a parallel port, an RS-232 port, modem port and two further jacks, one for the detachable keyboard, the other for a lightpen. Beneath them lies the brightness control; there seems to be no provision for contrast changes.

You heave the Kaypro around in the screen-down position, so a sturdy carrying strap is fitted on the back as well. The ports are left open to the elements, and the numerous ventilation slots render the internal circuitry vulnerable. The keyboard clips on to the front of the screen and acts as a base for the unit when it is being

carried. Four plastic studs keep it off the ground.

To set up the machine for use, you unclip the keyboard and unwrap the mains lead from four pegs on the back. A coiled cable links the keyboard to the appropriate jack, also at the back. While in use the machine can be angled on a built-in metal stand which pulls down from the front.

Keyboard fault

In addition to the standard QWERTY keys there is a numeric pad, but there are no function keys; four cursor keys lie along the top above the QWERTY number keys. The key movement is very shallow and oversensitive, and the keys emit a tinny clanking sound when struck. For any touch-typist whose fingers have a tendency to linger on a key not in use the results are tiresome, with sprays of repeated characters peppering the text.

The 10Mbyte hard disc is partitioned into 16 users, numbered 0 to 15. User 0 contains all the CP/M system utilities, and it is from here that the boot sequence is initiated when the machine is turned on or reset. An





The Kaypro comes with a generous quantity of software installed on the 10MByte Winchester, including WordStar and three Basics.

autostart routine immediately calls up a master menu.

Kaypro has been generous with bundled software. User area 1 contains that old friend WordStar, along with a spelling checker from Oasis systems called The Word Plus. A subsidiary program allows the numeric keypad to be configured with a selection of the WordStar command strings. Micropro's standard WordStar reference manual is supplied with the package.

Spelling

The Word Plus has a dictionary of some 40,000 words, which is used to check text files in WordStar format. Words not in the main dictionary or appended special dictionaries are first identified and their contexts retained. Each unknown word is then reviewed on screen, and the user may correct it or add it to the dictionary.

Another facility available on The Word Plus is a program known as Find, which searches for words on the basis of crossword-type skeletons. For example c?m?u?e?

will be found as "computer". The program also searches for words which begin and end with given strings, so

*hing

will produce all words in the dictionary that end in "hing".

The charmingly named Homonym Helper is intended for people who have difficulty in distinguishing between similarsounding words, like compliment and complement, stationery and stationary, and even — if you are an American — bizarre and bazaar. The program searches through the text to locate potential trouble spots. In fact, as every *PC* reader is sure to know, these are homophones. Homonyms are words that have different meanings but are spelt the same, like "pole" as in North and "pole" as in telegraph. Such quibbles aside, these facilities should be a boon to crossword addicts.

User area 2 is the home of the spreadsheet application package. Kaypro has chosen Supercale. Negotiations are currently under way for a suitable database package to complete the software trinity.

User areas 3, 4 and 5 all contain dialects of Basic. Along with Microsoft's interpreted MBasic, user area 3 includes a few ancient games written in that language's previous incarnation, called OBasic.

Digital Research's CBasic, accommodated in user area 4, is a compiled language. CBasic programs are written using a word-processing package in its nontext mode. The complete file is then compiled, though only to an intermediate program which must itself then be (continued on next page)

Specification

CPU:Z-80, eight-bit running at 4MHz RAM: 64K

Dimensions: 18in. wide by 15in. deep by

8in. high Weight: 31lb.

Display: 9in., 25-line by 80-character CRT Keyboard: detached QWERTY with

numeric keypad

Interfaces: parallel printer interface, RS-232C serial printer port, modem interface, keyboard and light-pen sockets

Discs: 5.25in. 380K floppy, 10Mbyte Winchester hard disc

Software in price: CP/M, MBasic, CBasic, SBasic, WordStar, Supercalc, The Word Plus, Suprterm

Hardware options: 5MHz card Manufacturer: Non-Linear Systems of Solana Beach, California


U.K. distributor: CK Computers Ltd, Devonia House, High Street, Worle, Weston-super-Mare, Avon BS22 0JR. Telephone: (0934) 516246.

U.K. prices: Kaypro 10, £2,595; Kaypro II £1,520; Kaypro 4, £1,847; all prices exclude VAT


Benchmarks

Eight standard Benchmark routines — see *PC*, January issue, page 102 — were run in MBasic. The Kaypro emerges as a fast machine, neck and neck with the 8088-based IBM PC and close to the BBC Micro. All timings are in seconds.

	BM1	BM2	ВМЗ	BM4	BM5	BM6	BM7	BM8	Av.
Kaypro 10	1.2	3.8	9.5	9.7	10.5	19.0	29.5	51.0	16.9
BBC Model B-6502	1.0	3.1	8.3	8.7	9.2	13.9	21.9	52.0	14.8
IBM PC-8088	1.2	4.8	11.7	12.2	13.4	23.3	37.4	30.0	16.8
Sinclair Spectrum—Z-80	4.8	8.7	21.1	20.4	24.0	55.3	80.7	253.0	58.5



At 31lb. the machine is only just portable.



There is plenty of fresh air underneath the main board.

(continued from previous page)

interpreted. Though it takes more effort to produce, the resulting program runs much faster than one in ordinary interpreted Basic.

SBasic, the dialect provided in user area 5, is also compiled, and structured too. This means that it includes such programming luxuries as procedures and functions, If-Then-Else syntax, While, Repeat and Case. No line numbers are necessary, and Goto calls are addressed by additional labels. Recursion is allowed in both procedure and function calls. The price to be paid for all these goodies is that variable types must be declared at the start of the program. Who will want all these features and two other Basics is not clear, but it is nice to have them.

Full provision

The final sector of the partitioned Winchester offers the impressively named Suprterm. It allows the Kaypro to be hooked up to on-line information sources via an RS-232 port, with or without a modem. The command structures are not particularly clear, though doubtless anyone wanting to use this facility frequently will soon get the hang of them. The program is probably more significant because of its presence in the bundled software than for the facilities it offers.

Also available on the master menu is the

system shut-down option. This places the head of the hard disc in the safety zone, well away from data-bearing sectors. The unit may then be switched off at the rear and transported.

All the application packages and languages come with supporting documentation, most of it proprietary to the software house. In addition to these specific guides, Kaypro sensibly provides a summary of the software supplied and a general manual.

The manual is commendably full and unfussy. As well as background information on the hardware and its configuration, there is yet another tour of the software. One problem is that the software bundled with the Kaypro 10 seems to be changing slightly as time goes by. The manual does not keep up with it; but this will presumably be no problem when things have settled down. A glossary and index complete the contents.

The Kaypro runs the Z-80 at 4MHz, but a 5MHz card is available. Other add-ons in the offing are an 8088 board which takes the RAM to 256K and allows IBM-format discs to be read. Battery packs and real-time clocks are planned for the future.

The Kaypro series represents the first computers from Non-Linear Systems of Solana Beach, California. The name of the machine derives from that of the controlling Kay family. Hitherto the main product lines have been research test

equipment, the company having brought out one of the first digital voltmeters. With nominal portability and a certain ruggedness of construction, the Kaypro machines are continuing in this vein. Last year 53,000 units were shipped, and sales reached \$75 million. In addition to the top of the range Kaypro 10, two floppy-based versions are available: the Kaypro II and 4, with single- and double-sided double-density discs respectively.

Conclusions

- It may be inelegant and noisy, but if you are looking for a 10Mbyte CP/M system the Kaypro is probably a bargain.
- There is a generous amount of bundled software, all accompanied by documentation.
- Billed as portable, the machine is in fact just about luggable. It is large and ungainly: more could be done to reduce its bulk, and probably its weight too.
- The keyboard lets down what would otherwise be an eminently usable system. Until something is done about its tactile response, the Kaypro cannot really be recommended for use as a word-processing machine.
- The Kaypro seems ideally suited for basic, all-round business use where convenience rather than elegance is paramount, and where price counts for more than advanced specification.



INTEREST FREE FINANCE!*

OVER 12 or 24 MONTHS



IBM PC



OFFICE EFFICIENCY MACHINES, BRITAIN'S NO. 1 COMPUTER
DEALER OFFERS YOU TOTAL FLEXIBILITY AND SUPPORT
ON THE IBM PERSONAL COMPUTER INCLUDING:

- INTEREST FREE CREDIT* (can be arranged on most computers over £2000* call for quote)
- RENTALS (1 day to 2 years)
- LEASING (2 years to 6 years)
- ON SITE MAINTENANCE (contracts also available on equipment purchased elsewhere)
- TRAINING (courses held monthly BOOK NOW!)

The above also available on:









Call our West London Showrooms to arrange a demonstration on 01-741 7381

or

To place your order, call our hot line on 01-748 8404

*subject to status and conditions

ı	To: Office Efficiency Machines Ltd.
	150-152 King Street, Hammersmith, London W.6. Tel. 741 7383/4/5/6
ı	Edition
ı	Please send me information/quote on:
ı	
ı	Please ask your sales staff to contact me Urgent
	I have a requirement for 1 system 2–9 systems
	10 or more systems
	I will be purchasing within
	☐ 1 week ☐ 1 month ☐ 3 months or more
	My budget is £
	Name Title
	Company
	Address
	Postcode
	Phone Extension
	01 1 N 44

Your last chance to enter our great Languages Competition

RML 480Z



Questions

- 1. Which of these is not a programming language?
- Dibol
- B. Snobol
- Cobol

- D Lisp
- Gargol
- 2. Which of these is not a high-level programming language?
- Pascal
- B. Basic
- C. Assembler
- D. Fortran
- Cobol
- 3. When did high-level programming languages first come into use?
- 1940s
- B. 1950s
- C. 1960s
- D. 1970s
- 1980s
- 4. Which of these languages was the first to be implemented?

- Pascal C. Basic
- Fortran D. Cobol
- Logo
- 5. Which of these languages was first developed by Professors Kemeny and Kurtz?
- A. Pascal
- B. Modula-2
- C. BCPL
- D. Basic
- Smalltalk
- 6. Which of these languages was originally developed to control radiotelescopes?
- A. Logo
- Forth
- C. Fortran
- D. Lisp
- Occam
- 7. Which of these languages was designed for children to use, and embodied for the first time the idea of turtle graphics?
- Logo
- B. Lisp

- C. C E. Pilot
- 8. Which of these languages was designed with the intention of inculcating good structured

D.

Forth

- programming habits among students?
- A. Basic B. Fortran C.
 - Assembler
- Pascal
- 9. Which of these languages was developed in Britain?
- Ada
- B. Pascal
- BCPL C.
- D. Fortran
- E.
- 10. Which of the following figures is closest to the percentage of British secondary schools that use Research Machines 380Z or 480Z computers?
- 5%
- C. 20%
- B. 10% D. 40%
- E. 80%

COMPETITION

THOUGH DESIGNED especially for educational use, the 480Z is also suitable for general business applications as it is a solidly built CP/M machine. The prize system, generously provided by Research Machines Ltd, is based on the model L4 version with high-resolution colour graphics, so it would also make a luxurious home system. Also included are a high-resolution Microvitec colour monitor, a RML dual-floppy disc drive, an Epson RX-80 dot-matrix printer and all the software packages provided under the RML school and college network scheme.

The competition is open to all individual U.K. readers of *Practical Computing*; however, we will accept one entry per person so schools and colleges have a certain advantage if they care to photocopy the entry form.

The winning entry will be the one which in the judge's opinion answers the questions correctly and provides the most original and witty suggestions to the tie-breaker problems. Each question only has one correct answer. Write down the letter corresponding to the correct answer to each question in the boxes on the entry form. Then do the tie-breakers.

The £2,500 prize

- RML Link 480Z model L4 with high-resolution graphics, worth £585
- RML twin 328K 5.25in. floppy disc drives, worth £748
- Microvitec 14in. colour monitor, worth £450
- Epson RX-80 dot-matrix printer, worth £333
- Colleges Network software bundle, worth £395

TOTAL VALUE £2,511.

The prices quoted for are, where appropriate, the reduced educational price, so the prize is worth considerably more to non-educational readers.

The software bundle includes WordStar and Multiplan plus the Logo, Basic, Pascal, Cobol and Fortran languages. There are also Word, to teach word processing, Touch 'N' Go for keyboard skills, Sir for bibliographic retrieval techniques, and the Quest database.

Rules

1. The competition is open to all readers of *Practical Computing* normally resident in the U.K., except for employees of Business Press International Ltd or Research Machines Ltd, or their families.

2. Each entry must be written in ink on the official entry form printed here or on a clear photocopy. Only one entry per person is permitted.

3. Completed entry forms should be posted to the address shown on the entry form to arrive not later than April 30, 1984. Envelopes must be clearly marked "COMPETITION" in the top left corner.

4. The Editor of *Practical Computing* is the sole judge of the competition. No correspondence can be entered into regarding the result of the competition and it is a condition of entry that the judge's decision is final.

5. The winner will be notified by post and the result of the competition announced in the first available issue of *Practical Computing*. The winning entry will be reproduced, and other entries may be reproduced without payment. 6. The prize is a RML 480Z system with monitor, discs, printer and software. No cash substitute will be offered. 7. The prize will be awarded to the individual named on the winning entry form, unless the contestant names a U.K. educational institution they would like the prize to go to instead, in which case the prize will go to the institution.

Entry form	for Practical Co	mputing
480Z Languages	Competition	

Name			•••••	•••••
Address			•••••	•••••
	•••••	•••••		
	•••••	•••••	•••••	••••
If I win I wan	nt my prize a	warded to		•••••
			•••••	
(write either "	'myself" or th	ne name of a	U.K. educationa	al institution)
Signed				
Answers				
1.	2.	3.	4.	5.
6.	7.	8.	9.	10.
Tie-breake	ers			
for a new la the special	inguage out purpose of be exact, be	of the init the langua ut in any c	Code. Make up ials of words enge. The acrony ase limit yours	explaining m does
sweatshirt;	Computing all we need ords or less.	d is a suita	g of producing ble slogan. Su	a tasteful ggest one
First try				•••••
				•••••
Second try				
				•••••
			••••	
RML Com	petition, F	Room L30	ctical Compu 6, Quadrant H SM2 5AS.	ıting/ House,

Write "COMPETITION" clearly on the top left-hand

corner of the envelope.

Health and efficiency

So you feel a bit off-colour and you think your micro might be able to tell you what's wrong. Chris Naylor has been looking at some medical programs.

EARLY LAST YEAR an article appeared in *The Times*: "Are you tired of not being able to see your GP when you want to?" it said. "Are you irritated by waiting room queues and the apology of an appointment system? If the answer to these questions is 'yes' then there is a breakthrough in 'home' medicine just available."

The breakthrough was, in fact, the first of the home medical computer programs and the effect of the article caused concern to Robert McCrindle, MP, Cons, Brentwood and Ongar. For was there not a danger here that the new technology could lead to real medical problems?

He wrote the Secretary of State for Social Services making the two following points:

- There is a possibility that people will use home computers like medical books and will attempt to treat themselves conceivably a dangerous practice.
- 2. There appear to be no regulations regarding the accuracy and impartiality of advice contained in these computer programs. Should an independent body not be involved so that the highest standards of medical practice are adhered to in the production of the programs?

Since then, in government circles, the matter has rested. But in home computer circles resting is the last thing that any matter ever does. There are now more medical programs than ever on the market. Are they worthwhile? Are they potentially dangerous? More to the point for many readers of *PC*: can a computer ever really replace a doctor? If it can, then there is money to be made.

It is tempting to start by thinking in terms of expert systems. You could have an expert system in the field of medicine, load that on your micro, and there you have it: a doctor in the house. Such notions were largely fostered by some of the early expert systems which were written specifically to deal with problems in medical diagnosis. The diagnostic capabilities of systems like Mycin and Puff were reckoned to be the equal of most competent physicians.

But to start at expert systems is to start at the wrong end of the problem. A much better approach is to go into a bookshop and work from there, devising a broad categorisation of things which might be



possible on a home computer along with the benefits and costs involved.

You could start with the categories Text, Tables and Diagnostics. If you buy a book on medicine you have text. This text could easily be transferred to a computer, given enough memory. Given the availability of graphics, pictures are possible too. The information is presented serially and so involves little manipulation by the computer.

From the same bookshop you could buy a volume of tables. They might include ideal height/weight charts, average life-expectancy tables for certain groups of the population, and so on. Obviously, they can also be placed into a program.

Finally, you can go to the bookshop and buy a book on medical diagnosis — and here comes the crunch. Exactly how an

experienced practitioner reaches a diagnosis is still something of a mystery. And yet this is the big dream: a computer than can do this infallibly every time or, at least, as infallibly as do Mycin and Puff.

The circumstances in which good diagnostic programs have been written are very tightly constrained. Typically, they work in fields where a good deal is already known so that a human expert is available to guide the programming. They work in very narrow fields, such as in the area of meningitis infections with Mycin, or pulmonary diseases with Puff.

A general-purpose doctor program would present very serious difficulties of implementation. The Tables and Text or lecturing elements of doctoring are feasible, although a little expensive in storage media. The real problem is diagnosis. No existing

Medicine

system can examine you thoroughly via a keyboard. Even if suitable data were available, the diagnosis routines would be enormously complex.

With the current state of the art the greatest chance of success lies with those programs that have a limited aim in mind and execute that aim well. We reviewed five medical programs which are currently available in the U.K. Having done so it appears possible to answer Robert McGrindle's two main points:

- People may come to use home computers like medical books and may, on the information they contain, attempt to treat themselves. However, the same criticism can be levelled at medical books.
- 2. As far as regulations go, the same appears to hold for medical programs as exists for medical books that is, none at all. There is a *de facto* set of regulations which states that a product gains in credibility and sales if it is underwritten by an acknowledged expert in the field. In the programs reviewed there is little evidence of any medical advice which appeared to be unreasonable as compared with, say, a home medical encyclopaedia.

Help

The idea behind the Health and Exercise Lifestyle Program, Help, is that most people are not all as healthy as they might be. If they were to be made aware of this and the risks they run, then they might try to improve their general all-round levels of fitness and health.

Help originated in the mind of Flight Lieutenant Walter Williamson, a PE officer at RAF Leuchars. It was his task to ensure air crews remained fit while living a life which consisted of long spells in the mess punctuated by brief Mach 2 scrambles in their Phantom jets. If you can tell fighter pilots how to keep fit then, the theory goes, you can tell anyone how to keep fit.

Help comes on a single disc with a substantial manual. To run it you initialise a blank disc to hold the data and then boot up the program disc. The first part is intended to assess how fit you are. A questionnaire identifies any risk areas in your lifestyle and suggests what you might do to reduce these risks. The second part offers a tailor-made exercise program which is designed to match up with the information gleaned from part 1, coupled with your own personal tastes and inclinations in the matter.

It is possible to produce a computer program which will give a fair assessment of risks because a lot of published research exists in this area. Help seems to establish risk factors adequately, though it may be a little sparse in detail.

Help establishes risk factors in two groups: inherent background factors and lifestyle factors. Inherent background factors include your sex, age, family history and blood pressure. It is a little dis-

appointing that the only question which Help asks about family history is whether or not any of your grandparents has ever died of a stroke, and at what age. It is relevant information, but it would also be useful to know whether the subject's parents were still alive or, if they were not, at what age they had died. If you want to live to a ripe old age the best thing you can do is to have long-lived parents.

Lifestyle factors include your percentage of body fat, smoking habits, exercise habits, and stress levels. The manual points out that it is not what you weigh that counts, but how much of you consists of fat. A pair of calipers is provided with the Help package with which you measure the thickness of the layers of fat at various points on your person. From these measurements Help calculates the percentage of fat on your body.

Smoking habits are asked about in a straightforward fashion, as are exercise habits, but the question about stress levels begins to provoke some doubts. The program asks you whether your stress level is low, moderate, or high and receiving medication, which seems a little vague, Equally imprecise is the question as to whether you have a small, medium or large frame size. There are precise details in the manual of how to work out both size and stress levels, so why couldn't they be incorporated into the program? It gives you the feeling that Help is less a computer program with accompanying manual than a manual with a program thrown in as an afterthought.

Having answered all the questions honestly and truthfully I was rewarded with a summary display which showed that I should cut down on my smoking, reduce my fat level and reduce the amount of stress in my life.

I decided there and then to improve my general fitness levels, and went on to see what programme of exercises the second section would prescribe. From the 150 possible activities available I was offered climbing trees and playing netball. I had already stated my sex and age — male, and in the second half of life — though there is little doubt that if I did spend 40 minutes three times per week in climbing trees I would probably be a better person for it. There were also some more congenial activities to choose from, including walking, pool and billiards, which are all recommended for muscular development.

Health profile

If you have a printer, Help will output summary details of your health profile, proposed activities and a neat progress chart showing how your weight, fatness and aerobic capacity have developed. The data disc for a two-drive system has the capacity to hold details of up to 50 different people. That is really the clue to the product's main market, which is clubs and gymnasia.

If you just want to get fit the manual has

a handy bibliography at the end. From it you might choose, say, *Physical Fitness 5BX and XBX* from Penguin Books at £1. When it comes to the nitty-gritty of what you should really do to get fit, this book offers rather more detail than does Help.

The recommended method for quitting Help is to continue until the program reaches the point at which it asks you to input your name, and then to switch the machine off. Switching off at any other point can have unpredictable results. A more orderly method for exiting from the program is called for, as is a way of quitting part-way through the program. Having run the program a few times, I eventually reached a stage at which I wanted to quit and simply removed the disc from the drive. Since then, the program has never worked again. This is, of course, my own fault for not following the instructions in the manual when using what must be a delicate product.

First Aid

The aims of the First Aid program are pretty modest. It has been produced in consultation with the British Red Cross Society and St John's Ambulance to teach the basic elements of first aid for use in emergencies. The program is aimed specifically at young people aged 13 and over.

The program offers you four initial options. The first is Study Subject, which provides a simple introduction to the workings of the human body, the aims of first aid, and common emergencies which can arise. It is all very basic but useful too. There really appears to be nothing on this program with which anyone could argue. The workings of the body are illustrated by a straightforward animated diagram of the heart-lung cycle, which is very nicely done and thoroughly enjoyable.

The second option, Revise any Part, breaks the introduction down into nine subsets. You can run through the procedures for, say, shock without having to go through the whole works again. The third section, Test Yourself, offers a quiz on the nine sections. You can answer questions in plain English; your score is marked up for each of the nine sections to give an overall score. The final section is simply an exit from the program which tells you what your total score was, admonishes or congratulates accordingly, and advises you to join a local first-aid group.

The review program for the 16K ZX-81 had a few bugs. The animated diagram of the heart-lung cycle was shown incorrectly when entered from the second option. The calling Gosubs which bring up the graphics display had been misordered with the result that a bleeding artery was shown at the wrong point in the story. Parts of the lungs also appeared prematurely.

Some improvements could also have been made to the presentation of the answers and scores in the Test Yourself

(continued on next page)



(continued from previous page)

section. The score shown is the total score to date, when it might have been preferable to show the score for that particular question together with the user's answers and the right answers.

The fact that answers can be given in free text English does not mean that the program has a natural-language front end.. The program simply scans for keywords and phrases in the answer to give a verdict of wrong, nearly right or right.

Such faults as existed would normally cause a package to be dismissed as unreliable. However, in this case the aims of the package are so straightforward that it is still worth buying. At the price, it is a thoroughly commendable effort.

The same program in its 48K Spectrum version did not contain any bugs. It is in glorious Spectrum colour too, so blood changes satisfyingly from red to blue as it passes through the lungs.

Home Doctor

The Home Doctor series was written by Dr Vernon Coleman, a general practitioner and medical author, and Russell Smith, technical director of Eastmead Computer Systems. The aim of the programs is to help prospective patients to determine whether or not they should visit their doctor and, if so, whether the matter is urgent or routine.

The six cassettes are entitled: Basic Medicine, Mainly for Women, Mainly for Men, All About Children, How Healthy Are You? and 101 Home Nursing Tips. Together they contain over 100 separate programs, so it was clearly impossible to

review all of them in detail. We took a close look at two: Basic Medicine and How Healthy Are You?, both in the versions for the 16K ZX-81.

The first program on each cassette is an index which starts with some words of caution to the effect that a computer is not a full substitute for qualified medical attention. A short list of questions then determines whether or not you have any major warning signs of illness. If you answer yes to any of them you should see a doctor without delay, and the program goes no further.

Otherwise, the index to programs contained on each cassette is displayed. The Basic Medicine cassette contains 17 programs, the first of which deals with abdominal pain. You are asked a series of Y/N questions. If at any time the program detects something from which it can draw a conclusion it either advises you to seek emergency medical help through your doctor within some specified time period, or simply suggests that you leave the matter for a specified time to see if the symptoms disappear.

The programs do not, in general, suggest

The problem of diagnosis

When thinking of applying the micro to medicine many people confine themselves to the problem of diagnosis. If a computer could be programmed to diagnose illness, then that would undeniably be worthwhile. It might be preferable to talk in terms of "mechanised diagnosis". If such a method could be devised it could be implemented on a computer; if no such methods exist then it can't.

The problem is the broad statistical one of classification or discrimination. Given a set of observed data on some object, the problem is then to assign that object correctly to one of k categories. As such, it is obvious that the technique is in no way limited to medical diagnosis, medicine, or diagnosis. It is a problem of classification and very little else.

In the medical field several examples exist of mechanised diagnosis. In 1959 Crooks, Murray and Wayne devised a method for diagnosing thyrotoxicosis. The end result was a procedure which consisted of a simple check-list:

Does the patient have palpitations? Score 2 for Yes

Does the patient have a palpable thyroid? Score 3 for Yes, score

– 3 for No.

Does the patient have a decreased appetite? Score -3 for No. At the end of the full question-and-answer sequence the score is totalled. If it is over a certain figure the diagnosis is thyrotoxicosis, below a certain figure the diagnosis is the absence of thyrotoxicosis, and in between there is uncertainty. The method worked well, as have methods devised for other circumstances.

Clearly, a process like this could be computerised, although in many cases the rationale behind such work has been to get better diagnoses out of human doctors. The problem really lies in establishing a suitable discriminant function for each illness. The simple scoring system for thyrotoxicosis is deceptive: just because it looks easy to use it would be wrong to suppose that it was easy to derive the scores in the first place. Such a derivation would usually require at least a graduate-level knowledge of statistics as well as some knowledge of medicine. Worse news is yet to come, because even if one method of carrying out such

classifications were given it would almost certainly not be appropriate for the diagnosis of every type of illness which came along. This is because the methods used are essentially statistical and, as the nature of the data changes, so does the precise nature of the statistical techniques required to handle them.

Apart from the traditional approach of discrimination, which relies on classical statistics, there is the currently more popular approach of Bayesian statistics. Each illness is presumed to have a certain probability of being present, called the prior probability, which is continually modified through the answers to a series of questions. In practical terms this approach has a lot to recommend it but it is still possible to come across problems. They tend to centre around the fact that different illnesses require slightly different methods of analysis in statistical terms.

It all adds up to a very difficult situation for anyone who is trying to adopt a general-purpose system for medical diagnosis. The problem is usually solved by a combination of two methods: a reasonable theoretical compromise with regard to the statistics used, and limiting the field of the program's expertise to a class of illnesses with similar statistical properties.

When it comes to providing a system that could be used on a home micro as a doctor substitute the problem becomes even worse. In a medical setting, those who are using the system can surely be assumed to understand the questions they are being asked and understand the limitations of the method the machine is using. This may not be the case for the casual user. Do you know whether you have a palpable thyroid?

One solution is to produce a program which allows for uncertainty in the users' answers so that they can at least reply "Don't know". Obviously, if the user answers "Don't know" to every question then the program gets nowhere. The bulk of the questions must be intelligible to the layman. Intelligibility is gained at the expense of information value: everybody could understand a question such as: "Do you feel a bit rough?". But what, exactly, could be inferred from such an answer compared with the more precise questions which a trained medical practitioner might be able to answer.

any specific treatment nor do they normally offer any specific diagnoses. Occasionally a diagnosis will be suggested as likely: for instance, the Breathlessness program observes that "stress can cause breathlessness" or, at another point, "anaemia is possible". Suggestions for treatment are made occasionally as, for instance, when the Abdominal Pains program advises a light diet and abstinence from alcohol and tobacco for 24 hours when your responses have led it to believe that you may have

Symptoms

The Basic Medicine cassette proved to be comprehensive in intent, but suffered a little from the odd shortcoming. In the Breathlessness program replying Y to the question "Do you have a wheeze?" leads the program to announce "Asthma should be excluded". The same result is obtained by answering Y to the question "Do you have a cough?". On most of the tapes the assumption on running a program seems to be that the user is suffering from the symptom associated with the program. So running the Breathlessness program indicates that the user is, in fact, breathless. If a patient is both breathless and wheezing, or breathless and coughing, it might be inadvisable to exclude the possibility of asthma. Perhaps that program line should have read "Asthma should not be excluded".

Another question on the Basic Medicine tape reads

Have you been unable to pass urine

recently? Is there any abdominal swelling

Enter (Y/N)

Possibly there are circumstances in which there is a necessary connection between the inability to pass urine and abdominal swelling. But more likely these two items were intended to be asked as separate questions in their own right, and a little miskeying has struck the program here.

More modest

Many users may know the answer to the question "Do you have a hernia?" Yet it is quite possible to find a patient with abdominal pain who has a hernia but does not know it, so it would have been useful to identify a hernia. Similarly the Accidental Injury program puts the question "Could there be a fracture (break) of any bone?" The much more modest First Aid program scores by helping to teach users how broken bones may be recognised.

No clear line is drawn between symptoms, diagnoses and treatments in the Home Doctor series. It would have been more useful to interrogate the user about symptoms rather than possible diagnoses, unless sufficient information were given to the user to enable his or her judgements on possible diagnoses to be somewhat more

A major drawback of the series is that it

is on tape. It can take a lot of patience to find, say, the 16th program on a tape. Yet the Electric Shock program asks

Is the victim unconscious or breathing abnormally?

If you reply Y then you will see the message Run the program on unconsciousness

Nobody in their right mind would coldbloodedly carry out this procedure at a time of emergency. Even a book would be much quicker.

If the programs were available on disc the picture would be quite different. But even on tape, the programs would be much more usable if they were linked in a more efficient way. For instance, once the program has offered a suggestion it ends and has to be re-entered with a Run command. It would be better if it remained running all the time, returning at suitable points to a main menu from which you could choose to exit if you felt like it.

How Healthy Are You?, tape 5, contains programs 71 to 83 and is designed to assess a wide variety of aspects of health from physical fitness through to a vision test. The Physical Fitness program lacks the depth of Help but it also lacks Help's high price. Just for the record, it advises everyone to take up walking, swimming, cycling, hill climbing, tennis and squash.

Missed chance

The program that deals with weight problems appears to miss an opportunity to carry out some arithmetic. It displays a standard height and weight chart from which you can read off your ideal weight. Help's approach of asking you for your height, weight, frame size and body-fat measurements appears to make better use of a computer's abilities in this respect.

This tape contains very little with which anyone would disagree. The program Eating Wisely advocates less fat, cholesterol, salt and sugar, and more fibre. Stress Assessment presents a questionnaire of the sort found in the Help manual. Handy hints and tips seemed to be the order of the

Vision Test, the final program on this tape, displays two sets of letters on the screen and asks you to input the height in centimetres of your TV screen. The program calculates exactly how far away from the screen you should stand and still be able to read either the big letters or the small letters. I passed the first test with flying colours but was unable to carry out the second unless I had been willing to make extensive use of the back garden.

The Home Doctor series has not been very successful in transferring to computer cassette information which has traditionally been contained in home medical books. When it comes to giving hints and tips, a book is a much handier device to access in the current state of the art. If the subject does attract, perhaps you should try one cassette before splashing out on the full

How long have you got?

This program is little more than an application of standard medical statistics on life expectancy. After asking you a series of Yes/No questions the program tells you how long you have to live. Of course, it is impossible to make specific predictions about an individual's lifespan, a point which the program makes clear right at the beginning.

The program describes itself as a "fun guide", but, deep down inside there is a very solid core of theory. Life-insurance companies, for instance, make their money by guessing when an individual will die, and over the years a large body of data has been amassed which ensures that the guesses are as educated as possible.

To start with the program assumes that you will live to be 75. It then proceeds with its question-and-answer session and knocks off or adds on a few years according to your replies. A Yes answer to a query about my smoking knocked a year off my life, and the fact that I had nicotine-stained fingers knocked off another two. I smoke between 20 and 40 ciggies a day, which knocked off another three years, and I drink alcohol, which cost another year. A few more questions like that and I would have given up all ideas of buying any longplaying records.

In a self-centred, inward-looking kind of way the program is fun. It certainly is not the sort of program you tend to abandon half-way through. It also tends to drive home the effects of the way you live, and if you ran the program often enough you might start to think about modifying your habits in order to increase your score. It would, after all, be very easy to argue that those who like playing computer games in which the aim is to achieve a high score might gain more real benefit from this program than from one which merely led them to increase the accuracy of their aim with a laser cannon.

No initiative

On the programming side there are some unsatisfactory features, mainly concerning the structuring of some questions. For instance, when the program asks if you are overweight by 7lb. to 14lb. it would have been nice to see it show a little more initiative. After all, how many people know just how much they should weigh? A few questions regarding height, weight and frame size could have removed a lot of doubt from this question and made the computer earn its living by doing some calculations of its own.

Criticisms of the program arise because it deals only with yes/no answers, which are not always the most natural form in which to input certain items of information. But all in all it is an addictive program which

(continued on next page)



(continued from previous page)

benefits from aiming to crack one simple problem rather than trying to be everything to everyone.

The Complete Guide to Medicine

The Complete Guide does not attempt any sort of medical diagnosis and makes few suggestions as to specific treatment. It is really a computerised medical primer of the sort you might once have bought in book form if you had wanted to know how the body works. This is a much more limited aim than the Home Doctor series and possibly one which makes less use of the computer's potential.

Given the difficulties which are involved in making computers work there is a lot to be said for defining a reasonably modest aim and achieving it. Here you have a computerised book, and a pretty good one too. It comes on a single cassette containing seven programs: Reproduction; Skeleton, Nervous and Intestinal System; Circulation and other internal organs; Keep Yourself Fit; What to do when Things go Wrong; Home Nursing Tips 1; and Home Nursing Tips 2.

The programs are much easier to use than the Home Doctor tapes. After loading the first program on side 1 you are prompted through the rest of the tape with simple messages. Because the programs are, effectively, a book replacement it is adequate to go through the things serially.

Each section consists of a screen display which is divided into two halves. A box of text on the left is complemented by a graphics display of explanatory diagrams, some of which are animated. The graphics are good, and the combination of text and graphics makes the whole thing very easy to follow.

Each display is usually continued by pressing C but some sections have another option, called Microzoom, which takes a small part of the graphics display and shows it in more detail.

The most distinctive programs by far were the first four, which occupy side 1. Together they describe the workings of the human body. Among the particularly nice features were the descriptions of the skeleton and the heart diagram. The Microzoom shows the one-way valves in blood vessels and the consequences of poor valve operation.

The second side gives some comprehensive hints and tips for dealing with home nursing. It tells you how to stock your medicine cabinet, how to administer prescribed drugs and it gives some useful hints on drug side-effects.

Vivid

If all The Complete Guide had to offer was its second side you would be better off with a book. But side 1, with its mixture of text and animated graphics changes the story. It really is much more vivid than a book could ever be.

There is very little to complain about in the way the package has been programmed. When describing the internal organs all goes well until the female breasts appear on the screen. At which stage the question appears next to them

Do you really need this? Y/N What can you say? The review copy was a pre-production version, so the program which finally appears in the shops may incorporate some further refinements.

Wellness Check

Wellness Check is a program devised by the Rhode Island Department of Health to check on individuals' wellness — try looking that one up in your dictionary. It consists of a list of 47 questions with multiple-choice answers from which it calculates risk factors and provides an individual printout showing those areas of a person's lifestyle which require modification.

That sounds like pretty familiar stuff, but the thinking behind it is very different to that behind the other products reviewed here. For a start, it is not really intended for the home user at all. It is intended as part of a community program in which large numbers of people are processed.

If you are going to carry out that kind of screening with a single computer program, you might as well start amalgamating the results you obtain so that different sections of the population can be readily compared with other sections. This is just what Wellness Check allows you to do. It has been used so far on over 20,000 people, so there is a fairly large body of comparative answers available for each of the questions. Wellness Check has been used in the U.S., Canada and West Germany. No U.K. distributor has been found so far.

The method of working is to give each subject a booklet which contains the 47 questions and an optical mark reader card on which they score their answers. The OMR cards are fed into the card reader and an individual printout is given to the subject by way of return. It is possible to run the system via the screen without the card reader, but doing so is about as user-friendly as reading a core dump. There is no way of diverting the individual printed assessments from the printer to the screen, so you either get a printed report or nothing.

Some of the questions are not entirely sutiable for the U.K. For instance, there are questions designed to discover if the respondents are at risk in their car-driving habits. They ask if you always wear a seat belt, if you ever drive under the influence of drink or drugs, and whether your insurance has ever been cancelled. With the exception of the last question it may be that the law of our land removes the necessity for such questions. In fact, it could be argued that health care in this country is so much less fragmented than that in less civilised places that screening individual communities at this level is of less importance. British health authorities might still be interested in Wellness Check simply because of the availability of comparative data.

Systems and suppliers

Help	Runs on Apple II	Format disc	Price £60
First Aid	ZX-81, 16K Spectrum, 48K BBC Model B RML 480Z	cassette	£4.49
Home Doctor	ZX-81, 16K Vic-20 plus 3K RAM	cassettes	£6.75 each or £33.75 for set
How long have you got?	ZX-81, 16K and 48K	cassette	£3.45
The Complete Guide to	Spectrum, 48K		
Medicine	Spectrum, 46K	cassette	£6.90
Wellness Check	IBM PC, Apple II Tandy Models II, 12, 16	disc	\$250

Suppliers

Help Gate Microsystems Ltd, The Nethergate Centre, 35 Yeaman Shore, Dundee DD1 4BU

First Aid Network Computer Systems Ltd, 39 Bampton Road, Luton, Befordshire LU4 0DD

Home Doctor, How long have you got?, The Complete Guide to Medicine Eastmead
 Computer Systems Ltd, Eastmead House, Lyon Way, Camberley, Surrey GU16 5EZ
 Wellness Check State of Rhode Island and Providence Plantations, Department of
 Health, Cannon Building, Davis Street, Providence, Rhode Island, U.S.A.

BETTER VALUE MAIL ORDER SUPPLIES FOR YOUR MICRO

TDK DISKS



High grade flexible disks from one of the world's most famous suppliers. 51/4" and 8" disks, in boxes of 10.

5.25" DISKETTES
M1D-S S/S,
M2D-S D/S,
M2DX-S D/S. S/S, D/D, 48 TPI D/S, D/D, 48 TPI D/S, D/D, 96 TPI

48 TPI suitable for 35 or 40 track operation, 96 TPI suitable for 77 or 80 track operation

F1- S128	S/S, S/D	£27.60
F1-H32	S/S, S/D	£27.60
F2D-S1024	D/S, D/D	£40.10

DATALIFE DISKS



From Verbalim, the world's leading diskette manufacturer. Full 5 year warranty. All minidisks are certified for double density recording, and are fitted with hub ring reinforcement as standard. Prices per box of 10 disks.

5 25" DISKETTES

MD525	S/S, D/D, 48 TPI	£18.25
MD550	D/S, D/D, 48 TPI	£27.15
MD577	S/S, D/D, 96 TPI	£25.55
MD557	D/S. D/D. 96 TPI	£34.20

48 TPI suitable for 35 or 40 track operation.
10 and 16 hard sectored versions available at same prices.

0 DISKEI	I E S	
FD34-9000	S/S, S/D	£26.10
FD34-8000	S/S, D/D	£26.60
DD34-4001	D/S, D/D	£30.95
32 hard sector	red versions ava	ilable at same
prices.		

XIDEX DISKS



The new premier quality standard, against which all other manufacturers will have to be judged. All products certified for double density recording. Now with a lifetime warranty Unreservedly recommended.


Prices per box of 10 disks.

5 25" DISKETTES

5012-1000	S/S, D/D, 48 TPI	£19.55
5022-1000	D/S, D/D, 48 TPI	£27.55
5012-2000	S/S, D/D, 96 TPI	£27.75
5022-2000	D/S, D/D, 96 TPI	£35.80
96 TPI suitable	for 35 or 40 track of for 77 or 80 track of sectored versions	peration.

0 DISKET	163	
8012-1000	S/S, D/D	£26.40
8022-1000	D/S, D/D	£31.90
32 hard sector	ed versions av	ailable at same

TDK CASSETTES



You know the name and the quality's the same.15-minute computer grade cassettes for optimum performance in all standard microcomputer cassette drives.In boxes of

TDK PC15 €5.90

DISK DRIVE **HEAD CLEANING**



Helps to protect your valuable data, and minimise expensive downtime and repair costs. Consists of a flexible jacket, which receives a pre-saturated cleaning disk. Each disk is sealed within a foll sachet to ensure that it contains the right quantity of cleaning fluid when used. After use the disk is disposed of, and the jacket is kept for future use.

Suitable for single or dual head drives. Please specify 8" or 5.25" disks.

STARTER KIT (contains jacket and two cleaning disks)

REPLACEMENT CLEANING KITS £14.80 (pack of 10)

DISKETTE STORAGE **BOXES**



Protect your diskettes and valuable data from external contamination. Lockable, portable and secure. Two part box made from anti-static ABS plastic. Price includes dividers and index labels. Capacity 80 disks.

A5 Storage box (for 8" disks) A6 Storage box (for 5.25" disks) £22.00

CTI - CP80 PRINTER



Features:-

patures:—
Friction and tractor feed as standard 80 c.p.s.
Bi-directional logic seeking.
13 x 9 dot matrix giving true descenders. Sub and superscripts.
Italic printing and auto underlining.
Condensed, emphasised, expanded and double strike printing (can be mixed in a line). Parallel interface fitted as standard.

12 month warranty

Print sample available on request.

£249.00 CP-80 PRINTER Optional RS-232 interface €40.00

Special VIC20/VIC 64 interface £46.00

PRINTER STAND



Suitable for use with dot matrix printers Lifts printer sufficiently to enable continuous stationery to self-stack. Painted steel unit. Dimensions: 39cm wide x 28cm deep x 10cm high

Comes as package which also contains:—

200 sheets continuous stationery. 1 x 9½" binder. 1 x highlighter pen. choice of rubber feet/sticky pads.

PRINTER STAND £19.95

COMPUTER **FURNITURE**



Suitable for use with all leading personal computers. Features a top shelf for monitor printer, lower shelf for books, paper and general storage, large desk top surface at keyboard height, attractive teak finish, and castors for mobility.

U.K. Manufacture. Comes in flat pack for self assembly – full instructions provided.

A further range of more sophisticated units is available – please ask for details.

THE ORGANISER

To: DISKPOST, FREEPOST, WEST MOLESEY, SURREY, All prices inclusive of delivery and insurance on British mainland.



Delivery/Insurance

V.A.T. 2......

TOTAL VALUE OF CHEQUE PAYABLE TO DISKPOST

Company Orders

If you are unable to raise cheques without an invoice, please post or telephone your order to us. We will then forward a pro-forma invoice, for your accounts department to pay against.

YOUR NAME... ADDRESS ...

Tel. No.:.... Please charge to my Visa/Mastercharge/American Express/Diners Club account.

My card number is ...









Credit Card Orders

We welcome Visa, (Barclaycard), Mastercharge, (Access), Diners Club and American Express. There is no credit card surcharge. Either write your card number on your order, or telephone your order to our sales office.

* NEW 1984 PRICES

DISKPOST is the mail order division of the BFI Electronics Group Europe's largest independent diskette supplier.

Surrey KT8 0QF. Tel: 01-941-4066

SAILORS listening to BBC Radio 4 just after the late shipping forecast recently may have been annoyed to discover an apparent fault in their radios which would suddenly burst into a wild banshee cry. This two-tone highpitched whine will be familiar to anyone who has loaded programs from cassettes: it is Basicode, Basic's equivalent of Esperanto, and it is broadcast as part of BBC Radio 4's new computer magazine programme The Chip Shop.

The big advantage of Basicode programs is that not only can they be transmitted, recorded and later fed into home micros, but by using the system micro-to-micro communication is possible. There are two stages to the process of conversion into Basicode. First there is the problem of compatibility when transmitting data. Micros store programs on audio tapes by converting the bits - binary digits - into one of two frequencies, representing a binary 0 and 1 respectively. But the exact details and frequences of audio signals generated vary widely.

Frequencies used

Basicode first standardises the frequencies to be used at 1,200Hz for 0 and 2,400Hz for 1. Then Basic programs are converted character by character using the standard ASCII codes. For example A has an ASCII code of 65, which is 1000001 in binary form. ASCII uses only seven bits to represent the standard alphanumeric characters and Basicode sets a further eighth bit to be 1. After adding a logical 0 start bit to mark the beginning of the string and two logical 1s as stop bits to signal the end, the Basicode audio translation of the colon character appears as in the diagram below.


Using this Basicode translation technique, any Basic program can be transferred to another machine running Basicode. There remains, of course, the problem of dialects. Most machines have some quirk in their Basic implementation making them incompatible with other Basics.

Levelling down


Basicode's solution is drastic but it works. A subset from each machine's set of Basic commands like Goto, If-Then and Proc, which are common to most popular micros, has been chosen as standard. This is a levelling-down process, and what is gained in breadth of applicability is paid for in the reduced complexity of the programs. Machines for which Basicode translation programs can be run include the Apple, BBC Micro, the Commodore family, CP/M computers and the Tandy Models I and III. The permitted Basic commands and operations are listed in table 1.

A number of common operations are absent from this list. They include features such as clearing the screen and generating random numbers, the syntax for which varies from computer to computer. To Transfer format built up in Basicode.

rograms



The original Dutch-English version of the Basicode 2 manual.



Line-number scheme

The following is used to build up a Basicode 2 program: Lines 0-999: standard routines. These

routines are different for each computer and are therefore contained in the translation program.

Line 1000: first line of the Basicode 2 program. It must be in the form 1000 A = (value): Goto 20: REM

program name value is the maximum number of characters that can be used by all strings together. Line 20 is used to reserve memory space for the strings in those computers which need it.

Lines 1010-32767: the main program. There are no restrictions on this section, except that line numbers above 32767 are forbidden.

Glyn Moody looks at how radio programmes for hobbyists have prompted

provide them in a machine-independent way, special subroutines are constructed. So instead of writing CLS to clear the screen, Gosub 100 is used. The machinedependent routine is then called at line 100.

There are a number of these special subroutines, all stored by Basicode convention in lines 0 to 999 of the Basic program. The main program itself then begins at line 1000, and can only use the permitted commands of table 1 plus calls to Gosub routines.

Typically the subroutines and translation programs are written in machine code. After the input program is translated, lines 0 to 999 are appended to provide the subroutines, which can then be called by the main body of the program.

Additional restrictions on the structure of a program are that the screen dimensions are fixed at 24 lines by 40 characters, that numeric variables are real and single precision, and that the name of a variable can have a maximum of two letters. There

ABS	LOG	TAB
AND	MID\$	TAN
ASC	NEXT	THEN
ATN	NOT	TO
CHR\$	ON	VAL
cos	OR	+
DATA	PRINT	_
DIM	READ	*
END	REM	1
FOR	RESTORE	†
GOSUB	RETURN	,
GOTO	RIGHT\$	=
INT	RUN	< .
IF	SGN	>
INPUT	SIN	<>
LEFT\$	SQR	< =
LEN	STEP	>=
LET	STOP	

Table 1. Basicode's permitted Basic commands and operations.

Basicode

- · Basicode is available in the U.K. for the Apple II and IIe, BBC Models A and B, Commodore 64, Pet and Vic-20, Sharp MZ-80A, Sinclair ZX-81, Tandy and the Video Genie.
- The Basicode kit, which includes subroutine programs on tape and a handbook, is available from Broadcasting Support Services, PO Box 7, London W3 6XJ for £3.95.
- The Chip Shop is broadcast at 5pm on BBC Radio 4 on Saturdays, and is repeated in an extended version at 11pm on Tuesdays. Basicode programs are broadcast after the 12.15am shipping forecast in the early hours of Sunday, Monday, Wednesday and Thursday.

are also a number of reserved variables used in the standard subroutines.

Basicode arose out of a desire by Teleac - the Netherlands' equivalent to the Open University — to supplement its computer course with software which could be distributed to students throughout the country. In 1979 Teleac aproached the Dutch domestic service NOS and the first broadcasts of software, though only for specific machines, were given by the hi-fi programme Hobbyscoop.

In response to public pressure for software that could be used by a wider range of micro enthusiasts, an engineer at Philips developed a prototype of Basicode consisting of the translation program only. Basicode 2, which also includes the initial routines and standard command set, was first broadcast at the beginning of 1983.

The original Basicode system was also used for a series of experimental broadcasts by Media Network, a programme produced for Radio Netherlands, the external services arm of NOS. These short-wave transmissions proved highly successful, with signals reaching as far afield as Australia and the east coast of America.

Partly as a result of the interest generated by these broadcasts, Media Network's producer, Jonathan Marks, has become increasingly involved in promoting Basicode overseas. Today, a sister programme Radioactivity is supplied on a transcription basis to over 155 educational stations in countries such as Sweden, America, Italy and the U.K. Media Network is broadcast at 18.40 GMT on Sundays at 747kHz.

The attitude of the Dutch radio service has always been avowedly evangelical. Programs are free, and there is a conscious attempt to use this new means of transmitting software to get people to think about computers as more than just a black box. Programs have been very largely educational, and have been broadcast with the additional hope of encouraging micro owners to talk to each other and not just to their machines.

Sole rights

To further these aims in this country, NOS has entered into an agreement with the BBC granting it sole rights in the U.K., with the proviso that Basicode must be offered on a cost-only basis.

Although the BBC now broadcasts Basicode as part of its new Chip Shop series on Radio 4, the first transmissions in the U.K. using this system were by BBC Radio Wales last autumn. More recently, Radio Wales' programme The Micro Show broadcast purely machine-specific pro-

grams catering for the Spectrum and the BBC Micro among others.

The distinction of the first software broadcast in Britain probably belongs to BBC Radio Leeds, whose programme Abacus transmitted software on an experimental basis back in October 1982. Abacus is still around, and goes out at 6.45pm on Tuesdays. Other local stations that have shows with software include Radio West's Datarama at 5pm on Sundays, and LBC's Young London programme, also on a Sunday afternoon, which broadcasts software at about 3.30pm.

Narrow audience

The use of machine-specific Basics and in the near future machine codes themselves — will enable more complex programs to be broadcast, though necessarily to a narrower audience. This exacerbates the problem that audio tones grate on the ear, and there is clearly a limit to the amount that people who are not interested in recording software will tolerate. The Chip Shop has solved this problem by tucking its broadcasts safely away after midnight.

The software that is broadcast — with or without Basicode - is offered free. BBC stations are particularly concerned that there should be no commercial tie-ins, and that programs are only broadcast when relevant, not merely as a gimmick. So it is not surprising that educational uses tend to predominate.

Programs scarce

Some British producers of programmes on micros broadcasting free software have expressed concern that suitable computer programs might prove scarce, though the Dutch experience suggest that such fears are groundless. A competition launched there recently attracted 1,500 Basicode programs. Now a foundation is being set up in Holland to promote Basicode and publish a quarterly selection from the many programs that are sent into Hobbyscoop. All sales will be at cost price.

It is estimated that out of the 100,000 computer hobbyists in the Netherlands, some 60,000 have Hobbyscoop's Basicode. It is widely used to communicate between different machine user groups. In the U.K. The Chip Shop reported that 12,000 Basicode kits went out even before the first broadcast of the series, and the figure rose to 40,000 after the first broadcast. Basicode may be limited as a language, but it cannot be a bad thing if it helps computer users to communicate with each other.

THE POTENTIAL of the BBC Micro as a word processor is rapidly being realised by the development of compact and powerful ROM-based programs. Acornsoft's View is one of the best of those currently available but it does suffer from the sort of problems that are inevitable in the design of complex software that must interface with a range of peripherals.

Ultimately, the objective of a word processor is to convert the text held either in the computer memory or in a magnetic storage medium into the printed word. This poses a problem, as the word processor has to be able to instruct the printer to deal with the text. A program has to be written which links the word processor to the printer: such a program is called a printer driver. Until recent developments involving dotmatrix printers this was a relatively easy matter. Although several different types of printer were used only a few facilities were available. For this reason and also because of the importance of using the minimum of the computer memory for the operation of the word processor, only one page -&0400 to &04FF — was reserved for the printer driver.

The appearance of the Epson FX-80 with its enormous range of facilities was another matter. This was not unexpected, as the

Listing 1. 10 OSWRCH=&FFEE 20 OSBYTE=%FFF4 30 assemble=&3400 40 last_highlight=%87 50 accumulator_store=%4FC: flags=%4FD:control=%4FE 60 FOR PASS%=0 TO 3 STEP3 F%=assemble 70 80 COPT PASS% .jump_table .(see assembled version for .comments etc.) 1050 JSR OSBYTE 1060 RTS 1070 .offset 1080 1090 P%=P%+17 COPT PASS% 1100 1110 .data 1120 1130 NEXT PASS% 1140 !offset=&0A070400 1150 !(offset+4)=&1E17150E 1160 ! (offset+8)=&2F2C2925 1170 ! (offset+12)=&413B3933 1180 ?(offset+16)=&47 1190 !data=&FF012D1B 1200 ! (data+4)=&1BFF341B 1210 !(data+8)=&571BFF47 1220 ! (data+12)=&701BFF01 1230 (data+16)=&EAEAFF01 1240 ! (data+20) = %1BFF0FEA 1250 ! (data+24)=&531B0C6A 1260 ! (data+28) = &4A1BFF00 1270 (data+32)=&01531B09 1280 !(data+36)=%002D1BFF 1290 !(data+40)=&FF351BFF 1300 (data+44) = & 1BFF481B 1310 (data+48) = &1BFF0057 1320 !(data+52)=&EAFF0070 1330 ! (data+56) = & 1BFF12EA

! (data+60)=&541B0C4A

!(data+64)=&096A1BFF !(data+68)=&1BFF541B

! (data+72)=&FF501B40

View printer driver

T L Morris has writen a machine-code driver which links Acornsoft's ROM-based word processor to an Epson FX-80 printer.

dot-matrix type of printer had for some time been threatening to offer a wide range of type styles which would be accessible under the control of driver software. The limited range of options available in Acornsoft's printer driver for the earlier MX-80 testifies to the difficulty of cramming type-style options into a driver which has to cope with the proportional spacing of characters at the same time.

Despite the problems the FX-80 created there was one pleasant surprise in the form of a proportional mode in which the character spacing is dealt with by the printer, leaving the printer driver free of the problem. Nevertheless, 128 type styles are available, if you include the Pica and the Elite options. In writing your printer driver to link View to the FX-80 the different typefaces and special effects are best accessed via two separate drivers; one for the pica and the other for the elite typeface.

Main factors

Among the factors to be considered when writing the drivers, the following are the most important:

- The limited amount of memory available for the driver.
- Advanced features such as reverse paper feed and backspace are built into the

printer carriage and the movement of the print head respectively. They are of immense value in a driver designed to cope with the demands of a technical script, and any serious attempt at a printer driver ought to include them.

- Single-sheet printing demands the optional deselection of the end-of-paper alarm and cut-off.
- Only two highlight characters are used by View and they are permanently present in the screen display. The inclusion of a large number of facilities would fill the screen with similar highlight characters, making it awkward for you to make an accurate selection.

Eight switchable highlights, many of which could be used in combination, are therefore used together with backspace and the out-of-paper deselect. Table 1 shows descriptions of the chosen highlights accompanied by the printer control codes and their hexadecimal representation. True subscripting and superscripting are available for the first time on a printer of this type because of the availability of reverse as well as forward paper feed.

The use of backspace also allows the subscripting and superscripting to be placed directly underneath one another. The switchable highlights are accessed through the normal View HT embedded

1340

1350

1370

Utility software

NO HIGHLIGHT no highlight	
HIGHLIGHT 1 128 highlight 1 128 Underline	
HIGHLIGHT 2 129 highlight 2 129 Italic	
HIGHLIGHT 1 130 highlight 1 130 Double strike	
HIGHLIGHT highlight Enlarged	2
HIGHLIGHT 1 132 highlight 1 132 Proportional mode	
HIGHLIGHT 2 133 highlight 2 133 Condensed	
HIGHLIGHT 1 134 highlight 1 134 True superscript	
HIGHLIGHT 2 135 highlight 2 135 True subscript	
5Fe (AG) + MnO (AG)	

command via the codes 128 to 135 inclusive, while the \ character is interpreted by the driver as a backspace and the screen £ symbol is used to switch off the out-of-paper alarm.

Highlight effects in Pica mode.

Ambitious

Even with a limited range of options, it is still an ambitious task to produce a driver that will deal with all of them and yet occupy only one page of memory. The challenge was further enlivened for me by courtesy of Acornsoft, which allows View to overwrite location &4FF where I had the misfortune to have placed a flag. Compounding these difficulties was the frustration of knowing that the Basic 1 assembler would not operate from &4FF as the start address.

The printer drivers store 17 sets of printer control codes in a bank of consecutive addresses that are located just after the end of the control program. The codes are

	DE SCRIPTION	HIGHLIGHT ON BASIC / HEXADECIMAL	HIGHLIGHT OFF BASIC / HEXADECIMAL
0 (on)		VDU27,ASC("-"),1	VDU27,ASC("-"),0
8 (off) HT 1 128	Underline	18,20,1 .	18,20,0
1 (on)		VDU27, ASC ("4")	VDU27,ASC("5")
9 (off) HT 1 129	Italics	18,34	18,35
2 (on) 10 (off)	Bold (double	VDU27,ASC("G")	VDU27,ASC("H")
HT 1 130	strike)	18,47	18,48
3 (on)		VDU27,ASC("W"),1	VDU27,ASC("W"),0
11 (off) HT 1 131	Enlarged	18,57,1	18,57,0
4 (on)		VDU27,ASC("p"),1	VDU27,ASC("p"),0
12 (off) HT 1 132	Froportional	18,70,1	18,70,0
5 (on)		VDU15	VDU18
13 (off) HT 1 133	Condensed	0F	12
6 (on)		VDU27,ASC("j"),12,27,ASC("S"),0	VDU27,ASC("J"),12,27,ASC("T"
14 (off) HT 1 134	Superscript	1B,6A,0C,1B,53,0	1B,4A,0C,1B,54
7 (on)		VDU27,ASC("J"),9,27,ASC("S"),1	VDU27,ASC("j"),9,27,ASC("T")
15 (off) HT 1 135	Subscript	18,44,9,18,53,1	18,64,9,18,54
16	Printer	VDU27,ASC("@"),27,ASC("P")	
(17th set of codes)		18,40,18,50	
1	Backspace	VDU8	
£	Deselect end of paper cut	VDU27,ASC("8")	
	off	18,38 ol codes and descriptions for Pica	FX-80 driver.

divided into two groups, the first eight being responsible for switching on highlights while the next eight switch them off. Every On/Off set of control codes are eight sets apart from one another. Each set of control codes is terminated by a flag, &FF. The control codes are preceded by 17 bytes, one for each control code, which contains the offset. The offset is the number which when added to the base address yields the beginning of the appropriate set of control codes.

Shortage of memory now becomes an acute problem since 77 bytes are required for the printer control codes, 17 bytes for the offsets and at least 12 bytes are requisitioned by View as a jump table to access the printer driver. These together with &4FF are unavailable to the control program. However, the organisation of the codes in the manner described means that 6502 logical operators can be used to allow compact coding.

Listing 1 shows part of the Pica driver

assembled at &3400 and includes the printer control codes and offset bytes inserted by indirection operators. The assembled program is saved to disc with a Reload address of &0400. All occurrences of &34 as a MSB in two bytes or non-zero page addresses are converted to &04 by overwriting with a disc utility. The missing assembler mnemonics are contained in listing 2, which represents the assembled control program.

Control program

The program is entered via a jump table, the details of which you can glean from pages 74 and 75 of the View introduction booklet. As the computation for proportional spacing is done by the FX-80 the last two of the jumps are directed to return to View immediately. The printer is turned on by the 6502 equivalent of *FX3,10, namely an Osbyte call, which (continued on next page)

View printer driver

(continued from previous page)

directs the character output stream to the printer only. This rules out the driver's use with OS 0.1, but it serves to conserve memory.

A string of four bytes — the 17th group of bytes in table 1 — are then output to the printer. This causes printer initialisation by returning all settings to the default condition and then selects Pica mode. Also, location &4FC is set to zero by this routine. Each of the bits at this location will act as a flag for one of the eight switchable highlights. The equivalent of *FX3,0 is used to turn off the printer and re-enable the screen.

Listing 3 contains the data section of the Basic 1 assembler for the elite driver. This material is directly superimposable over the Pica data. There is no need to alter any of the source code in order to assemble the Elite driver.

The characters output from View during printing contain a mixture of some which are printable; those which are highlight codes, &80 to &87; some which could be erroneous highlight codes, greater than &87; plus two codes which are represented by \ which is used to force a backspace and £, which is used to turn off the paper-out alarm and cut off. They are passed to the printer driver via the accumulator.

Sorting codes

The first task is to sort the incoming characters, after saving all 6502 registers. A loop is entered after first loading the X register with the number corresponding to the highest numbered highlight to be allowed from within View. The X register is then decremented until it falls below &80. The sign flag treats the number in the X register as a signed integer; numbers greater than &80 are treated as being negative. The loop is forced by BMI.

Highlights are detected by comparing the X register with the contents of the stored accumulator. A branch occurs if the comparison succeeds, leaving the highlight character in the X register. If the accumulator contains a number greater than &87, it is detected by the BCC instruction which relates to CPX, which sets the carry flag, and not to DEX, which doesn't. All other characters are passed to the character output routine.

The highlight number is then converted to an ordinal number from 0 to 7 which corresponds to the appropriate set of printer codes. This is achieved by switching

```
CE PICA HIGHLIGHTS
         forces end-oi-paper alarm and cutoff deselect
LM 10
   no highlight
  _HIGHLIGHT 1 128_
_highlight 1 128_
                                               UNDERLINE
  *HIGHLIGHT 2 129*
*highlight 2 129*
                                               ITALICS
HT 2 131
  HIGHLIGHT I 130_
                                               DOUBLE STRIKE
   highlight I 130
  *HIGHLIGHT 2 131*
*highlight 2 131*
                                               ENLARGED
  HIGHLIGHT 1 132
                                               PROPORTIONAL MODE / BOLD
  highlight 1 132_
  *HIGHLIGHT 2 133*
*highlight 2 133*
                                               CONDENSED
HT 1 134
  _H1GHL1GHT 1 134
                                               TRUE SUPERSCRIPT
  _highlight 1 134_
  *HIGHLIGHT 2 135*
*highlight 2 135*
                                              TRUE SUBSCRIPT
   CE 5Fe_2+_\\*(AQ)*+MnO_-_\*4(AQ)*+8H_+_\*(AQ)*--->5Fe_3+_\\*(AQ)*+Mn_2+_\\*(AQ)*+4H*2*Q
 Note: Both condensed and enlarged printing upset the letter spacing!
```

Figure 2. Screen reconstruction of source file for highlight demonstration.

```
Listing 2.
 0400
                    OPT PASS%
                     . jump table
 0400 4C 0D 04 JMP char out
0403 4C 7A 04 JMP printer on
0406 4C 96 04 JMP printer off
0409 4C 79 04 JMP exit \
                                                     prop. spacing handled by printer
 040C 60
                    RTS
 040D
 040D BD FC 04 STA accumulator_store \ save all registers
 0410 98
 0411 48
0412 BA
                    FHA
0413 48
0414 A2 87
                    F'HA
                    LDX flast_highlight
 0416
                     .find_highlight
 0416 EC FC 04
                    CFX accumulator_store
 0419 F0 21
                    RED store highlight \
                                                      found a highlight
041B CA
041C 30 FB
041E 90 59
                    DEX
                    BMI find_highlight
                    BCC exit
                                                     reject HT's that are too large
0420
                     not_highlight
0420 AD FC 04
0423 C9 5C
                   LDA accumulator store
                    CMP £92
                                                     catch backslash to use as backspace
0425 FO 07
                    BEO pivot_1
0427 C9 60
0429 F0 08
                                                     "f" used to force alarm deselect
                   BEO pivot 2
JMP print char
042B 4C 6F 04
                    .pivot_1
042E
                   LDA £8
                                                     force backspace
0430 4C 6F 04 JMP print_char
0433 40 8P 04 JMP print_0
0433 .pivot_2
0433 A9 1B LDA £27 \
0435 20 EE FF JSR OSWRCH
0438 A9 38 LDA £ASC("E
043A DO 33 BNE print_0
                                                     deselect paper alarm and cut off
                   LDA £ASC("B")
                   BNE print_char
                   .store highlight
```

Utility software

NO HIGHLIGHT no highlight	
HIGHLIGHT 1 128 highlight 1 128 Underline	
HIGHLIGHT 2 129 highlight 2 129 halic	
HIGHLIGHT 1 130 highlight 1 130 Double strike	
HIGHLIGHT highlight Enlarged	
HIGHLIGHT 1 132 highlight 1 132 Proportional mode	
HIGHLIGHT 2 133 highlight 2 133 Condensed	
HIGHLIGHT 1 134 highlight 1 134 True superscript	
HIGHLIGHT 2 135 highlight 2 135 True subscript	
5Fe ²⁺ + MnO ₄ (AG)	

command via the codes 128 to 135 inclusive, while the \ character is interpreted by the driver as a backspace and the screen £ symbol is used to switch off the out-of-paper alarm.

Highlight effects in Pica mode.

Ambitious

Even with a limited range of options, it is still an ambitious task to produce a driver that will deal with all of them and yet occupy only one page of memory. The challenge was further enlivened for me by courtesy of Acornsoft, which allows View to overwrite location &4FF where I had the misfortune to have placed a flag. Compounding these difficulties was the frustration of knowing that the Basic 1 assembler would not operate from &4FF as the start address.

The printer drivers store 17 sets of printer control codes in a bank of consecutive addresses that are located just after the end of the control program. The codes are

		HIGHLIGHT ON BASIC / HEXADECIMAL	HIGHLIGHT OFF BASIC / HEXADECIMAL
VIEW HT			
0 (on)	Hadaaliaa	VDU27,ASC("-"),1	VDU27,ASC("-"),0
8 (off) HT 1 128	Underline	18,20,1	1B, 2D, 0
1 (on) 9 (off)	Italics	VDU27,ASC("4")	VDU27,ASC("5")
HT 1 129	1001103	18,34	18,35
2 (on) 10 (off)	Bold (double strike)	VDU27,ASC("6")	VDU27, ASC ("H")
HT 1 130	striker	1B,47	18,48
3 (on)	Falarand	VDU27,ASC("W"),1	VDU27,ASC("W"),0
11 (off) HT 1 131	Enlarged	18,57,1	18,57,0
4 (on)	5	VDU27,ASC("p"),1	VDU27,ASC("p"),0
12 (off) HT 1 132	Proportional	18,70,1	18,70,0
5 (on)		VDU15	VDU18
13 (off) HT 1 133	Condensed	OF	12
6 (on)		VDU27,ASC("j"),12,27,ASC("S"),0	VDU27,ASC("J"),12,27,ASC("T"
14 (off) HT 1 134	Superscript	18,64,00,18,53,0	18,4A,0C,18,54
7 (on)		VDU27,ASC("J"),9,27,ASC("S"),1	VDU27,ASC("j"),9,27,ASC("T")
15 (off) HT 1 135	Subscript	18,44,9,18,53,1	18,64,9,18,54
16 (17th set	Printer reset and	VDU27,ASC("@"),27,ASC("P")	
of codes)	pica select	18,40,18,50	
\	Backspace	VDU8 8	
£	Deselect end of paper cut	VDU27.ASC("8")	
	off	18,38 ol codes and descriptions for Pica	EV 00 deivos

divided into two groups, the first eight being responsible for switching on highlights while the next eight switch them off. Every On/Off set of control codes are eight sets apart from one another. Each set of control codes is terminated by a flag, &FF. The control codes are preceded by 17 bytes, one for each control code, which contains the offset. The offset is the number which when added to the base address yields the beginning of the appropriate set of control codes.

Shortage of memory now becomes an acute problem since 77 bytes are required for the printer control codes, 17 bytes for the offsets and at least 12 bytes are requisitioned by View as a jump table to access the printer driver. These together with &4FF are unavailable to the control program. However, the organisation of the codes in the manner described means that 6502 logical operators can be used to allow compact coding.

Listing 1 shows part of the Pica driver

assembled at &3400 and includes the printer control codes and offset bytes inserted by indirection operators. The assembled program is saved to disc with a Reload address of &0400. All occurrences of &34 as a MSB in two bytes or non-zero page addresses are converted to &04 by overwriting with a disc utility. The missing assembler mnemonics are contained in listing 2, which represents the assembled control program.

Control program

The program is entered via a jump table, the details of which you can glean from pages 74 and 75 of the View introduction booklet. As the computation for proportional spacing is done by the FX-80 the last two of the jumps are directed to return to View immediately. The printer is turned on by the 6502 equivalent of *FX3,10, namely an Osbyte call, which (continued on next page)

View printer driver

(continued from previous page,

directs the character output stream to the printer only. This rules out the driver's use with OS 0.1, but it serves to conserve memory.

A string of four bytes — the 17th group of bytes in table 1 — are then output to the printer. This causes printer initialisation by returning all settings to the default condition and then selects Pica mode. Also, location &4FC is set to zero by this routine. Each of the bits at this location will act as a flag for one of the eight switchable highlights. The equivalent of *FX3,0 is used to turn off the printer and re-enable the screen.

Listing 3 contains the data section of the Basic 1 assembler for the elite driver. This material is directly superimposable over the Pica data. There is no need to alter any of the source code in order to assemble the Elite driver.

The characters output from View during printing contain a mixture of some which are printable; those which are highlight codes, &80 to &87; some which could be erroneous highlight codes, greater than &87; plus two codes which are represented by \ which is used to force a backspace and £, which is used to turn off the paper-out alarm and cut off. They are passed to the printer driver via the accumulator.

Sorting codes

The first task is to sort the incoming characters, after saving all 6502 registers. A loop is entered after first loading the X register with the number corresponding to the highest numbered highlight to be allowed from within View. The X register is then decremented until it falls below &80. The sign flag treats the number in the X register as a signed integer; numbers greater than &80 are treated as being negative. The loop is forced by BMI.

Highlights are detected by comparing the X register with the contents of the stored accumulator. A branch occurs if the comparison succeeds, leaving the highlight character in the X register. If the accumulator contains a number greater than &87, it is detected by the BCC instruction which relates to CPX, which sets the carry flag, and not to DEX, which doesn't. All other characters are passed to the character output routine.

The highlight number is then converted to an ordinal number from 0 to 7 which corresponds to the appropriate set of printer codes. This is achieved by switching

```
CE PICA HIGHLIGHTS
         forces end-of-paper alarm and cutoff deselect
LM 10
   NO HIGHLIGHT
    no highlight
   _HIGHLIGHT 1 128_
_highlight 1 128_
                                             UNDERLINE
  *HIGHLIGHT 2 129*
*highlight 2 129*
                                             ITALICS
  _HIGHLIGHT 1 130
                                            DOUBLE STRIKE
   highlight 1 130
  *HIGHLIGHT 2 131*
*highlight 2 131*
                                             ENLARGED
  _H16HL16HT 1 132_
_highlight 1 132_
                                            PROPORTIONAL MODE / BOLD
  *HIGHLIGHT 2 133*
*highlight 2 133*
                                            CONDENSED
HT 1 134
HT 2 135
  _HIGHLIGHT 1 134
                                            TRUE SUPERSCRIPT
  _highlight 1 134_
  *H1GHLIGHT 2 135*
*highlight 2 135*
                                            TRUE SUBSCRIPT
   CE 5Fe_2+_\\*(AD)*+MnO_-_\*4(AD)*+BH_+_\*(AD)*--->5Fe_3+_\\*(AD)*+Mn_2+_\\*(AD)*+4H*2*O
  Note: Both condensed and enlarged printing upset the letter spacing!
```

Figure 2. Screen reconstruction of source file for highlight demonstration.

```
Listing 2.
0400
                   OPT PASS%
0400 .jump_table
0400 4C OD 04 JMP char_out
0403 4C 7A 04 JMP printer_on
0406 4C 96 04 JMP printer_of+
0409 4C 79 04 JMP exit \
                                                   prop. spacing handled by printer
040C 60
040D
                    char
040D 8D FC 04 STA accumulator store \ save all registers
0410 98
                   TYA
0411 48
                   PHA
0412 BA
0413 4B
0414 A2 B7
                   PHA
                   LDX flast highlight
0416
0416 EC FC 04
                    find_highlight
                   CPX accumulator_store
BEO store_highlight \
0419 F0 21
                                                   found a highlight
041B CA
041C 30 FB
041E 90 59
                   BMI find_highlight
                   BCC exit
                                                   reject HT's that are too large
                   .not_highlight
0420
0420 AD FC 04
0423 C9 5C
                   LDA accumulator_store
                  CMF £92 \
BEO pivot_1
                                                   catch backslash to use as backspace
0425 FO 07
0427 C9 60
                   CMF £96 \
                                                   "f" used to force alarm deselect
0429 FO 08
                   BED pivot 2
042B 4C 6F 04 JMP print_char
042E
                   .pivot_1
042E A9 08
                                                   force backspace
0430 4C 6F 04 JMP print_char
0433
0433 A9 1B
                  .pivot_2
LDA £27
                                                   deselect paper alarm and cut off
0435 20 EE FF JSR DSWRCH
0438 A9 38 LDA £ASC("0
043A DO 33 BNE print_
                  LDA £ASC("B")
                  BNE print_char
```

Utility software

```
switch off bit 7 (subtract 128)
043D 49 80
                 EDR £880 \
DAKE AA
                  XAT
0440 BD FE 04
                                               remember highlight ordinal number
                 STA control \
0443 A0 00
0445 98
                 LDY £0
0446 38
                 SEC
                                               place "1" in the relevant bit pos.
                 .find_flag \
ROL A
0447
0448 CA
                 DEX
0449 10 FC
                 BPL find flag
044B .test_flag
044B 2C FD 04 BIT flags \
                                                is flag set?
044E FO 02
                 BEO switch flags
                 .flags_1
LDY f8 \
0450
                                                init. Y-register: selects "off" HT's
0450 A0 08
                  switch_flags
0452 4D FD 04 EOR flags
0455 8D FD 04 STA flags
0458
                 .offset_1
0458 98
0459 OD FE 04 ORA control
0450 A8 TAY
045D .offset_2
045D B9 9E 04 LDA offset,Y \
                                               get offset for printer codes
                 TAY
                  .print_control_chars
0461
0461 B9 AF 04 LDA data.Y
0464 C9 FF
0466 F0 0A
                 CMP £%FF
BEQ recall
0468 20 EE FF JSR OSWRCH
0468 C8 INY
046C 4C 61 04 JMP print_control_chars
046F .print_char
046F 20 EE FF JSR OSWRCH
0472
0472 68
                  .recall
0474 6B
0475 A8
                  PLA
0476 AD FC 04 LDA accumulator_store
                  .exit
 0479
 0479 60
                  RTS
                                                OS = 1.0 only
 0474
                  .printer_on \
 047A A9 00
 047C 8D FD 04 STA flags
047F A9 03 LDA £3
 0481 AZ 0A
 0483 20 F4 FF JSR OSBYTE
 0486
                   .pica
 0486 A0 47
                  LDY £847
                   .set printer
 0488
 0488 B9 AF 04 LDA data.Y
0488 C9 FF CMP £%FF
 048B C9 FF
 048D FO EA
                  BEQ exit
 048F 20 EE FF JSR OSWRCH
0492 CB INY
 0493 4C 88 04 JMP set_printer
                  .printer_off
 0495
 0496 A9 03
 0498 A2 00 LDX £0
049A 20 F4 FF JSR OSBYTE
 049F
                   . offset
                  OPT PASS%
                  .data
 OAAF
 Listing 3.
 1140 !offset=%0A070400
        (offset+4)=%1E17150E
 1160 '(offset+8)=&2F2C2925
1170 '(offset+12)=&413B393
```

```
1180 ?(offset+16)=%47
1190 !data=%FF012D1B
       (data+4)=&1BFF341B
      ! (data+8) = &571BFF47
1210
        (data+12)=&531BFF01
      '(data+16)=&094A1B00
        (data+20)=%1BFF0BFF
      !(data+24)=&531B0C6A
!(data+28)=&4A1BFF00
1250
1260
      !(data+32)=&01531B09
!(data+36)=&002D1BFF
1280
1290
      !(data+40)=&FF351BFF
!(data+44)=&1BFF481B
      !(data+48)=%1BFF0057
!(data+52)=%096A1B54
       ! (data+56) =%1BFF08FF
        (data+60)=%541B0C4A
1340
       (data+64)=8096A1BFF
1360 (data+68) = & 1BFF541B
      ! (data+72) = %FF4D1B40
```

off bit 7 by an EOr with &80 and is equivalent to the subtraction of decimal 128. At this point, the ordinal number is stored while the X register retains the same value. Zero is now placed in the accumulator and the carry flag is set. The ensuing loop rotates the carry bit through the accumulator until it is placed in the bit position corresponding to the highlight flag. The BIT operation now ascertains whether the flag has been set.

If the test does not succeed, the ordinal number is not changed and the highlight is Off. However, a successful result causes 8 to be added to the ordinal number. The related On/Off printer codes are eight sets apart by an ORA command after the appropriate bit of flags has been switched by EOr. The offset value is now obtained from a knowledge of the ordinal number, and the printer control codes are finally accessed by indexing the incrementing offset value against the base address data.

Output

The remainder of the character stream is checked for the presence of \ and £. If they are found then action is taken; if not the character is output for printing.

Once the printer driver is installed key in printer pica < return >

as described in the View handbooks. A screen reconstruction — see figure 2 — shows how the various highlights and special effects can be obtained. Use of the backslash brings the subscripting and superscripting beneath each other in the chemical equation. The self-cancelling of FX-80 highlight functions occurs only for those varieties that affect the column spacing. Figure 1 shows how this feature can be combined with isolated highlight codes within View in order to obtain mixed effects.

Warning

Finally, a word of warning. View reinitialises the printer for every sheet. If the £ symbol has been used to deselect the paper-out function, then it must be placed somewhere before the end of each page. This is tedious because, for all of its many good qualities, View does not allow the paging of documents.

There is no easy way out of this problem, except by not initialising the printer at the start of the printing. It seemed to me to be an example of Hobson's choice and so I myself chose the cleaner initialisation. Acorn is busy developing further drivers for the new generation of printers but until they appear the two drivers described can provide the text highlights that most users require.

Copies of the two printer drivers, plus two example View files displaying the highlights described in this article, together with screen pattern dumps from the BBC can be obtained on a cassette from the author at 34 Cross Way, Harpenden, Hertfordshire AL5 4QU for £6.50.

EPROM - PROGRAMMERS - PRINT BUFFER - SUPERBOARD 33 FOR YOUR - BBC - PET - VIC - APPLE - ACORN - COMPUTERS

EPROM PROGRAMMERS
Read-Programme-Verify-copy and more

MODEL A for the BBC-Pet-Acorn-Apple

MODEL A £110.00. MODEL B&C £53.50

BATTERY BACKUP £10.00 2K RAMS POA

NEW SUPERBOARD 33 £56.70

*Superboard 33 is a new version of our most popular Pet utility board.

*Select upto 8 ROMs or Eproms under software control from any ROM socket.

Use your Superboard 33 is a 16K RAM-ROM by inserting your own 2K RAM chips.

Each 2K RAM chip is fully software selectable.

*RAM data is fully retained after power down with battery backup option.

Please specify 40 or 80 column Pet when ordering.

Please specify 40 or 80 column Pet when ordering.

NEW PRINT BUFFER. PET IEEE OR CENTRONICS £110.00

*The Printer Buffer is an intelligent buffering device which connects between your computer and printer. It is designed to free your computer from the tedious task of printing to a slow printer by buffering upto 15000 characters of data.

*Internal processors with upto 16K of user RAM.

*Auto self check on start-up with optional printout.

*Auto letter repeat. Buffer status leds and more.

*IEEE to IEEE implements full Pet primary and secondary addressing.

*IEEE to IEEE implements full Pet primary and secondary addressing.

*Centronics to Centronics for Apple Dragon BBC CBM 64 etc. with power supply.

*Standard buffer is supplied with 6K of RAM installed, user expandable to 16K.

*NEW APPLE COMMUNICATIONS BOARD SINGLE £27.90 DOUBLE £36.50

*This new board allows your apple to communicate with the outside world.

*6821 via chip with 2*8 bit ports with 4 handshaking lines and 2 IRQ outputs.

*Onboard Eprom socket located from \$COOO to \$CFFF and \$COnO to \$COnF.

**SCFFF switch off with board can hold upto two 6821 via's.

Computer IC's — connectors — cables — RAMS — or any of your computer needs.

Computer IC's — connectors — cables — RAMS — or any of your computer needs.

Please add £2.50 p&p VAT all orders. Official orders welcome. Note. Please specify computer type and model when ordering.

CID COMPUTER INTERFACE DESIGNS, 4 ALBERT ROAD, MARGATE, KENT. TEL 0843 294648

• Circle No. 145

MAILING FLOPPY DISK

The Swan Disc Pack combines great strength with simplicity of use. Made from rigid white corrugated, it is a self assembly package



• Circle No. 146

The Computer User's Dream o -W H SMITH SOFTEAM!

The famous name that plans to be the SINGLE SOURCE for the widest range of Business Softwear in Britain.

Key reasons for going

WHSMITH SOFTEAM



You are dealing with a national name you can trust We plan to offer one of the most comprehensive ranges of integrated software packages available backed by service second to none

Next day delivery guaranteed throughout mainland

Increase your productivity by using the best packages available.

Here's what to do...

We have bona fide first-class dealers and stockists in Britain. Phone W H Smith Softeam today, 0533 555361, or post the coupon for the name of your nearest stockist and a software catalogue.

W H Smith Softeam Ltd, Euston Road, Freemens Common, Leicester

_	_	_	_	_	_	_	_	_	_	
Plea	se se	nd de	tails a	and ca	talog	ue				

W H Smith Softeam, FREEPOST, Leicester LE2 7ZU Name

Address .

Some more ideas from Peter and Owen Benson on interfacing an Apple with the real world.

THE ARTICLE entitled Apple operations -Practical Computing, February issue discussed methods for using the gamepaddle inputs or ports of the Apple II for interfacing with the real world. Since the Apple game paddles are just variable resistors, you can hook up any device which responds to changing environments by altering its resistance, such as a thermistor, a light-dependent resistor or a carbon microphone. Without any need for an external analogue to digital converter, you can measure changes in events and plot these values on graphs or use them to control electrical devices. The Apple measures any resistance between 0Ω and 150k Ω and converts it to a number between 0 and 255, which is accessed from a Basic program by using instructions such as

PRINT PDL (0)

or

IF PDL(1) > 150 THEN ...

Using a thermistor as the sensing device, you can get the Apple to measure temperatures rapidly and record their values, over very long periods if necessary, for later graphing. However, many of the needs for temperature information can be satisfied with only the maximum and minimum values, or those which remain constant for more than a specified length of time, or all the values which exceed a set limit.

In such cases, a regular maximum and minimum thermometer would not provide the desired information, yet the computer can easily be programmed to sift and save the needed data. Listing 1 shows a program to take temperature readings at approximately 1 minute intervals. All values that exceed 200 are stored together with the time when they were taken. The value 200 would correspond to the resistance of the thermistor at a specific temperature.

You can make a device to measure and display your pulse rate based on the light-dependent resistor. You shine a small torch bulb through the tip of your finger, and the amount of light striking an LDR on the other side of your finger will depend on the amount of blood in it.

Use a type 222 torch bulb stuck into a hole in the side of a plastic 35mm. film canister, so that just the lens portion is inside the canister. Attach the LDR to the opposite side of the canister, covering a small hole. Hold the LDR in place with black plastic tape to exclude any stray light.

When your forefinger is inserted into the canister, it blocks the light from the bulb shining on to the LDR — see figure 1. The computer monitors the resistance of the LDR and plots a bar graph showing how the resistance — in this case the blood flow — varies with time. Using such a device you (continued on next page)

HPLOT X, P

NEXT X

END

50

60

70

A universal monitor

```
Listing 1.
10 DIM R(1000,2) : N = 0 : T = 0
20 FOR T1 = Ø TO 45225 : NEXT T1
30 T = T + 1
40 P = PDL(\emptyset)
50 IF P > 200 THEN N = N+1 : R(N,1) = P : R(N,2) = T
60 GOTO 20
Listing 2.
    REM: TAKE 40 READINGS
10
   MN = 256 : MX = -1 : DIM Y(40)
20
   HOME
30
   FOR X = 1 TO 39 : Y(X) = PDL(\emptyset) : NEXT X
40
   FOR X = 1 TO 39
50
    IF Y(X) \le MN THEN \cdot MN = Y(X)
60
70
   IF Y(X) > MX THEN MX = Y(X)
80
   NEXT X
    IF MN = MX THEN 40
100 \text{ YM} = 22/(MX - MN)
110 \text{ FOR } X = 1 \text{ TO } 39
120 \text{ K} = \text{INT}((Y(X) - MN)*YM) + 1
130 \text{ FOR } Y = K \text{ TO } 23
140 HTAB X : VTAB Y
                                 Listing 4.
150 PRINT "+"
                                 10 HGR2
160 NEXT Y
                                 20 DIM A(28Ø)
170 NEXT X
                                 30 FOR X = \emptyset TO 279
180 VTAB 24 : GET U$
                                 40 P = PDL(\emptyset)
Listing 3.
                                 50 IF P > 191 THEN P = 191
   HGR2 : HCOLOR=3
10
                                 60 HCOLOR = \emptyset: HPLOT X, A(X)
   FOR X = \emptyset TO 279
20
                                 70 HCOLOR = 3: HPLOT X, P
30 P = PDL(\emptyset)
                                 80 \ A(X) = P
    IF P> 191 THEN P = 191
40
```

90 NEXT X

100 GOTO 3Ø

Listing 5. HUME : HGR2 : HGR : POKE 49234,0 PRINT CHR\$ (4);"BLOAD P5.0BJ" CHLL 24576 10 30 SOUNCE FILE: SOULLE 1 50000000000000000000 0000: 0000: F * CSCILLUSCOFE * nena: 4 F FUSES LOOK-UPA 0000: 5 * TABLES..... 0000: NEXT OF JECT FILE NAME IS OSCILLOSCOPE


(continued from previous page)

can observe the effect of exercise or smoking a cigarette has on your pulse rate — see listing 2.

An oscilloscope is an electronic device for displaying the values of a function which changes with time. A beam of electrons moves steadily across a screen while any changes deflect the beam above and below its usual path, so that a picture of the changes is presented on the screen. The Apple can achieve the same effect, though more slowly, using any changes which can be converted into changes of resistance. Listing 3 shows a program Figure 1

which displays the readings of a thermistor or LDR in the form of an oscilloscope output. The program plots a single sweep of the screen.

If you happen to want to take



6390:	7	ORG	16390	T resistance: E	isting 5	3HOW.	s a program	rigule 1.		
00E0:	8 SCRNL	EQU	\$E0 -	63A4:10 04	29	BPL.	UP	63D0:51 E2	50	EDR (FRVYL), Y
00E1:	9 SCRNH	ERU	\$E1	63A6:C8	30	INY		63D2:91 E2	51	STA (PRVYL),Y
00E2:	10 PRVYL	EQU	\$EC	63A7:D0 FB	31	ENE	FFLF	63D4:A4 38	52	LDY TMFY
00E3:	11 PRUYH	EQU	\$E3	63A9:88	32	DEY		63D6:98	53	TYA
0036:	12 TMPA	EQU	\$36	63AA:C0 EF	J3 UF	CF'Y	##BF	63D7:9D 00 40	54	STA YSTOR+X
0037:	13 TMFX	EQU	♦37	63AC:90 02	34	ECC	OK	63DA:89 03 60	55	LDA HRTH+Y
0038:	14 TMFY	EQU	\$38	63AE:AD BF	35	LDY	4 6 BF	63DD:85 E1	56	STA SCRNH
4000:	15 YSTOR	EQU	\$4000	88 48:0869	36 OK	STY	THEY	63DF:89 C3 60	57	LDA HRTL,Y
C064:	16 PDI	EQU	\$C064	6387:ED 83 61	37	LDA	X811.X	63E2:18	58	CLC
C070:	17 PTRIG	EQU	\$C070	63B5:85 36	38	STA	IMPA	63E3:65 37	59	ADC THEX
6003:	18 HRTH	EQU	\$4003	6387:8D 86 67	39	LDA	XEYT•X	63E5:85 E0	60	STA SCRNL
6003:	19 HRTL	EQU	\$60C3	638A:85 37	90	STA	TMFX	63E71A5 36	61	LDA TMEA
6183:	20 XBIT	EGN	\$6183	63BC:BC 00 40	41	LDY	YSTOR•X	63E9:A0 00	62	LDY 1500
6286:	21 XBYT	EGU	\$6286	63BF:89 03 60	42	LDA	HRTH.Y	63EB:51 E0	63	EDR (SCRNL),Y
6390:AD 50 C0	7.2	LDA	\$C050	63C2:85 E3	43	STA	PRVYH	63ED:91 E0	01	STA (SCRNL) +Y
6393:AD 57 CO	23	LDA	\$C057	6304:B9 C3 60	44	LDA	HRTL+Y	63EF:E8	65	INX
6396:AD 54 CD	24	LDA	\$C054	6307:18	45	CLC		63F0:40 90 63	66	JMP FAST
6399:AD 52 C0	25	LDA	\$C052	6308:65 37	46	ADC	ThF'X	6000- 40 90	63 26 2	4 28 20 36
639C:AD 70 C0	26 FAST	LDA	PTRIG	63CA:85 E2	47	STA	PRUYL	6008- 34 38		24 28 20 30
639F:A0 00	27	LDY	6 % O O	63CC:A5 36	48	LDA				25 29 2D 31
63A1:AD 64 C0	28 FFLP	LDA	PDL	63CE:A0 00	49	L.DY	**00	6018- 35 39		25 29 20 31 continued opposite)

10 HUME: VTAB 4:R1 = 16384:R2 = 16394:NUM = 224:FS = 49234:D\$ = CHR\$ (4 PRINT THBW 130"APPLE SCOPE": PRINT PRINT TABW 60"COPYRIGHT BY: OHEN BENSON": PRINT PRINT TABW 6110"24 DECEMBER 1983": PRINT : PRINT PRINT D\$: "BLOAD P6.0BU" PRINT "PRESS ANY KEY TO CONTINUE: ": GET U\$ HOME: UTAB 4 PRINT "MAX NUMBER OF POINTS FOR-1 SET : 20000": PRINT TABW 250"-2 SET S: Impose" 70 HONE : UTHE 4 SU FRINT "MAX NUMBER OF POINTS FOR-1 SET : 20000": PRINT THEM. 207 E 0. \$1 FRINT "MAX NUMBER OF POINTS FOR-1 SET : 20000": PRINT THEM. 207 E 0. \$20 PRINT : IMPUT "HUMBER OF READINGS TO BE TAKEN:";N 100 REM + SET-UP N FOR NZC + 110 HI = INT (N / 256) + 64:L0 = N - INT (N / 256) + 256 + 58: IF L0 / 2 55 THEN L0 = L0 - 255:HI = HI + 120 PORE NUM + : HI: PRE NUMLO 130 PRINT : PRINT "FRESS ANY KEY TO START RECORDING:";: GET US 140 PRINT : PRINT "READINGS TAKEN": PRINT 150 CALL RI: S = 1 150 PRINT "PRESS ANY KEY TO CONTINUE:";: GET US 180 REM + HAIN HENU + 190 PRINT "PRESS ANY KEY TO CONTINUE:";: GET US 180 REM + HAIN HENU + 190 PRINT TAKE (8)"1) RECORD DATA": PRINT 210 PRINT TAKE (8)"2) PLOT DATA": PRINT 220 PRINT TAKE (8)"3) SAUE DATA": PRINT 230 PRINT TAKE (8)"4) END": PRINT : PRINT 240 PRINT TAKE (8)"4) END": PRINT : PRINT 240 PRINT TAKE (8)"4) END": PRINT : PRINT 241 PRINT TAKE (8)"4) END": PRINT : PRINT 242 PRINT TAKE (8)"4) END": PRINT : PRINT 243 PRINT TAKE (8)"4) END": PRINT : PRINT 244 PRINT TAKE (8)"4) END": PRINT : PRINT 255 HUME : UTAB 4: ON U GOSUB 289,390,770,820 266 GOTO 190 267 BRH * RECORD HENU * 4 THEN 240 HOME: UTAB 4: ON U GOSUB 280,390,770,820 GOTO 190 REH + RECORD HENU + PRINT TAB(8)"1) 1ST SET": PRINT PRINT TAB(8)"2) 2ND SET": PRINT: PRINT PRINT TAB(8)"YOUR CHOICE:";: GET US:U = UAL (US): IF U = 1 THEN POP1 ROTO 78 260 270 280 PRINT: IF U < > 2 THEN 390 HOME: UTAB 4: FRINT "PRESS ANY KEY TO START RECORDING:": GET US REH + R2=ROUTINE TO RECORD SECOND SET + HI = INT (N + 2 / 256) + 64:L0 = N + 2 - INT (N + 2 / 256) + 256 + 5 9: IF LO > 255 THEN LO = L0 - 255:H1 = H1 + 1 POKE AUDH + 1;H1: POKE AUD;LO CALL R2:S = 2 PRINT: POP: GOTO 160 REH + PLOTING ROUTINES + 300 330

```
390 TEXT: UTAB 4
400 PRINT "IST SET- START: 0 END: ";n
410 IF S = 1 THEN 430
420 PKINT "2ND SET- START: ";n + 1; TABC 21) "END: ";n + 2 * 1
430 INPUT "START, END: ";xE, xE
440 PKINT XE - XB;" PDINTS "
450 MX = - 1:nn = 256
460 FÜX x = XB TO XE;Y = PEEK (16442 + X)
470 IF Y > MX THEN MX = Y
480 IF Y < mm THEN MM = Y
490 NEXT X
500 PRINT "HID: ";MM;" ": TOEK ID "MOV. " :MY
470 IF Y / DA TOBLES OF A PART OF THEN DESCRIBED ON A PART X PART "MINI" "; TABC 10 "MAX: "; MX PART "MINI" "; TABC 10 "MAX: "; MX PART "MINI" "; TABC 10 "MAX: "; MX PART "MINI" "; MAX PART OF THE SOR DOTS: "; LESSION FROM "PRESS (S' TO SHITCH GRID ON/OFF" SHOW PRINT "PRESS (S' TO RETURN TO HAIN MENU" SEE PRINT "PRESS (S' TO RETURN TO HAIN MENU" SEE PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: GET US: PRINT "PRESS ANY KEY TO CONTINUE: ";: 
                                                                    IF US = "S" THEN 190
60T0 650

0 = 0 + 1: IF 0 = 2 THEN 0 = 0

HCOLOR= 0 + 3

FOR Y = 0 TO 191 STEP (6 / CMX - FM) + 191 /

HPLOT 0, 0 TO 275, y: NEXT y

FOR X = 0 TO 279 STEP (6 / CXE - /8) + 279 /

HPLOT X, 0 TO X,191: NEXT /

HPLOT T, 0 TO X,191: NEXT /

HPLOT "FILE NAME FOR SAUING:";FS

FOR X = 0 TO N: PRINT DS;"HRITE ";FS

FOR X = 0 TO N: PRINT PEEK (16442 + X): NEXT X


PRINT DS;"CLOSE ";FS: PRINT "SAUED ";N;" READINGS"
                   700
                   800
                                                                              HOME : END
```

360

Listing 6.

Interfacing

measurements continuously, then the program has to be made to continue by changing line 70 to read Goto 10. However, this leads to a flickering display which is erased at the end of each sweep, ready for



6020- 35 39 3D 22 26 2A 2E 32

Figure 2.

the next one. To correct this you store the location of each dot on the first pass, and plot the same dots in black on the next pass, thus erasing the dots as new ones take their places.

Inevitably the need comes to take readings more rapidly than can be done in Basic, and for this the program version shown in listing 5 is given in machine code, enabling it to take readings about 10 times faster. You can program the computer to store the data for later use or processing, or to enable you to photograph the waveform.

The program can also be made to run faster. Because it takes time for the

6190- 40 01 02 04 08 10 20 40

computer to display the points on the screen, the process can be speeded up considerably if you only gather the data at first, and display the points afterwards. Listings 6 and 7 show a program which reads and stores up to 20,000 readings — more than 50 complete sweeps of the Hires screen — and then plots any section of these readings as requested. It can also store two distinct sets of readings.

Such display methods involve limitations in terms of absolute accuracy, since the computer takes a longer time to measure a large resistance than a smaller value, so the time interval required for each measurement is not constant, but for most general display purposes this is unimportant.

The easiest of the game inputs to use are the push-buttons PB(0) to PB(2). The push-buttons are normally open, and the program can be set to monitor them to respond when a button is pressed. The instruction takes the form

IF PEEK (- 16267) > 127 THEN... Any kind of switch can be used in place of a push-button.

Rotation Speed

One interfacing technique enables the Apple to measure the speed of rotation of a fan blade. If you attach a magnet to a piece of machinery, and place a magnetic reedswitch nearby, the movement of the magnet past the reed-switch will close the contacts once for each pass. If you connect the switch to the push-button input of the Apple, the computer can either count the impulses, or use them to measure the rotational speed of the machine, as in the program shown in listing 8.

While it is possible to make up a series of individual sensors and plug them in one at a time to the Game I/O socket of the Apple, it is not long before this leads to frustration, if not a few bent pins. So it is advisable to construct a simple connector which can be left permanently plugged into the Game I/O socket, and to which the various sensors can be connected without opening the Apple.

Such a device acts as an extension cord, bringing out as many of the connections as may be needed — very often only two, the +5V line and the GC(0) line which is referred to as PDL(0) in programs. If you need all the connections, the best approach is to buy or make a 16-strand cable with a DIP header plug at the computer end and a socket at the other. It is best to add a small plastic box to the socket end, with two quick-connect terminals. Terminals enable sensors such as thermistors and LDRs to be connected and replaced, without plugging or unplugging any multi-pin DIP connectors.

The LED is dr'ven by the annunciator output and is used to indicate when it has been turned on. If you require game paddles or joysticks they can be plugged into the socket on the connector box.

(continued on next page)

6636-36 34 38 22 27 28 27 38 37 32 27 28 27 33	6020- 35 39 30 22 26 2A 2E 32	6198- 01 02 04 08 10 20 40 01
6846-37 38 3F 20 24 28 20 30 6856-34 38 30 21 25 29 20 31 6856-35 39 3D 21 25 29 20 31 6858-35 39 3D 21 25 29 20 31 6858-36 3A 3E 22 26 2A 2E 32 6878-36 3A 3E 22 26 2A 2E 32 6878-37 3B 3F 20 24 28 20 30 6888-37 3B 3F 20 24 28 20 30 6888-37 3B 3F 20 24 28 20 30 6888-37 3B 3F 20 24 28 20 30 6808-37 3B 3F 20 24 28 20 31 6808-38 3A 3E 22 26 2A 2E 32 6828-36 3A 3E 22 26 2A 2E 32 6828-36 3A 3E 22 26 2A 2E 32 6828-36 3B 3E 23 27 2B 2F 33 6828-37 3B 3F 20 24 28 20 31 6828-37 3B 3F 20 24 28 20 31 6828-38 3B 3D 21 25 29 2D 31 6828-38 3B 3D 21 25 29 2D 31 6828-38 3B 3D 22 26 2A 2E 32 6828-38 3B 3D 21 25 29 2D 31 6838-37 3B 3F 20 24 28 20 30 6848-34 38 30 20 24 28 20 30 6848-34 38 30 20 24 28 20 30 6848-34 38 30 20 24 28 20 30 6848-34 38 30 20 24 28 20 30 6848-34 38 30 20 24 28 20 30 6848-35 39 3D 21 25 29 2D 31 6858-37 3B 3F 20 24 28 20 30 6868-37 38 3F 20 24 28 20 30 6868-38 39 3D 21 25 29 2D 31 6868-89 37 38 3F 20 24 28 20 30 6868-38 39 3D 20 22 26 2A 2E 32 6868-38 39 3D 21 25 29 2D 31 6868-38 39 3D 20 20 20 20 20 20 20 20 20 20 20 20 20	6030- 36 3A 3E 23 27 2B 2F 33	
\$\frac{5048}{6058} = 34 \ 38 \ 30 \ 20 \ 24 \ 28 \ 20 \ 30 \\ \$\frac{5048}{6068} = 35 \ 39 \ 30 \ 21 \ 25 \ 29 \ 20 \ 31 \\ \$6068 = 35 \ 39 \ 30 \ 22 \ 26 \ 24 \ 28 \ 25 \ 30 \\ \$6068 = 35 \ 39 \ 30 \ 22 \ 26 \ 24 \ 28 \ 25 \ 30 \\ \$6068 = 35 \ 39 \ 30 \ 22 \ 26 \ 24 \ 28 \ 25 \ 30 \\ \$6068 = 35 \ 39 \ 30 \ 22 \ 26 \ 28 \ 25 \ 32 \\ \$6068 = 35 \ 39 \ 30 \ 22 \ 26 \ 24 \ 28 \ 25 \ 30 \\ \$6068 = 37 \ 38 \ 3F \ 23 \ 27 \ 28 \ 2F \ 33 \\ \$6069 = 37 \ 38 \ 3F \ 20 \ 24 \ 28 \ 20 \ 30 \\ \$6069 = 37 \ 38 \ 3F \ 20 \ 24 \ 28 \ 20 \ 30 \\ \$6069 = 37 \ 38 \ 3F \ 20 \ 24 \ 28 \ 20 \ 30 \\ \$6069 = 37 \ 38 \ 3F \ 20 \ 24 \ 28 \ 20 \ 30 \\ \$6069 = 37 \ 38 \ 3F \ 20 \ 24 \ 28 \ 20 \ 30 \\ \$6069 = 37 \ 38 \ 35 \ 20 \ 24 \ 28 \ 20 \ 30 \\ \$6069 = 37 \ 38 \ 35 \ 20 \ 24 \ 28 \ 20 \ 30 \\ \$6069 = 34 \ 38 \ 30 \ 21 \ 25 \ 29 \ 20 \ 31 \\ \$6069 = 34 \ 38 \ 30 \ 21 \ 25 \ 29 \ 20 \ 31 \\ \$6069 = 37 \ 38 \ 3F \ 20 \ 24 \ 28 \ 20 \ 30 \\ \$6069 = 34 \ 38 \ 30 \ 21 \ 25 \ 29 \ 20 \ 31 \\ \$6069 = 34 \ 38 \ 30 \ 21 \ 25 \ 29 \ 20 \ 31 \\ \$6069 = 37 \ 38 \ 3F \ 20 \ 22 \ 26 \ 28 \ 23 \\ \$6060 = 34 \ 38 \ 30 \ 21 \ 25 \ 29 \ 20 \ 31 \\ \$6068 = 35 \ 39 \ 30 \ 21 \ 25 \ 29 \ 20 \ 31 \\ \$6068 = 36 \ 37 \ 38 \ 3F \ 23 \ 27 \ 28 \ 2F \ 33 \\ \$6068 = 37 \ 38 \ 3F \ 23 \ 27 \ 28 \ 2F \ 33 \\ \$6068 = 37 \ 38 \ 37 \ 23 \ 27 \ 28 \ 2F \ 33 \\ \$6068 = 37 \ 38 \ 37 \ 23 \ 27 \ 28 \ 2F \ 33 \\ \$6068 = 37 \ 38 \ 37 \ 23 \ 27 \ 28 \ 2F \ 33 \\ \$6068 = 37 \ 38 \ 37 \ 23 \ 27 \ 28 \ 2F \ 33 \\ \$6068 = 37 \ 38 \ 37 \ 22 \ 22 \ 26 \ 28 \ 23 \\ \$6068 = 37 \ 38 \ 37 \ 22 \ 27 \ 28 \ 2F \ 33 \\ \$6068 = 37 \ 38 \ 37 \ 22 \ 27 \ 28 \ 2F \ 33 \\ \$6068 = 37 \ 38 \ 37 \ 22 \ 22 \ 28 \ 27 \ 28 \ 27 \ 30 \\ \$6070 = 34 \ 38 \ 30 \ 21 \ 25 \ 29 \ 20 \ 31 \\ \$6048 = 34 \ 38 \ 30 \ 21 \ 25 \ 29 \ 20 \ 31 \\ \$6048 = 34 \ 38 \ 30 \ 21 \ 25 \ 29 \ 20 \ 31 \\ \$6048 = 34 \ 38 \ 30 \ 21 \ 25 \ 29 \ 20 \ 31 \\ \$6048 = 34 \ 38 \ 30 \ 21 \ 25 \ 29 \ 20 \ 31 \\ \$6048 = 34 \ 38 \ 30 \ 21 \ 25 \ 29 \ 20 \ 31 \\ \$60688 = 35 \ 39 \ 30 \ 21 \ 25 \ 29 \ 20 \ 31 \\ \$60688 = 35 \ 39 \ 30 \		
6656-34 38 30 21 25 29 20 31 66568-35 39 30 21 25 29 20 31 6668-35 39 30 21 25 29 20 31 6658-36 34 38 22 26 24 2E 32 6678-36 34 38 22 27 28 2F 33 6698-37 38 3F 23 27 28 2F 33 6698-37 38 3F 23 27 28 2F 33 6698-37 38 3F 20 24 28 20 30 6698-37 38 3F 20 24 28 20 30 6608-34 38 30 21 25 29 2D 31 6608-35 39 30 21 25 29 2D 31 6608-35 39 30 22 26 24 2E 32 6618-35 39 30 22 26 24 2E 32 6628-36 34 38 30 21 25 29 2D 31 6628-36 38 38 3E 22 37 28 2F 33 6638-37 38 3F 23 27 28 2F 33 6638-37 38 3F 23 27 28 2F 33 6638-37 38 37 20 24 28 20 30 6648-34 38 30 21 25 29 2D 31 6648-34 38 30 22 26 24 2E 32 6628-36 38 38 3E 22 26 29 2E 32 6638-37 38 3F 23 27 28 2F 33 6638-37 38 38 30 21 25 29 2D 31 6648-34 38 30 21 25 29 2D 31 6648-34 38 30 20 24 28 20 30 6648-34 38 30 20 24 28 20 30 6648-34 38 30 20 24 28 20 30 6648-34 38 30 20 24 28 20 30 6648-34 38 30 20 24 28 20 30 6648-34 38 30 20 24 28 20 30 6648-34 38 30 20 24 28 20 30 6648-34 38 30 20 25 26 24 2E 30 6668-36 33 39 3D 22 26 24 2E 30 6678-37 38 3F 23 27 28 2F 33 6698-37 38 3F 23 27 28 2F 33 6698-37 38 3F 20 30 21 25 29 2D 31 6698-37 38 3F 20 30 21 25 29 2D 31 6698-37 38 3F 20 24 28 20 30 6698-37 39 30 21 25 29 2D 31 6698-37 38 3F 20 24 28 20 30 6698-37 39 30 20 26 28 28 28 30 6698-37 39		
\$6088- 35 39 30 21 25 29 20 31		
6668- 35 39 30 22 26 24 28 25 36 6100- 91 62 94 68 16 26 46 91 62 66 48 66 66 66 66 66 66 66 66 66 66 66 66 66		
\$6688- 36 34 3E 22 26 24 25 32 \$6108- 90 20 40 93 10 20 40 91 92		
6678- 36 34 3E 23 27 28 2F 33 6688- 37 3B 3F 20 24 28 2C 30 6688- 34 38 3C 20 24 28 2C 30 6688- 34 38 3C 20 24 28 2C 30 6688- 34 38 3C 20 24 28 2C 30 6688- 34 38 3C 21 25 29 2D 31 6618- 35 39 3D 22 26 24 28 2C 30 6628- 36 3A 3E 22 26 2A 2E 32 6638- 37 3B 3F 20 24 28 2C 30 6628- 36 3A 3E 22 26 2A 2E 32 6638- 37 3B 3F 20 24 28 2C 30 6638- 37 3B 3F 20 24 28 2C 30 6628- 36 3A 3E 22 26 2A 2E 32 6638- 37 3B 3F 20 24 28 2C 30 6638- 37 3B 3F 20 24 28 2C 30 6638- 37 3B 3F 20 24 28 2C 30 6638- 37 3B 3F 20 24 28 2C 30 6638- 37 3B 3F 20 24 28 2C 30 6638- 37 3B 3F 20 24 28 2C 30 6648- 34 38 3C 21 25 29 2D 31 6648- 34 38 3C 21 25 29 2D 31 6648- 35 39 3D 22 26 2A 2E 32 6658- 35 39 3D 22 26 2A 2E 32 6668- 35 39 3D 21 25 29 2D 31 6668- 35 39 3D 21 25 29 2D 31 6668- 35 39 3D 22 26 2A 2E 32 6668- 35 39 3D 21 25 29 2D 31 6668- 35 39 3D 22 26 2A 2E 32 6668- 35 39 3D 22 26 2A 2E 32 6668- 35 39 3D 22 26 2A 2E 32 6668- 36 3A 3E 22 26 2A 2E 32 6668- 37 3B 3F 20 24 28 2C 30 6678- 37 3B 3F 20 24 28 2C 30 6678- 37 3B 3F 20 24 28 2C 30 6678- 37 3B 3F 20 24 28 2C 30 6688- 37 38 3F 20 24 28 2C 30 6688- 37 3B 3F 20 24 28 2C 30 6688- 37 3B 3F 20 24 28 2C 30 6688- 37 3B 3F 20 24 28 2C 30 6688- 37 3B 3F 20 24 28 2C 30 6688- 37 3B 3F 20 24 28 2C 30 6688- 37 3B 3F 20 24 28 2C 30 6688- 37 3B 3F 20 24 28 2C 30 6688- 37 3B 3F 20 24 28 2C 30 6688- 37 3B 3F 20 24 28 2C 30 6688- 37 3B 3F 20 24 28 2C 30 6688- 37 3B 3F 20 24 28 2C 30 6688- 37 3B 3F 20 24 28 2C 30 6688- 37 3B 3F 20 24 28 2C 30 6688- 37 3B 3F 20 24 28 2C 30 6688- 38 3B 3B 22 26 2A 2E 32 6628- 08 00 00 00 00 00 00 00 00 00 00 00 00		6108- 02 04 08 10 20 40 01 02
\$688- 37 38 3F 20 24 28 2C 30	6070- 36 3A 3E 23 27 2B 2F 33	
Signa		
\$606		
6008- 34 38 30 21 25 29 20 31 6218- 91 92 94 98 19 20 49 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 40 91 62 94 98 19 20 94 98 19		
6018- 34 38 30 21 25 28 20 31 6028- 35 39 30 21 25 29 20 31 6028- 36 3A 3E 22 26 2A 2E 32 6028- 36 3A 3E 22 26 2A 2E 32 6028- 36 3A 3E 22 26 2A 2E 32 6028- 36 3A 3E 22 26 2A 2E 32 6028- 36 3A 3E 23 27 2B 2F 33 6028- 37 3B 3F 23 27 2B 2F 33 6048- 37 3B 3F 20 24 28 20 30 6048- 34 38 30 21 25 29 2D 31 6048- 34 38 30 21 25 29 2D 31 6050- 34 38 30 21 25 29 2D 31 6050- 34 38 30 21 25 29 2D 31 6050- 34 38 30 22 26 2A 2E 32 6068- 35 33 3D 22 26 2A 2E 32 6068- 35 33 3D 22 26 2A 2E 32 6068- 35 33 3D 22 26 2A 2E 32 6068- 35 33 3D 22 26 2A 2E 32 6068- 35 33 3D 22 26 2A 2E 32 6068- 37 3B 3F 20 24 28 20 30 6079- 36 3A 3E 23 27 2B 2F 33 6068- 37 3B 3F 20 24 28 20 30 6079- 36 3A 3E 22 26 2A 2E 32 6068- 37 3B 3F 20 24 28 20 30 6079- 36 3A 3E 22 26 2A 2E 32 6068- 37 3B 3F 20 24 28 20 30 6079- 36 3A 3E 22 26 2A 2E 32 6068- 37 3B 3F 20 24 28 20 30 6079- 36 3A 3E 22 26 2A 2E 32 6068- 37 3B 3F 20 24 28 20 30 6088- 34 38 30 21 25 29 2D 31 6098- 37 3B 3F 20 24 28 20 30 6088- 37 3B 3F 20 24 28 20 30 6088- 37 3B 3F 20 24 28 20 30 6088- 37 3B 3F 20 24 28 20 30 6088- 37 3B 3F 20 24 28 20 30 6088- 37 3B 3F 20 24 28 20 30 6088- 37 3B 3F 20 24 28 20 30 6088- 37 3B 3F 20 24 28 20 30 6088- 37 3B 3F 20 24 28 20 30 6088- 37 3B 3F 20 24 28 20 30 6088- 37 3B 3F 20 24 28 20 30 6088- 37 3B 3F 20 24 28 20 30 6088- 37 3B 3F 20 24 28 20 30 6088- 37 3B 3F 20 24 28 20 30 6088- 38 30 30 21 25 29 2D 31 6098- 37 3B 3F 20 24 28 20 31 6098- 37 3B 3F 20 24 28 20 30 6098- 38 30 30 21 25 29 2D 31 6098- 38 39 30 21 25 29 2D 31 6098- 38 39 30 21 25 29 2D 31 6098- 38 39 30 21 25 29 2D 31 6098- 38 39 30 22 26 2A 2E 32 6098- 39 39 30 30 30 30 30 30 30 30 30 30 30 30 30		
6028-36 38 37 30 22 26 2A 2E 32 6228-10 20 40 01 02 04 08 10 20 60 38 38 38 32 32 72 82 2F 33 6238-20 40 01 02 04 08 10 20 40 80 60 80 60 80 80 37 38 3F 23 27 28 2F 33 6238-40 01 02 04 08 10 20 40 81 60 20 40 80 60 80 80 37 38 3F 20 24 28 20 30 6248-01 02 04 08 10 20 40 81 60 20 40	6010- 34 38 30 21 25 29 20 31	
6028- 36 3A 3E 22 26 2A 2E 32 6236- 20 40 01 02 04 08 10 20 6038- 37 38 3F 20 24 28 2C 30 6248- 02 04 08 10 20 40 01 6048- 34 38 3C 20 24 28 2C 30 6248- 02 04 08 10 20 40 01 6048- 34 38 3C 21 25 29 2D 31 6258- 04 08 10 20 40 01 02 04 08 10 02 02 02 02 02 02 02 02 02 02 02 02 02		
6038- 36 3A 3E 23 27 28 2F 33 6038- 37 3B 3F 23 27 28 2F 33 6049- 37 3B 3F 23 27 28 2F 33 6049- 37 3B 3F 29 24 28 2C 30 6048- 34 38 3C 20 24 28 2C 30 6058- 35 39 3D 21 25 29 2D 31 6068- 35 39 3D 21 25 29 2D 31 6068- 35 39 3D 22 26 2A 2E 32 6068- 35 39 3D 22 26 2A 2E 32 6068- 35 39 3D 22 26 2A 2E 32 6068- 36 3A 3E 22 26 2A 2E 32 6068- 37 3B 3F 23 27 2B 2F 33 6079- 36 3A 3E 23 27 2B 2F 33 6079- 36 3A 3E 23 27 2B 2F 33 6079- 37 3B 3F 23 27 2B 2F 33 6079- 37 3B 3F 23 27 2B 2F 33 6079- 37 3B 3F 23 27 2B 2F 33 6079- 37 3B 3F 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 34 38 3C 20 24 28 2C 30 6088- 34 38 3C 20 24 28 2C 30 6088- 34 38 3C 20 24 28 2C 30 6088- 34 3B 3C 20 24 2B 2C 30 6088- 34 3B 3C 20 24 2B 2C 30 6088- 34 3B 3C 20 24 2B 2C 30 6088- 35 39 3D 21 25 29 2D 31 6098- 35 39 3D 21 25 29 2D 31 6098- 36 3A 3E 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 36 3A 3E 22 26 2A 2E 32 6098- 36 3A 3E 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 37 3B 3F 23 27 2B 2F 33 6088- 60 60 60 60 60 60 60 60 60 60 60 60 60		
6038- 37 38 3F 23 27 28 2F 33 6238- 40 01 02 04 08 10 20 40 06 06 6048- 31 38 3F 20 24 28 2C 30 6248- 01 02 04 08 10 20 40 01 02 05 05 05 34 38 3C 20 24 28 2C 30 6248- 01 02 04 08 10 20 40 01 02 05 05 05 34 38 3C 21 25 29 2D 31 6258- 08 10 20 40 01 02 04 08 05 05 05 35 39 3D 21 25 25 2D 31 6258- 08 10 20 40 01 02 04 08 05 05 05 05 35 39 3D 22 26 2A 2E 32 6268- 10 20 40 01 02 04 08 10 60 08 37 38 3F 20 24 28 2C 30 6268- 10 20 40 01 02 04 08 10 60 08 37 38 3F 20 24 28 2C 30 6268- 20 40 01 02 04 08 10 20 40 01 02 04 08 10 60 08 37 38 3F 20 24 28 2C 30 6268- 01 02 04 08 10 20 40 01 02 04 08 10 60 08 08 38 30 21 25 29 2D 31 6298- 02 04 08 10 20 40 01 02 04 08 10 20 04 09 10 00 08 08 30 3D 21 25 29 2D 31 6298- 01 01 01 01 01 01 01 01 01 01 01 01 01		
6046-37 38 3F 20 24 28 2C 30 6248-01 02 04 08 10 20 40 01 02 05 05 05 34 38 3C 21 25 29 2D 31 6256-04 08 10 20 40 01 02 04 08 05 05 05 35 39 3D 21 25 29 2D 31 6258-08 10 20 40 01 02 04 08 10 06 06 35 39 3D 21 25 29 2D 31 6258-08 10 20 40 01 02 04 08 10 06 07 0-36 3G 3A 3E 22 26 2A 2E 32 6268-20 40 01 02 04 08 10 20 40 06 07 0-36 3A 3E 23 27 2B 2F 33 6270-40 01 02 04 08 10 20 40 06 06 06 07 0-36 3A 3E 23 27 2B 2F 33 6270-40 01 02 04 08 10 20 40 06 06 06 06 07 0-37 3B 3F 23 27 2B 2F 33 6270-40 01 02 04 08 10 20 40 01 02 04 08 10 20 40 06 06 08 8-34 38 3C 21 25 29 2D 31 6258-00 00 00 00 00 01 01 01 01 06 09 0-34 38 3C 21 25 29 2D 31 6290-01 01 01 01 02 02 02 02 02 02 02 03 03 03 33 30 02 12 25 29 2D 31 6290-01 01 01 01 02 02 02 02 02 02 03 03 03 03 03 03 03 03 03 03 03 03 03		
6058- 35 38 30 21 25 29 20 31 6058- 35 38 30 21 25 29 20 31 6068- 36 3A 3E 22 26 2A 2E 32 6068- 36 3A 3E 22 26 2A 2E 32 6078- 36 3A 3E 23 27 2B 2F 33 6078- 36 3A 3E 23 27 2B 2F 33 6078- 36 3A 3E 23 27 2B 2F 33 6078- 36 3A 3E 23 27 2B 2F 33 6078- 40 91 02 04 08 10 20 40 91 02 06 08 10 00 00 00 00 00 00 00 00 00 00 00 00	8040- 37 38 3F 20 24 28 20 30	6240- 01 02 04 08 10 20 40 01
6058- 35 39 30 21 25 29 20 31 6268- 08 10 20 40 01 02 04 08 06 668- 36 39 30 22 26 24 28 22 26 2628- 20 40 01 02 04 08 10 20 40 6079- 36 34 3E 23 27 28 2F 33 6270- 40 01 02 04 08 10 20 40 6078- 37 38 3F 23 27 28 2F 33 6278- 01 02 04 08 10 20 40 06 00 6088- 34 38 3C 20 24 28 2C 30 6280- 02 04 08 10 20 40 00 00 6088- 34 38 3C 20 24 28 2C 30 6288- 00 00 00 00 00 01 01 01 01 00 00 00 00		
\$6668- 36 39 30 22 26 2A 2E 32		
6068- 36 3A 3E 22 26 2A 2E 32		
6078- 36 3A 3E 23 27 28 2F 33 6278- 40 01 02 04 08 10 20 40 60 6078- 37 3B 3F 20 24 28 2C 30 6288- 01 02 04 08 10 20 40 00 00 6088- 34 38 3C 20 24 28 2C 30 6288- 00 00 00 00 00 01 01 01 01 00 098- 35 39 30 21 25 29 2D 31 6298- 02 02 02 03 03 03 03 03 03 03 03 03 03 03 03 03		
\$6989-37 38 3F 20 24 28 2C 30 6280-02 04 08 10 20 40 00 00 60 60 6688-34 38 3C 21 25 29 2D 31 6298-01 01 01 01 02 02 02 02 6998-35 39 3D 21 25 29 2D 31 6298-02 02 02 02 03 03 03 03 03 6000-35 39 3D 21 25 29 2D 31 6298-02 02 02 02 03 03 03 03 03 6000-35 39 3D 22 26 2A 2E 32 62A0-03 03 04 04 04 04 04 04 66A8-36 3A 3E 22 26 2A 2E 32 62A8-04 05 05 05 05 05 05 05 05 05 05 05 05 06 06 06 06 06 06 06 06 06 06 06 06 06	6070- 36 3A 3E 23 27 28 2F 33	
6688- 34 38 3C 26 24 28 2C 36 6288- 60 60 60 60 60 61 61 61 6288- 35 38 3D 21 25 29 2D 31 6298- 62 62 92 62 63 63 63 63 63 63 62 22 62 62 62 62 62 62 62 62 62 62 62	6078- 37 3B 3F 23 27 2B 2F 33	6278- 01 02 04 08 10 20 40 01
6990- 34 38 3C 21 25 29 2D 31 6290- 01 01 01 01 02 02 02 02 6098- 35 39 3D 21 25 29 2D 31 6230- 02 02 03 03 03 03 03 60 6008- 35 39 3D 22 26 2A 2E 32 62A8- 03 03 04 04 04 04 04 04 60A8- 36 3A 3E 22 26 2A 2E 32 62A8- 04 05 05 05 05 05 05 05 05 06080- 36 3A 3E 23 27 2B 2F 33 62B0- 06 06 06 06 06 06 06 07 60B8- 37 3B 3F 23 27 2B 2F 33 62B0- 06 06 06 06 06 06 06 07 60B8- 37 3B 3F 20 09 09 09 09 09 09 09 09 09 09 09 09 09		
6098- 35 39 30 21 25 29 20 31 6298- 02 02 03 03 03 03 03 6080- 35 39 30 22 26 24 2E 32 6248- 03 03 04 04 04 04 04 04 60 6088- 36 34 3E 22 26 24 2E 32 6288- 04 05 05 05 05 05 05 05 6688- 37 38 3F 23 27 28 2F 33 6288- 06 06 06 06 06 06 06 07 6088- 37 38 3F 00 00 00 00 00 00 6200- 08 08 08 08 08 09 09 09 6008- 00 00 00 00 00 00 00 00 6200- 08 08 08 08 08 09 09 09 6008- 00 00 00 00 00 00 00 00 6200- 08 08 08 08 08 08 09 09 09 6008- 00 00 00 00 00 00 00 6220- 08 08 00 00 00 00 00 00 6220- 08 08 00 00 00 00 00 00 6220- 08 08 00 00 00 00 00 00 6220- 08 08 00 00 00 00 00 00 6220- 08 08 00 00 00 00 00 00 6220- 08 08 00 00 00 00 00 00 6220- 08 08 00 00 00 00 00 00 6220- 08 08 00 00 00 00 00 00 6220- 08 08 00 00 00 00 00 00 6220- 08 08 00 00 00 00 00 00 6220- 08 08 00 00 00 00 00 00 6220- 00 00 00 00 00 00 00 00 00 6220- 00 00 00 00 00 00 00 00 00 00 00 00 0		
6980-35 39 30 22 26 2A 2E 32 62A0-9 03 04		
6080- 36 3A 3E 23 27 2B 2F 33 6280- 06 06 06 06 06 06 07 6088- 37 3B 3F 23 27 2B 2F 33 6288- 07 07 07 07 07 07 08 08 6008- 00 00 00 00 00 00 00 00 6008- 00 00 00 00 00 00 00 6200- 08 08 08 08 08 08 08 08 08 08 08 08 08	60A0- 35 39 3D 22 26 2A 2E 32	
6088- 37 38 3F 23 27 28 2F 33 6288- 07 07 07 07 07 07 08 08 6008- 00 00 00 00 00 00 00 00 00 00 00 00 00		
6008- 37 38 3F 00 00 00 00 00 00 6200- 08 08 08 08 09 09 09 6008- 00 00 00 00 00 00 00 00 00 00 00 00 00		
6008- 00 00 00 80 80 80 80 80 80 80 6200- 0A 0A 0A 0B 0B 0B 0B 6008- 00 00 00 00 00 00 00 00 00 00 00 00 00		
6008- 00 00 00 80 80 80 80 80 80 60 628- 00 00 00 00 00 00 00 00 668- 00 00 00 80 80 80 80 80 80 80 80 628- 00 00 00 00 00 00 00 00 628- 00 00 00 80 80 80 80 80 80 80 628- 00 00 00 10 10 10 10 10 10 10 10 10 10		5208- 09 09 09 09 0A 0A 0A 0A
60E0- 80 80 80 00 00 00 00 00 00 62E0- 00 00 00 00 00 00 00 00 66E8- 00 00 00 80 80 80 80 80 80 62E8- 0E 0E 0E 0E 0E 0E 0F 60E0- 80 80 80 80 80 80 80 80 80 62E8- 0E 0E 0E 0E 0E 0E 0E 0E 60E0- 80 80 80 80 80 80 80 80 80 62E8- 0E 0E 0E 0E 0E 0E 0E 0E 60E0- 80 80 80 80 80 80 80 80 80 80 80 80 80		
66E8- 00 00 00 80 80 80 80 80 80 62E8- 0E 0E 0E 0E 0E 0F 66F0- 80 80 80 80 80 80 80 80 80 80 62F0- 0F 0F 0F 0F 0F 0F 10 10 6160- 80 80 80 80 80 80 80 80 80 80 80 82 82 82 82 83 6300- 11 11 11 11 12 12 12 12 12 6108- 28 28 28 48 48 48 48 48 48 6308- 12 12 12 13 13 13 13 13 6110- 48 48 48 28 28 28 28 28 6310- 13 13 14 14 14 14 14 14 6118- 28 28 28 48 48 48 48 48 48 6318- 14 15 15 15 15 15 15 15 6120- 48 48 48 28 28 28 28 28 28 6310- 13 14 14 14 14 14 14 14 6118- 28 28 28 28 48 48 48 48 48 6328- 17 17 17 17 17 17 17 18 18 6130- 48 48 48 28 28 28 28 28 86 6330- 16 16 16 16 16 16 16 17 6128- 28 28 28 48 48 48 48 48 6328- 17 17 17 17 17 17 17 18 18 6130- 48 48 48 50 50 50 50 50 6330- 18 18 18 18 18 19 19 19 6138- 28 28 28 48 48 48 48 48 6338- 19 19 19 19 14 14 14 14 14 14 14 14 14 14 14 14 14		
60F0- 80 80 80 80 00 00 00 00 00 62F0- 0F 0F 0F 0F 0F 10 10 60F8- 00 00 00 80 80 80 80 80 80 80 63 80 630- 11 11 11 11 12 12 12 12 12 6108- 28 28 28 A8		62E8- GE GE GE GE GE GE GE
6100- 80 80 80 28 28 28 28 28 28 6300- 11 11 11 11 12 12 12 12 12 6108- 28 28 28 48 48 48 48 48 48 6308- 12 12 12 13 13 13 13 13 6110- 48 48 48 28 28 28 28 28 6310- 13 13 14 14 14 14 14 14 6118- 28 28 28 48 48 48 48 48 6318- 14 15 15 15 15 15 15 15 15 6120- 48 48 48 28 28 28 28 28 6320- 16 16 16 16 16 16 16 16 17 6128- 28 28 28 48 48 48 48 6328- 16 16 16 16 16 16 16 17 6138- 28 28 28 48 48 48 48 6338- 19 18 18 18 18 18 19 19 6138- 28 28 28 48 48 48 48 6338- 19 19 19 19 19 14 14 14 14 14 14 14 14 14 14 14 14 14		62F0- 0F 0F 0F 0F 0F 10 10
6108- 28 28 28 48 48 48 48 48 48 6308- 12 12 12 13 13 13 13 13 6110- 48 48 48 28 28 28 28 28 28 6310- 13 13 14 14 14 14 14 14 6118- 28 28 28 48 48 48 48 48 5318- 14 15 15 15 15 15 15 15 15 6120- 48 48 48 23 28 28 28 28 6320- 16 16 16 16 16 16 16 16 17 6128- 28 28 28 48 48 48 48 48 6328- 17 17 17 17 17 17 18 18 6130- 48 48 48 23 28 28 28 28 6330- 18 18 18 18 18 19 19 19 6138- 28 28 28 48 48 48 48 48 6338- 17 17 17 17 17 17 18 18 6140- 48 48 48 50 50 50 50 50 50 6330- 18 18 18 18 18 18 18 18 18 6148- 50 50 50 50 50 50 50 6350- 10 10 10 10 10 10 10 6158- 50 50 50 50 50 50 50 6350- 10 10 10 10 10 10 10 10 6158- 50 50 50 50 50 50 50 6350- 10 10 10 10 10 10 10 10 6158- 50 50 50 50 50 50 50 6350- 16 16 16 16 16 16 16 16 16 16 16 16 16		
6110- A8 A8 A8 28 28 28 28 28 28 6310- 13 13 14 14 14 14 14 14 6118- 28 28 28 A8 A8 A8 A8 A8 A8 A8 A8 6318- 14 15 15 15 15 15 15 15 15 6120- A8		
6118- 28 28 28 48 48 48 48 48 48 48 6328- 14 15 15 15 15 15 15 15 6128- 28 28 28 28 28 28 28 28 6328- 16 16 16 16 16 16 16 17 6128- 28 28 28 48 48 48 48 48 6328- 17 17 17 17 17 17 18 18 6138- 28 28 28 48 48 48 48 6338- 18 18 18 18 18 19 19 19 6138- 28 28 28 48 48 48 48 6338- 19 19 19 19 14 14 14 14 18 6148- 50 50 50 50 50 50 50 6348- 14 16 16 16 16 16 16 17 18 18 18 18 19 19 19 6158- 50 50 50 50 50 50 50 6348- 18 18 18 18 18 18 18 18 18 18 6148- 50 50 50 50 50 50 50 6348- 18 18 10 10 10 10 10 10 6158- 50 50 50 50 50 50 50 6358- 16 16 16 16 16 16 16 17 17 17 17 17 17 17 17 17 17 17 17 17		
6128- 28 28 28 48 48 48 48 48 48 6328- 17 17 17 17 17 17 18 18 6130- 48 48 48 28 28 28 28 28 6330- 18 18 18 18 18 19 19 19 6138- 28 28 28 48 48 48 48 48 6338- 19 19 19 19 14 14 14 14 6148- 50 50 50 50 50 50 6340- 14 14 14 18 18 18 18 18 18 18 6148- 50 50 50 50 50 50 6340- 14 14 14 18 18 18 18 18 18 6150- 00 00 00 50 50 50 50 50 6350- 10 10 10 10 10 10 10 10 6158- 50 50 50 00 00 00 00 6358- 18 18 16 18 16 18 16 17 16 16 16 16 16 16 16 16 16 16 16 16 16	6118- 28 28 28 A8 A8 A8 A8 A8	6318- 14 15 15 15 15 15 15 15
6130- A8 A8 A8 28 28 28 28 28 6330- 18 18 18 18 18 19 19 19 6138- 28 28 28 A8 A8 A8 A8 A8 A8 5338- 19 19 19 19 19 14 1A 1A 1A 6140- A8 A8 A8 A8 50 50 50 50 50 6340- 1A 1A 1A 1B 1B 1B 1B 1B 6148- 50 50 50 50 50 50 50 6340- 1A 1A 1A 1B 1B 1B 1B 1B 6150- D0 D0 D0 D0 D0 D0 D0 6350- 1C 1D 1D 1D 1D 1D 1D 1D 1D 6158- 50 50 50 D0 D0 D0 D0 D0 6358- 1E 1E 1E 1E 1E 1E 1E 1E 1F 6160- D0 D0 D0 50 50 50 50 50 6360- 1F 1F 1F 1F 1F 1F 1F 20 20 6168- 50 50 50 50 50 50 50 6368- 20 20 20 20 20 21 21 21 6178- 50 50 50 50 50 50 50 6370- 21 21 21 21 22 22 22 22 6178- 50 50 50 50 00 D0 D0 D0 6358- 20 20 20 20 20 20 20 20 20 20 20 20 20		
6138- 28 28 28 48 48 48 48 48 48 5338- 19 19 19 19 14 14 14 14 6140- 48 48 48 50 50 50 50 50 50 6340- 14 14 14 18 18 18 18 18 6148- 50 50 50 50 50 50 50 6348- 16 18 10 10 10 10 10 10 10 6158- 50 50 50 50 50 50 50 50 6350- 10 10 10 10 10 10 10 10 6158- 50 50 50 50 50 50 50 6358- 18 18 18 18 18 18 18 18 6158- 50 50 50 50 50 50 50 6368- 18 18 18 18 18 18 18 18 18 18 18 18 18		
6140- A8 A8 A8 50 50 50 50 50 6340- 14 1A 1B 1B 1B 1B 1B 1B 6148- 50 50 50 00 00 00 00 00 00 6348- 18 18 10 10 10 10 10 10 10 6158- 50 50 50 50 50 50 50 6350- 10 10 10 10 10 10 10 10 10 6158- 50 50 50 50 50 50 50 6358- 18 18 18 18 18 18 18 18 18 18 18 18 18		
6148- 50 50 50 00 00 00 00 00 00 6348- 18 18 10 10 10 10 10 10 6158- 50 50 50 50 50 50 50 6350- 10 10 10 10 10 10 10 10 6158- 50 50 50 00 00 00 00 00 6358- 16 16 16 16 16 16 16 10 00 50 50 50 50 50 50 6360- 17 17 17 17 17 17 18 20 20 6168- 50 50 50 50 50 50 50 6360- 17 17 17 17 17 17 18 20 20 6178- 50 50 50 50 50 50 50 6370- 21 21 21 22 22 22 22 6178- 50 50 50 50 00 00 00 00 00 6378- 22 22 22 23 23 23 23 23 6180- 00 00 00 00 01 02 04 08 10 6380- 23 23 24 24 24 24 24		6340- 1A 1A 1A 1B 1B 1B 1B 1B
6158- 50 50 50 00 00 00 00 00 00 6358- 1E 6160- 00 00 00 50 50 50 50 50 6360- 1F 1F 1F 1F 1F 1F 20 20 6168- 50 50 50 00 00 00 00 6368- 20 20 20 20 20 21 21 21 6170- 00 00 00 50 50 50 50 50 6370- 21 21 21 21 22 22 22 22 6178- 50 50 50 00 00 00 00 00 6378- 22 22 22 23 23 23 23 23 6180- 00 00 00 01 02 04 08 10 6380- 23 23 24 24 24 24 24	6148- 50 50 50 D0 D0 D0 D0 D0	6348- 18 18 10 10 10 10 10 10
6160- 00 00 00 50 50 50 50 50 6360- 1F 1F 1F 1F 1F 20 20 6168- 50 50 50 00 00 00 00 6368- 20 20 20 20 20 21 21 21 6170- 00 00 00 50 50 50 50 50 6370- 21 21 21 21 22 22 22 22 6178- 50 50 50 00 00 00 00 00 6378- 22 22 22 23 23 23 23 23 6180- 00 00 00 01 02 04 08 10 6380- 23 23 24 24 24 24 24		
6168- 50 50 50 50 00 00 00 00 6368- 20 20 20 20 20 21 21 21 6170- 00 00 00 50 50 50 50 50 6370- 21 21 21 21 22 22 22 22 6178- 50 50 50 00 00 00 00 00 6378- 22 22 22 23 23 23 23 23 6180- 00 00 00 01 02 04 08 10 6380- 23 23 24 24 24 24 24 24		
6170- D0 D0 D0 50 50 50 50 50 6370- 21 21 21 22 22 22 22 6178- 50 50 50 D0 D0 D0 D0 D0 6378- 22 22 22 23 23 23 23 23 6180- D0 D0 D0 01 02 04 08 10 6380- 23 23 24 24 24 24 24 24	6168- 50 50 50 D0 D0 D0 D0 D0	6368- 20 20 20 20 20 21 21 21
6180-00 00 00 01 02 04 08 10 6380-23 23 24 24 24 24 24 24	6170- 00 00 00 50 50 50 50 50	6370- 21 21 21 21 22 22 22 22

Interfacing

Listing 7.											
SOURCE FILE: 0	0SCV2.0			4007:85 E3	12	STA	YSTOR+1	4020:A5 E3	25	LDA	YSTOR+1
NEXT OB	JECT FILE NA	ME IS P	6.08J	4009:68	13	PLA		4022:C5 E1	26	CMP	NUM+1
4000:	1	ORG	\$4000	400A:20 4A FF	14 R2	JSR	REGISTOR	4024:F0 08	27	BED	LOCHK
00E2:	2 YSTOR	EQU	\$E2	400D:A0 00	15	LDY	4400	4026:08	28 NXTY	INY	
00E0:	з мим	EQU	\$E0	400F:A2 00	16 PDRD	LDX	# \$ 0 0	4027:D0 E6	29	BNE	PDRD
FF4A:	4 REGSTO	R EQU	\$FF4A	4011:AD 70 C0	17	LDA	PTRIG	4029:E6 E3	30	INC	YSTOR+1
FF3F:	5 REGRES	EQU	\$FF3F	4014:AD 64 CO	18 PDLLP	LDA	PDL	4028:4C 0F 40	31	JMP	PDRD
0064:	6 PDL	EQU	\$C064	4017:10 04	19 .	BPL.	ENDLP	402E:C4 E0	32 LOCHK	CPY	NUM
C070:	7 PTRIG	EQU	\$C070	4019:EB	20.	INX		4030:D0 F4	33	BNE	NXTY
4000:48	8 R1	PHA		401A:D0 F8	21	ENE	PDLLP	4032:E6 E2	34	INC	YSTOR
4001:A9 38	9	LDA	# \$38	401C:CA	22	DEX		4034:20 3F FF	35	JSR	REGRES
4003:85 E2	10	STA	YSTOR	401D:8A	23 ENDLP	TXA		4037:60	36	RTS	
4005:A9 40	11	LDA	1440	401E:91 E2	24	STA	(YSTOR),Y				

(continued from previous page)

The more you use the Apple for interfacing with the real world, the more it behaves like a universal monitor. It can monitor, measure, store, process and graph any factor which can be converted to a change in resistance, and with lightdependent resistors and thermistors, almost any change can be converted to a change in resistance. The push-button inputs enable you to use switching devices to provide input to the computer. Once the information is in the computer, it can be used to control electrical devices through the annunciator outputs in the same Game I/O socket, using small relays.

Listing 8. 10 PB1 = -1628720 REM: COUNT NUMBER OF CONTACTS 30 REM: IN 10 SECONDS 40 FOR $T = \emptyset$ TO 7537 50 IF PEEK (PB1) > 127 THEN N = N + 1 60 NEXT T 70 PRINT "NUMBER OF REVS: ": N 80 PRINT "RPM = ": N*6 90 END

The new generation of plotters

for all business & scientific graphics



Low cost, high period.

Intelligent plotting MODEL & PEN AVAILABLE RS232 & IEEE I/faces **HOUSTON DMP40**





Sintrom Electronics Ltd Arkwright Road, Reading, Berks RG2 OLS Tel: Reading (0734) 875464 Telex: 847395

For professional career opportunities contact our Personnel Department



COMPEC NORTH is the most influential computer show outside London.

It is THE ONLY northern computer show for DP professionals and serious business users.

And in just three days it gives you concentrated coverage of the most important part of your market: directors, DP managers, and other computing professionals from manufacturing industries, services, consultancies, systems houses, software firms and bureaux.

COMPEC NORTH is now in its fourth year, and once again is being sponsored and supported by the leading journals in the business.

So if you want to be at the centre of influence, reserve your stand now at COMPEC NORTH '84. From as little as £92 per square metre.

For your full information pack with booking details complete and return this form to: Chris O'Hea, Exhibition Sales Manager, Room L310, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS. Tel: 01-661 3125

COMPEG NORTH'84

THE WORLD OF COMPUTING IN THE NORTH

Compec North is sponsored by Computer Weekly, in association with Computer Talk, Systems International, Practical Computing, Software and Micro Business.

Please send me my full information pack abou	t exhibiting at
COMPEC NORTH '84	

Name _____

Position _____
Company ____

Address _____

PC

the facts, no other



ADDRESS____

TEL NO.___

olivetti

When you add up micro equals ours.

You won't find another micro offering a range of benefits that add up like the Olivetti M20's. There's a choice of seven M20's ranging from a personal computer through to a highly intelligent workstation that can take you into a multi-user network.



A wider choice of software.

We've designed a range of software programs that includes general accounting, word processing, financial planning, spreadsheets and graphics. But if you find you need specialised software that is not available from us, the M20 offers a choice of four main operating systems (MSDOS, CP/M-86, PCOS and UCSD-P*). So it can handle literally hundreds of different software programs to satisfy virtually every business or professional application.



True 16 bit technology for speed and efficiency.

Unlike some of its major competitors, the M20 is a true 16 bit personal computer. So it's more powerful than most micros.



Choice of 16 printers.

As the world's leading producers of electronic typewriters, we also lead in computer printing technology. We make no less than 16 printers compatible with the M20.



The M20 can talk to other office machines.

With its own built-in communications facilities the M20 can talk to other office machines such as typewriters, making them intelligent word processors and printers. And linked to a telephone and communications equipment it can access Prestel, mainframe computers, receive or send telex messages and even Autodial. So the M20 can take you further into office automation.



The M20 can handle new networking developments.

The M20 allows you to build a multi-user network incorporating a massive central memory for extensive file storage with fully integrated software for electronic mail and text and data processing. Building a network like this with any other company would normally mean having to buy components from separate manufacturers. Olivetti supply everything from a single in-house source.

We are pioneers in computer technology.

Our total investment in R&D is one of the largest the world and is committed to advancing computer technology for the businessman. We developed the first tru 16 bit personal computer for under £2000 and are the leaders in ergonomic design of computers.



The depth of service you'd expect from a multi-national company.

Our distributors are the best trained in Europe Before they are allowed to so much as look at an M2 they are put through a comprehensive course at ou very own school. And our force of 600 service engineer cover the entire country to give fast and efficient service



Proven reliability in a computer marathon.

The M20 is one of the most reliable micro computer in the world. In fact, in a recent computer marathon, no one but two Olivetti M20 micro computers ran non stop, day and night, for a full week without even single hiccup.



Experience that helped us become the leading European manufacturer.

For 75 years we have been helping all sizes of business become more efficient. No other company has this understanding of the businessman's needs combined with over 30 years experience in computer technology. Olivetti is now the largest European manufacturer of computer and office equipment. So we will always be around whenever you need us, unlike a lot of computer manufacturers who won't even be in business in a few years time.



At £1,795 it doesn't just add up to a better computer, it adds up to complete office productivity.

The Olivetti M20 is available now from only £1,795 or £9.88 per week to lease (plus VAT). And unlike mos micros, it comes complete with free manuals and a one year guarantee. For more information on how to take your business into complete office productivity, complete the coupon.

(continued from page 135) straining their brains to solve the assorted

configurations.

There are several programs which display the cube on the screen and permit moves but this one also solves positions. The display is clear. My own cube has orange where the program shows magenta, but since orange and red could be confused on the screen this is probably just as well.

The program really does solve the cube and eventually recognises any impossible cube configurations you may enter. Sometimes it suggests several moves when one would suffice, but it always gets there in the end. If you have given up hope of ever restoring a muddled cube, this program will do it and provide guidance for future attempts.

Supergolf

You play this singly or between several people, just like the real thing. You have a choice of irons from 1 to 9, plus a wedge and sand iron. They can be used in strengths of 1 to 99. There is also a putter, usable in strengths 1 to 9. The wind provides another variable factor, force 1 to 5.

Each hole has a different terrain, including hills, sand bunkers and sometimes water. You play in two dimensions only: everything is seen in section so you do not need to set direction. The computer keeps a score card for each player and gives appropriate remarks of congratulation after each good shot.

This game is the only good golf simulation I have seen for the BBC. Experienced golf players approve of it, though the consensus is that it allows rather too many holes in one. This is balanced by the difficulty in getting out of bunkers if the first stroke with the sand iron fails, so the par values are about right.

Pirate

Described as an adventure for young people this is good wholesome fun in the Treasure Island tradition. It is full of messages like "Well done Captain. We beat the scurvy dogs!" and it has graphics throughout. The economical mode 7 is used, so the pictures look as if they have been assembled from building blocks. They are still good enough for the purpose.

The real stroke of genius in Pirate is the writer's realisation that cassettes have two sides. The first side gives the initial part of the game where you sail the seas gathering treasure, jewels, flags and magic objects. Keep a map — it is a square world. There are graphics for ships, sea, rocks, four islands and various things like a dragon and a magic cat. This part of the game can be saved.

When enough treasure has been acquired the password is given and you can load the second part, with new graphics for an island-based setting and some new dangers. There is a single-key entry for commands and the whole game is made easy for those not yet familiar with computers. Mode 7 makes the response a little slow, but this did not seem to worry players. Parents could happily leave their offspring to play for hours, and I suspect they would also enjoy playing themselves.

The program is coded in Basic, so alterations or additions can be made easily. For example, in part 1 a line could be added so that when a second pirate ship is captured the mate announces "The Captain says 'Splice the mainbrace, m' hearties" and everything stops for a while. In part 2, if they get tired of being killed, the program is easily altered. The method used is of the form

A = RND(10):IF A>8 THEN (something horrible happens)

Just alter the 8 to 10 and none of the interlocking procedures are affected. Line 1480 is the crocodile, 1430 lightning, 1580 avalanche, and so on. In such ways you can encourage players to go inside the program, and eventually write their own.

Great Britain Ltd

First available on the Spectrum, this unusual game simulates the economy of the U.K. You are the prime minister, and your task is to guide the finances for five years, when there is an election.

There are displays of major indicators such as ratings of inflation, unemployment, foreign exchange and your popularity. Other figures include population, tax, income and shopping basket prices. Social benefits can be allocated — less than £250 million has no effect — and levels have to be adjusted in line with inflation. At the end of the year figures are displayed to show the results.

The time of reckoning finally arrives. You watch the votes coming in after the election. Will you survive to rule again or does the country think a different party or coalition should have a chance?

Like all simulations Great Britain Ltd

provides a highly simplified version of real life, but it does follow the main pattern. For example, one winning strategy is to push up taxes in the first year, spend enough to have a social reform recognised, drop taxes before an election and invest something on a popular campaign such as law and order. Does this sound familiar? When politicans from the major parties were invited to compete in a contest, playing this program with a five-year-old girl, they chickened out.

The program is written for issue 1
Basic. If you have Basic 2, move line 9245
to 9219, delete 9245 and inserting a new

12025 @ % = &0002010A.

The Hobbit

Available first for the Spectrum, this outstanding adventure has been adapted for the BBC Model B. The graphics of the original version have gone, as they would require 19K of extra memory. Whether this is a serious loss is a matter of opinion; many people prefer their own mental images of Tolkien characters to those of Walt Disney or computer programmers.

The text-only game has sufficient attractions because of the unusually versatile programming. The language used is termed "Inglish" and permits complicated commands such as "Take the money and run", "Open all the bottles except the green one", or "Drop the sword and follow Gandalf".

Another difference is that all the characters have independence. If you wait a message appears saying "Time passes", while the others are moving around doing their own thing. There is no unique solution to the game: each time it is played variations can appear. Games can be saved, and I know two players who for some time have been meeting regularly each week to make further progress.

Apart from the unusually good programming, a special aspect is that the game comes with a copy of the book, which provides the best guidance to travelling through the program. The Hobbit is in a class of its own for interaction.

	Туре	Distributor	Price	Rating
3-Deep Space	arcade	Postern	£7.95	11/20
Saloon Sally	arcade	Psion	£7.95	15/20
Bridge Master	educational	Jonathan Keynes	£24.95	17/20
Cube Master	special	Acornsoft	£9.99	14/20
Crossword Puzzler	educational	National Extension College	£5	14/20
Supergolf	simulation	Squirrel Software	£7.50	17/20
Pirate	adventure	Chalksoft	£9.25	18/20
Great Britain Ltd	business	S W Hessel	£5.95	16/20
The Hobbit	adventure	Melbourne House	£14.95	18/20

Format: All are on cassette; Bridge Master and The Hobbit include a book in the package.

System: Saloon Sally runs on Models A and B; and all the others run on Model B only; Bridge Master also runs on the Electron.

OKI Microline 92 So fastand NLQ

NLQ = Near Letter Quality.

It's just one of the many outstanding features which put the OKI Microline 92 matrix printer at the top of the 80 column league. Add to this standard print at 160 cps. high resolution graphics, downline-loadable character sets, subscript, superscript and underline capability, and you will see why the Microline 92 is an unbeatable price/performer.

The Microline 93 offers the same unrivalled specification to users requiring a full 136-column format.

And if all this is not enough, both machines are available with our unique IBM Plug 'n' Play Kit, ensuring full compatibility with the IBM PC.

An even more impressive feature list, including a print speed of 200 cps, defines the 136-column Microline 84. In addition to its increased throughput capability, the optional Automatic Cut Sheet Feeder permits maximum use of the near-letter-quality print mode.

use of the near-letter-quality print mode.

Quality, reliability and unbeatable price/performance are of course hallmarks of the entire OKI Microline range, including the ever popular Microline 80, still a best-selling entry-level printer.

The range is completed by the Microline 82A (80 col) and the Microline 83A (136 col) which offer a print speed of 120 cps amongst a host of other features.

OKI Microlines - the unbeatable printer family!





X-DATA LIMITED, 750 DEAL AVENUE, SLOUGH TRADING ESTATE, SLOUGH, BERKS SL1 4SH.TEL: SLOUGH (0753) 72331





effect the room should be dark, with no reflections on the screen. Set colour saturation to maximum, and sit about 6ft. from the screen centre. You may find you have to alter the relative colour balance so that no blue is visible through the red filter and vice versa. Some people have difficulty in fusing the images or ignoring the inevitable ghost images, and a few players prefer to remove their spectacles and play without them.

Saloon Sally

The scenario is a fight in Sally's saloon, started by four baddies who brawl around, leaving gold on the tables. Sally tries to pick up the gold while avoiding the villains. If they meet her they throw her on the floor and jump on her until she loses a life.

From time to time the light goes out — symbolised by the screen turning dark blue — and the baddies lose their tempers with the gold-pinching Sally and chase her. She can kick over tables to trap the villains or to disable them for a while.

Points are won for the gold, with a bonus for clearing the tables or for trapping all four men at the same time. On the next level everything happens

more quickly and the non-stop music speeds up.

The sound of the honky-tonk piano can become annoying after a while, but can be avoided by a preparatory *FX201, 1, which disables the speaker; *FX201, 0 switches it on again. If you are not using a monitor you will need to move the image down with *TV255, 0.

Bridge Master

Bridge is a complicated game, and learning it can be a painful process. You are likely to be offered conflicting advice from the other players, and have to suffer interminable post-mortems. With this kit the game is learnt to a high standard from an accepted expert, without absorbing any bad habits.

The package consists of two program tapes and two commentaries which you play while working through the games. There is an instruction booklet and also a book by Terence Reece, called *Begin Bridge With Reece*.

The graphics are adequate, though not outstanding. The value of the program lies in its methodical and thorough approach. At the moment it is unique but perhaps similar packages will be devised

for other subjects. The program also runs on the Acorn Electron.

Crossword Puzzler

This program does not help you make up crosswords nor solve them, and it is not the equivalent of a crossword dictionary. What it does is assist in the presentation of a crossword of up to 15 columns, 13 rows and 60 clues.


The grid and letters are displayed on the screen together with a requested clue. You then have a choice of entering an answer or of being given it. If you enter the wrong answer it appears in lower case and you can have another try.

The ready-made puzzles included are called Quickpuzz, Firstpuzz, Juniorpuzz and Cen4507. They increase in difficulty in that order. The idea is that you write suitable programs yourself — perhaps to help teach spelling or foreign-language vocabulary.

Cube Master

Remember the Rubic cube? After the first fuss has died down there were millions of cubes left behind, with people

(continued on page 137)



The Rubic cube is still around with Cube Master.



Pirate — two games in one on the Treasure Island theme.



Supergolf appeals even to experienced players.



You too can ruin the economy with Great Britain Ltd.

Playing with point

Neville Maude selects some programs for the BBC Micro which go beyond chasing blobs and zapping aliens.

BBC MICRO USERS can choose from countless look-alike games of the Pacman, Invaders and Donkey Kong type. But there are a few which have that extra something which lifts them above the normal run of games.

3-Deep Space

Stereoscopic pictures have passed into and out of fashion through the years. Now it is the turn of computer games to

get the stereo treatment. The only method adaptable to TV screens, where polarisation is impossible, is that of anaglyphs: the image is in two colours, each visible to one eye only. Spectacles with coloured foils - usually red and cyan or red and green - are used, and the brain fuses the two images into one to give the illusion of three dimensions.

The game of 3-Deep Space presents a screen display of pyramids with grounded spaceships. You are the captain of


spaceship Interceptor, and your task is to defend the stargate. Aliens sweep in horizontally from the right and must be shot down by a laser or a smart bomb before they collide with you. Andromedan starcruisers of various

classes are worth increasing points as the game progresses. The game is played in three dimensions with controls to move into or out of the screen as well as up or down and right or left.


To get the best of the stereoscopic



3-Deep Space, complete with stereo graphics.



Bridge Master — a painless way to learn the game.



It's four baddies versus the heroine in Saloon Sally.



Four ready-made puzzles come with Crossword Puzzler.

BREATHTAKING IMAGES FROM DISC OR CASSETTE



BREATHTAKING IMAGES FROM DISC OR CASSETTE



-SPOT THE DIFFERENCE

Happily for prospective purchasers of the Microvitec CUB RGB/PAL colour monitor there is no difference.

This superb machine produces brilliant pin-sharp images when used with a micro computer, thanks to a screen resolution of 585 pixels by 452, plus a bandwidth in excess of 15MHz. Yet the RGB/PAL also gives the highest quality pictures from laser discs, V.C.R.'s and video cameras. This is because the signal is not

modulated and then remodulated, as happens with an ordinary T.V. set

Add to this an audio facility and the result is a colour monitor which sounds as good as it looks.

Finally, perhaps the best news for

COLOUR DISPLAYS

purchasers is that the CUB colour monitor represents a real investment. However dramatically computers or video systems may change in the coming years the means of displaying their output is unlikely to alter – you can't improve on the best.

Find out just how inexpensive quality can be by calling at your local computer dealer. Alternatively, contact Microvitec direct for full details of the breathtaking range of CUB colour monitors.

Microvitec Ltd., Futures Way, Bolling Road, Bradford BD4 7TU. Tel: (0274) 390011. Telex: 517717

Transportables: top 20



PIED PIPER

£1,066

Competitively priced eight-bit semi-transportable coming with good bundled software. Built around the Z-80A processor the Pied Piper comes with CP/M 2.2 and utilities and four packages from the Perfect range — Writer, Speller, Filer and Calc. The price also includes a fabric carrying case. The Pied Piper price does not include a screen but the system works with a standard monitor. An optional adaptor allows a reduced-width display, only 40 columns as opposed to 80 with a domestic TV. The weight of the Pied Piper main unit is 15lb. A built-in 5.25in. double-sided floppy drive provides 784K of usable storage. A second drive can optionally be fitted, and an external 10Mbyte hard disc is available, price £1,480. Standard RAM is 64K.

For. Good bundled software. Can read formats of some other machines.

Against. Only semiportable. Requires separate monitor. Limited RAM expansion.



SORD M-23P

£1,695

Unusual Japanese eight-bit transportable with optional large LCD panel. Built around the Z-80A processor the Sord comes with a Sord-written Basic and the company's Pips spread-sheet/database package. UCSD p-System and Lifeboat Associates' CP/M-compatible SB-80 operating system available as options. The Sord weighs 19lb. and has two 3.5in. microfloppy drives providing a combined 580K of storage. Display is via separate optional monitor, with colour output provided, or for £1,695 the system can be made fully portable with a 12in. long, eight-line by 80-character liquid-crystal display panel which costs £550. The Sord M£23P is one of the few Japanese offerings in the transportable sector of the

For. Good disc and memory capacity for its weight. Liquid-crystal display.

Against. Not exceptional value. Not mainstream CP/M.



TELETOTE

£1,695

Eight-bit transportable that easily links into a local area network as well as functioning as a stand-alone CP/M machine. Built around the Z-80A processor, the Teletote comes with CP/M 2.2, Telewrite, Telecalc, and Telechart. The machine weighs 25lb. and has a 9in. yellow screen capable of displaying 640-by-240 dot graphics. Two 5.25in. floppy drives each provide 370K formatted disc capacity, while standard memory is 64K, expandable to 128K. The screen's graphics capacity is supported by the GSX-80 CP/M extension, which also comes with the system. An optional interface allows the Teleport to be linked to Televideo's local area network.

For. Good graphics. Large screen. Good software bundle. Network option. Televideo name.

Against. Bulky shape.



WREN

£1,000

Competitively priced eight-bit transportable with built-in modem and good set of software packages. Built around the Z-80B, fast 6MHz version of the eight-bit processor, the Wren comes with CP/M Plus, Perfect Writer, Perfect Filer and Perfect Calc plus an executive desk-top diary/scheduler program. The machine weighs under 20lb. and has a built-in 7in. amber screen and twin 200K 5.25in. floppy drives. Standard RAM memory is 64K expandable to 256K. The modem is BT approved, connects into a standard telephone socket, and can handle dialling automatically. The screen's graphics capacity and the communications software that also comes with the system, make the Wren suitable for use as a viewdata terminal.

For. BT approved autodial modem. Good value with the software thrown in. Works as Prestel terminal or CP/M micro.

Against. Keyboard not detachable.



ZORBA

£1,395

Competitively priced eight-bit transportable with 16-bit option available, and good range of software included in price. The Zorba is built around the Z-80A eight-bit chip and a standard 64K of memory, and comes with CP/M 2.2, WordStar, Mailmerge, Calcstar and various utilities. The machine weighs 21b. and has a 7in. green screen and twin 400K 5.25in. floppy drives. The standard Zorba can read or write discs in a variety of other machines' formats. The Zorba 2000 has a 9in. screen and twin 800K floppy drives, and costs £2,195. A 16-bit 8086 upgrade card costs £595 and adds 128K of RAM to the standard system, which then acquires the ability to run CP/M-86 or MS-DOS software while retaining CP/M 2.2 capacity.

For. High-capacity floppy disc. Ability to read other disc formats. Good value with the software thrown in. Upgradeable to 16-bit.

Against. Looks plasticky.

Transportables: top 20



KAYPRO

£1,520

Competitively priced eight-bit transportable with hard-disc option and good bundled software. Built around the Z-80A, the Kaypro comes with CP/M 2.2, Profit Plan, Basic and Perfect Writer, Perfect Speller, Perfect Filer and Perfect Calc. The machine weighs 26lb. and has a 9in. green screen and 64K of RAM. The base model, the Kaypro 2, has two 200K 5.25in. floppy drives, while the £1,847 Kaypro 4 has two 400K drives. The £2,595 Kaypro 10 has one 400K floppy drive and a built-in 10Mbyte hard disc. The Kaypro was recently voted Transportable Computer of the Year by seven European magazines, and is reviewed on page 68 of this Issue.

For. Good software. Hard-disc model particularly good value.

Against. Bulky. Unattractive.



MACINTOSH

£1,800

Apple's new 16-bit wonder machine, the Macintosh is actually transportable. The mouse, main unit and keyboard all pack into a fabric holdall. Built around the Motorola 68000 processor, the Macintosh comes with a Lisa-like integrated operating system. Standard RAM is 128K, expandable to 512K. Software packages already announced include Multiplan, Macpaint, Macwrite, Macterminal, two Basics and Pascal. Data can generally be copied between packages. The machine weighs 21lb. and has a compact A4 desk-top footprint, excluding the keyboard. The built-in 9in. black and white screen has 512-by-342 dot resolution. A single 3.5in. Sony microfloppy drive provides a formatted storage capacity of 400K. MS-DOS

For. Easy and fun to use. Fast. Chic.

Against. Very new.



MERLIN

and add-on external disc drives promised.

£1,690

The Merlin is actually a standard Apple IIe main board boxed up with disc drives and 5in. monochrome display. The Merlin is based around the eight-bit 6502 processor and comes provided with Apple DOS and Applesoft Basic. The machine weighs 251b. and has two TEAC 143K drives and a built-in 5in. black and white screen, with the normal Apple video output socket also available. Various options are available, mainly designed for Apple users in an industrial environment. For £1,985 the Merlin is available with 128K of bubble memory replacing one of the disc drives. A built-in 40-character wide tally-roll printer is also available. The Merlin is likely to appeal to industrial and technical users rather than the general user.

For. Complete Apple II software compatibility. Takes Apple cards. Bubblememory option available.

Against. Specialised.



OSBORNE

£995

The original ugly transportable has developed into a range of machines. The current main model is the eight-bit Z-80A based Osborne Executive — although the Osborne 1 with its 5in. screen is still available for as little as £995. The Executive has a 7in. amber screen and two 200K 5.25in. floppy drives for a price of £1,695, and weighs 28lb. With two 400K drives it costs £1,995. Standard RAM is 128K. All the Osbornes come with CP/M 2.2, the UCSD p-System, WordStar, Mailmerge, Supercalc and two Basics, and the Executive also has CP/M Plus and Personal Pearl in the price. The Osborne PC pictured here is scheduled for availability in the summer and is an 8088-based machine claimed to be IBM PC compatible with a price expected to be around £2,500.

For. Good bundled software.

Against. Fixed keyboard. Quite heavy. Very cheapest models have small screen and poor disc capacity.



PHILIPS P-2000C

£1,290

Eight-bit transportable running CP/M software from big-name manufacturer. Built around the Z-80A processor the Philips P-2000C comes in a variety of disc and software configurations, all with CP/M. The entry-level system has two 160K 5.25in. floppy drives and comes with just CP/M 2.2. A more typical business model is the 2012, with two 640K floppy drives and word-processing, spreadsheet and database software bundled in for £1,690. All models weigh around 33lb. and have a 9in. green screen which can display 512-by-252 dot high-resolution graphics. Standard RAM is 64K, expandable to 320K. The Philips P-2000C has a fairly conservative specification but represents a price breakthrough compared to Philips' previous computing efforts.

For. Not ugly. Reasonable value.

Against. Heavy.

(continued on next page)

FOR THE LOWEST PRICES AROUN PHONE 09277 68211


Checkout our complete range of printers, monitors, interfaces, ribbons, diskettes and a host of accessories

MONITORS/PRINTERS		INTERFACES	
DESCRIPTION	ORDER CODE	DESCRIPTION	ORDER CODE
KAGA MONITORS		EPSON INTERFACES	
Kaga 12" Green Monitor (Hi-Res) Kaga 12" Amber Monitor (Hi-Res)	KG12NB-N KG12NB-MN	Epson Non-Graphics Card + Cable For Apple II & Ile (Suitable for MX, FX & RX range)	EP/APP1
Kaga 12" RGB/PAL Colour Monitor (Med-Res) Kaga 12" RGB Colour Monitor (Hi-Res) Kaga 12" RGB Colour Monitor (Super Hi-Res)	K12R1X K12R2 K12R3	RGB Cable for BBC to Kaga RGB Vision Series Epson Graphics Card + Cable For Apple II & Ile (Suitable for MX, FX & RX range)	RGB/BBC EP/APP2
Kaga 12" RGB Colour Monitor for IBM PC (Hi-Res) KAGA ACCESSORIES	K12R3PC	Epson RS232 I/F Card (Suitable for FX & RX range) Epson RS232 I/F Card + 2K Buffer 75-9600 baud DTR	8143 8145
RGB Interface Card and Cable for Apple II RGB Interface Card and Cable for Apple IIe Multi-Mode RGB Colour Card for Apple II (inc. cable)	RGB/A2 RGB/A2e RGB/A24	handshake (Suitable for MX, FX & RX range) Epson RS232 I/F Card Type 3 + 2K Buffer 75-300 baud Xon/Xoff (Suitable for MX, FX & RX range)	8146
Multi-Mode RGB Colour Card for Apple IIe (inc cable) RGB Cable for Apple III to Kaga RGB Vision Series	RGB/A24e RGB/A3	Epson RS232 I/F Card + 2K Buffer (Suitable for FX/RX range)	8148
RGB Cable for IBM P/C to Kaga RGB Vision Series BROTHER PRINTERS	RGB/IBM	Epson IEEE-488 I/F Card (Suitable for MX, FX & RX range)	8161
18 cps Daisywheel Printer (Parallel) 18 cps Daisywheel Printer (Serial) Keyboard Attachment for HR15 Tractor Feed for HR15	HR15/P HR15/S KB50 TF50	Epson IEEE-488 I/F Card (Suitable for FX/RX range) Epson 2K Parallel Buffer (Suitable for FX/RX range) Epson TRS-80 I/F board (Suitable for MX, FX & RX range)	8165 8171 8120
Cut Sheet Feeder for HR15 EPSON PRINTERS	CF50	Ribbon for Epson MX80, MX82 & RX80 printers Ribbon for Epson MX100 printer	EP/R EP100/R
Epson FX80 Dot Matrix (160 cps) Epson FX80 Adjustable Tractor	FX80 FX80T	Epson – BBC Parallel Cable APPLE INTERFACES	EP/BBC
Epson RX80 Dot Matrix (100 cps) Epson RX80FT Dot Matrix (100 cps) Epson MX100 Type 3 Dot Matrix (100 cps)	RX80 RX80FT MX100	CCS Serial Interface Card Mountain Hardware CPS Multifunction Interface Card (Clock/Serial & Parallel Card)	CCS MHP-X031
Epson FX100 Dot Matrix (160 cps)	FX100	CPS Printer Cable (Please Specify)	CPS/P

EX-STOCK DELIVERY

LOW CARRIAGE CHARGES

Only £5 per Printer/Monitor (UK mainland)



PHONE 09277 68211



FOR LOWEST PRICES AROUND

Aimgram Limited, 31 Roman Gardens, Kings Langley, Hertfordshire WD4 8LG BBC B' AVAILABLE
BBC AT LOW COST

• Circle No. 256

Transportables: top 20



EAGLE SPIRIT

£2,795

A 16-bit transportable claimed to be IBM PC compatible, available in floppy- and hard-disc versions. The Eagle Spirit PC has two 5.25in. floppy drives providing 360K of storage each, while the hard-disc Spirit XT has a 10Mbyte Winchester replacing one of the floppy drives. The price of the hard-disc version is £4,200. Both models are built around the 8088 processor, and come with MS-DOS, CP/M-86 and GWBasic. Both models also have a 9in. monochrome screen offering 720-by-352 dot high-resolution graphics capacity, with a colour board fitted as standard generating an RGB signal to drive an optional external monitor. Standard RAM is 128K, expandable to 640K. The Eagle Spirit PC weighs around 30lb., with the Spirit XT slightly heavier at 33lb.

For. Good graphics. Claimed to be IBM PC compatible. Harddisc option.

Against. Heavy. Pricey.



FOX

£2,517

Fairly expensive eight-bit transportable designed to link easily into a local area network. Built around the Z-80A, the Fox comes with CP/M 2.2 so it can function happily as a stand-alone machine. It weighs 30lb. and has a 9in. green screen and two 5.25in. floppy drives giving a combined capacity of 1.2Mbyte. Standard memory is 64K. The Fox is fitted with a simple plug connector for Hinet, a local area network system from Digital Microsystems, part of the Extel group. Hinet can link up to 32 stations, which can be Foxes or other compatible machines. The Fox comes without bundled software apart from CP/M.

For. Easily connected into Hinet network.

Against. Heavy. Expensive. Only worth considering for networking.



HEWLETT-PACKARD 85B £2,554

Expensive eight-bit transportable of special interest to scientists and engineers. Built around a custom-designed HP eight-bit processor, the HP-85B comes with an HP Series 80 operating system and a very good Basic. The machine weighs 20lb. It has a 5in. screen which displays text across 32 columns, a built-in 32-column thermal printer capable of dumping screen graphics, and a 210K digital cassette drive with random-access capability. Standard RAM is 32K with another 32K, optionally expandable to 512K, configured as a silicon disc. Coupled with HP Basic's ability to handle very long strings, the silicon disc allows very rapid data transfer in data-logging applications. The HP-85B is fitted with the IEEE-4888, with many other interface options available.

For. Good Basic. HP name. Connects to a wide range of instruments.

Against. High price. Small screen. Fixed keyboard. For specialists only.



HYPERION

£2,599

Expensive but well built and compact 16-bit transportable claimed to have a high degree of IBM PC compatibility. Built around the 8088 processor the Hyperion comes with MS-DOS 1.25 and is claimed to run most IBM PC software which does not use high-resolution graphics. The price includes GWBasic and the Aladdin database package. The machine weighs under 20lb. and comes with a carrying-holdall. It has a 7in. amber screen and twin 320K 5.25in. floppy drives. Standard RAM is 256K, some of which is configured as a silicon disc. Hyperion's Canadian manufacturer issues a list of about 300 packages which run on the Hyperion — the key issue for any IBM PC compatible is whether it actually can run the IBM PC's software base.

For. Compact. Stylish and probably fairly IBM PC compatible.

Against. High price.



JONOS

£2,600

Transportable with a bewildering array of processor and disc options. The Jonos 2100 is built around the fast Z-80B processor. It comes with CP/M 2.2, Spellbinder, Spellcheck, Multiplan and Basic included in the price. This model weighs 27lb. and has two 3.5in. Sony microfloppy drives, each providing a formatted capacity of 322K. Standard RAM is 64K, expandable to 128K. The Jonos 2500 model is a similar machine but with two 5Mbyte hard discs, one fixed and one removable. It costs £4,995. Many other disc options are available. The Jonos I series models are built around the 8088 processor and claim IBM PC compatibility. The base model here is the Jonos 2150, which costs £3,395 with two Sony drives and 128K of RAM.

For. Good bundled software. Wide range of high-capacity disc options. Some models claim IBM PC compatibility.

Against. Typical transportable styling. Not cheap.

(continued on page 131)

PHILIPS

PHILIPS

Every small business can be a step ahead with The Philips Portable Computer P2000 C

The P 2000 C goes from desk to desk providing computer efficiency to many people in a small company. The P2000 C portable is easy to move and can be set up in a flash. And it is easy to use even if you have never used a computer before. A secretary can type with the P2000 C

just as with a typewriter only it's faster, easier and better. You can organize your records with it, do forecasts, projections and estimates, analyze

your costs and prices. The accountant can do his bookkeeping and billing and keep track of outstandings. In fact any business task can be done more easily and quickly.

Feature Highlights

- 1. 9" screen, 24 x 80 display, 32 KB video RAM
- 2. 64 KB RAM user memory. 256 KB RAM
- disk optional
 3. Two 5 1/4" floppy drives with up to 640 KB
- CP/M* and p-System** provide access to a large range of available software
- 5. Interfaces: serial printer, external floppy drives, hard disk, data communication, slave monitor, IEEE-488 CP/M is a trademark of Digital Research Inc.
- p-System is a trademark of Softech Microsystems Inc.

P2000 C the affordable portable. With free software. Plus SAGE Accounts Packages on Free Trial.

Contact our distributors for a list of dealers in your area.

KINGSWAY DATA 2000 C DEALERS

Chas White and Son Ltd 2.6 Curtain Road London ECIV 2AA 01 920 9831 **Harpers Computers** 71-73 Commercial Way Woking

Surrey GU21 1HN 04862 25657 C&L Computers Ltd

St John's House Grover Walk Corringham Essex 0375 675656

Anchor Computers Ltd Rovert House Station House Hucknall Notts NG15 7UD 0606 640220

De Trey Computer Services Ltd 0602 781742 272 Old Birmingham Road Rednal

Birmingham B45 8EY Midland Analytical Services Ltd Unit 4

Coppice Lane Walsall West Midlands W39 9AA 0922 58247

Anglia Telecommunicatio (Peterborough) Ltd 3A High Street Market Deeping Peterborough PEG RED 0778 346633

4B Microcentres Ltd North Bar Banbury Oxon OX16 OTF 0295 67551

Computers For Business Middle Rixdale Luton Nr. Newton Abbott Devon 0626 88247 Skytronics Ltd 357 Derby Road Nottingham Notts NG7 2D7



For Dealer Enquiries. Contact Kingsway Data, 30 Guildford St. Chertsey, Surrey. Tel Chertsey 68911



C, & EPSON SPECIALISTS!

AND LONDON, AND IBM PC IN LONDON.


THIS IS "BUY-YOURSELF-A-BUFFER-MONTH"

You'll never again have to waste time waiting for your printer! A buffer will instantly increase your efficiency, and eliminate, the frustration of waiting for a printer to finish. Now you can simply dump your printing data directly to a buffer and CONTINUE PROCES-SING! Buffers come in a variety of styles, methods, and sizes. There is a buffer available for any combination of computer/printer. If in doubt, ask our staff for advice.

MICROBUFFER IN-LINE

FOR ALL OTHER COMPUTER/PRINTER OR COMPUTER/MODEM COMBINATIONS

The Microbuffer In-line is a stand-alone printer buffer with a minimum of 32K. It is easily upgraded to 64K with four user-installed RAM chips. It can be further user-upgraded, 64K at a time, to up to 256K by adding low-cost memory





Microbuffer In-line features a front panel with three Touch Sensor controls; one to clear the buffer, one to perform complete self-test, and a copy botton to reproduce the last document up to 256 times without any computer intervention. (When a document takes several hours to prepare and a copy machine isn't available, this feature can save a great deal of time.)

Both the parallel and the serial versions can be used with virtually any computer (including TRS-80, Atari, IBM, Apple, Osborne, NEC, etc.) and any printer (including Epson, Centronics, NEC, C.Itoh, IDS, Anadex, Qume, Diablo, TI-810, etc.).

Microbuffer In-line requires no user modification of software-it installs easily, in seconds.

32K Parallel In-line £199 + VAT 64K Parallel In-line £225 + VAT 32K Serial In-line £199 + VAT 64K Serial In-line £225 + VAT

64K additional add-on (max 256K in total £116 + VAT ALL BY PRACTICAL PERIPHERALS INC.

EPSON INTERNAL PRINTER BUFFERS

These buffers go inside the printer and use its power supply. 16K Practical Peripherals Parallel (upgradable to 64K) £115 + VAT 8K Practical Peripherals Serial (upgradable to 32K) :£115 + VAT (Supports hardware handshake + XON/XOFF up to 19200 baud) 8K Wizard Parallel (upgradable to 64K) £109 + VAT

APPLE INTERNAL BUFFERS

Bufferboard docks to your existing interface, takes up one slot and using the Apple power supply.

16K Bufferboard £109 + VAT 64K Bufferboard £169 + VAT Available for Apple parallel/Epson parallel/and Grappler Interfaces.

BUFFERED INTERFACES

Combined printer interfaces and buffers, taking up one slot and using the Apple power supply.

16K Buffered Grappler Parallel £179 + VAT

16K Microbuffer II Parallel £139 + VAT

16K Microbuffer II Serial £139 + VAT

16K Gram Serial/Parallel £129.95 + VAT

64K Gram Serial/Parallel £218 + VAT



Peter Fisher of Pete & Pam says "I've been using a Macintosh for a couple of weeks now. The machine is excellent. It's fast, using a 32/16 bit 68000 processor, and has many superb features, employing software techniques that are years ahead of competitors. The mouse pointer and "pull-down" menus make the machine one of the easiest to learn I have come across. I recommend that every potential purchaser of a micro computer for personal/business/office use see the MACINTOSH before making a decision. Ask for a copy of a 10 page review now.



BASE FINE FLEXIBLE DISKS WHOLESALE

If you're a computer dealer, and want the best disk media at the best price - call us. We offer fast shipments and competitive prices on a whole range of disk media.

10 Disks for the price of 9! Single Sided Single Density suitable for Apple.

10 for £16.11 + VAT 100 for £148.50 + VAT Double Sided Double Density suitable for IBM PC.

10 for £24.75 + VAT 100 for £225.00 + VAT Double Sided 96tpi suitable for Sirius/Victor. 10 for £30.60 + VAT

100 for £279.00 + VAT whole range of other disks available - ring for details. 5¼" Disk Boxes £1.95 + VAT

5¼" Head Cleaning Kits £15.95 + VAT

System requirements: one continuous uses your hard co is compatible copy to series. -Epson 3. Sideways, the i to print out — ed never fall off the 1 ö — Parallel/Serial printer i MX-80/100, FX-80/100. C. Itoh spreadsheet programs such as Lotus 1-2-3, you guessed 1 IDS Prism, interface. 10. – IBM sed it your d it printer 460 or 560 e software points sideways. Graphics

• Circle No. 160

Head Office: NEW HALL HEY ROAD, Rossendale, Lancs., BB4 6JG el: (0706) 212321 & 227011 Telex: 635740 PETPAM G

London Office: 1, GLENEAGLES ROAD, London, SW16 6AY Cel: 01-769 1022 &01-677 7631 Tlx: 923070 PPCOMP G



PRICES DO NOT INCLUDE VAT

E49.49 + VAT

Supercalc, as

as most word


with

Lines open for orders 8 a.m. - 6 p.m. Mon - Fri (Lancs) 9 a.m. - 6 p.m. Mon - Fri (London) 9.30 a.m. - 3 p.m. Sat (both offices)



. So your





Printer

PETE & PAM-THE APPLE, IBN

AUTHORISED FOR APPLE SALES IN LANCASHIR

THE APPLE PROFESSIONAL HOME COMPUTER



Pete & Pam distribute Apple 8 bit products to a network of approved Pete & Pam dealers. If you feel that you come up to the high standard of dealership required, apply now. It could be the start of a profitable relationship!

YOU GET:

An Apple IIe. - Disk Drive with Controller. TV Modulator (Colour and Sound). - Exclusive Apple Bag. Plus MONEY OFF VOUCHERS FOR:

£25 off Apple He Monitor (£149 + VAT). £25 off 1 of the Apple discovery games.

or Apple Logo - or Applewriter IIe - or Quickfile IIe.

46% off Micronet 800 Service a saving of £79.95 which includes:

 British Telecom Jack Plug Installation, Communications Card.
 Postage/Packing/Insurance.

1 days FREE training at an Apple Training Centre Value £100. Various Vouchers for money off Pete & Pam distributed software. £999 including VAT

Get into Personal computing in a big way!

Rental RENTAL **RENTAL Rental**

Want to rent an Apple?

Or an IBM PC...a QX10... a Printer or anything else you can think of? Call either of our offices for a quote – from one machine to fifty, from one day to a thousand years.

(CABLES UNLIMITED "

We can make any cable to your specifications. Our "Cables Unlimited" staff will cut and solder to sort out your cable problem - fast!

SOFTWARE WHOLESALE

Pete & Pam distribute a wide range of computer software to discerning computer dealers throughout the world.

We offer computer dealers the best prices and support on a whole range of products, from publishers such as Ashton Tate, Microsoft, Micro Pro, Software Publishing and Softword Systems (Multimate IBM PC). You may not be getting the best deal from your present hard-selling distributor, no matter how big the name and reputation. Call us now, it could be the start of something good.

APPLE IN EDUCATION: SPECIAL NOTICE OF GREAT INTEREST TO UNIVERSITIES, COLLEGES, POLYTECHNICS, ITEC'S, SCHOOLS, YOUTH TRAINING SCHEMES

As part of a Pan-European incentive scheme, Apple are offering very substantial discounts to educational users of all Apple equipment except Apple Ile bundles, Lisa, and Apple 32. The offer starts in January and ends 31st March, 1984.

PLEASE CONTACT US NOW FOR DETAILS — DISCOUNTS UP TO 40% ARE AVAILABLE! — MAKING THE APPLE IIE EVEN GREATER VALUE FOR MONEY!



Crosstalk

The crosstalk 16 XVI communications package emulate many other terminals. It can capture data and transfer data files with error checking.

You can instruct it to call up "LOG IN" and "S" commands to another computer. It is simple to operate and has a "help" facility. It is fast and comes set-up to operate on IBM 3101, DEC VT 100, ADDS Viewpoint, Televideo 910/920. Supports IBM RC and ACT SIRIUS.

£134.48 + VAT

PRINTERS - WHOLESALE

Pete & Pam distribute EPSON, OKI, and other fine printers to computer dealers throughout the country. If you're a computer dealer and haven't yet discovered the advantages in buying from Pete & Pam, give our sales staff a call NOW. We pride ourselves on excellent prices, fast delivery, top class technical support and service facilities. You've nothing to lose and



KAYPRO. OUR WINCHESTERS HAVE BEEN WINNING THE WEST.



Winchester Disks. That's the short answer why the Kaypro 10 professional computer is rving out big market territory for itself in the U.S. ten

YPRO 10 £2595

9" screen that's easy on the eye.

Megabytes of integral hard disk storage give it the edge over other systems in its price bracket.

And because the Kaypro is truly portable you can take it out into the field with you to tackle the big challenges head on: production

heduling, sales performance nalysis, technical processing or wherever real memory prage is vital.

More bang for your buck of the only reason why the

of the only reason why the aypro 10 and the floppy disk

Packs away into a light steel carrying case.



Kaypro 2 and 4 make sense for every business that's going places. There's a 9 inch screen, a stylish alphanumeric keyboard and access to a whole world of standard software (with a FREE get-you-

started set of software applications including word processing and financial spread sheet).

Find out more about the portable system you won't outgrow from your Kaypro dealer. Or cut out the coupon for more details. The Kaypro range starts at £1,395.

To CK Computers, sole UK distributors of Kaypro. • Circle No. 159 Please send me more details of the Kaypro range.

Name _____

Address _____

Name _____

_Tel. no: _

6 Devonia House, High Street, Worle, Weston-Super-Mare, Avon, U.K. Tel: Weston-Super-Mare (0934) 516246. Telex: 45786.

CK Computers Limited



Transportables: top 20



APRICOT

£1,690

Competitively priced, compact, 16-bit semi-transportable with good range of software available. Built around the 16-bit 8086 processor. The Apricot price includes Supercalc and Superplanner, MS-DOS 2, CP/M-86, Concurrent CP/M-86, two Basics and various utilities. The machine packs up into two units — the system box and keyboard, together weighing 17.5lb., and the separate 9in. green screen which weighs 9lb. The entry-level Apricot has one Sony 3.5in. microfloppy drive providing 315K of storage; for £200 more the system comes with a second drive. Standard RAM is 256K, expandable to 768K. The Apricot is very similar in software terms to the ACT Sirius, and a good range of business application packages are available for it.

For. Compact. Stylish. Good software availability. Lots of internal memory.

Against. Disc access seems slow. Takes two hands to carry.



COLBY

£995

The ultimate portable for IBM PC compatibility: the Colby is simply a box ready to accept genuine IBM components taken from an IBM PC. For your £995 you get the portable case already fitted with 9in. amber screen, video controller and power supply, and the Colby keyboard which also functions as a lid when the system is packed up. Any missing bits can be taken from a cannibalised PC or bought from an IBM retail centre. IBM will supply the necessary components to endusers but you usually have to wait about 10 weeks. You require the PC main board, which costs about £355, two half-height drives, £375, the disc controller, £150, and a monochrome video/printer board, £247. The assembled system weighs 26lb.

For. The only genuine 100 percent IBM PC compatible portable.

Against. Heavy. Not cheap. Delay likely in getting IBM components. Not a straightforward consumer purchase.



COLUMBIA VP

£2,475

A 16-bit transportable claimed to have a high degree of IBM PC compatibility. Built around the 8088 processor the Columbia VP comes with MS-DOS 1.5, CP/M-86, various utilities and the Perfect range of application software, Perfect Writer, Perfect Speller, Perfect Filer and Perfect Calc. The machine weighs a hefty 32lb. and has a 9in. amber screen. The screen can display 640-by-200 dot high-resolution graphics. Twin 5.25in. floppy drives provide 320K of storage per drive. Standard RAM is 128K, expandable to 256K. One internal expansion slot is claimed to have IBM PC plug compatibility.

For. Good bundled software. Claimed to be IBM PC compatible.

Against. Heavy. Pricey.



COMMODORE SX-64

£778

Eight-bit transportable derived from the Commodore 64 home micro. Built around the 6510 processor the SX-64 is identical in software terms to the Commodore 64. Easifile, Easiscript, Future Finance and the High Flyer business game come with the system. The machine weighs 25lb. and has a built-in 5in. colour screen and a 5.25in. floppy drive, capacity 174K. The SX-64 also has a cartridge port, so it can accept Commodore 64 software on disc or cartridge, but it lacks a cassette interface. Standard RAM is 64K, expandable to 256K. An optional Z-80 CP/M card is available but the SX-64 is still an unconvincing business machine. The small screen only displays text across 40 columns, and looking at text soon becomes tiring.

For. Colour display useful for graphs and games. Serial port.

Against. No cassette port. Display unsuitable for business text applications.



CORONA PORTABLE PC £2,295

Another 16-bit transportable which claims IBM PC compatibility. Built around the 8088 processor the Corona portable PC comes with MS-DOS 1.25, the Multimate WP package. PC Tutor tutorial package and GW Basic. The machine weighs 30 lb. and has a 9in. green screen capable of displaying 640-by-325 dot high-resolution graphics. The entry-level machine has one 5.25in. floppy drive, capacity 320K. The twin-drive model costs an extra £330. A 10Mbyte hard disc which fits inside the case is also available. Standard RAM is 256K, expandable to 512K. Four expansion slots are provided, which are claimed to have IBM PC plug compatibility.

For. Good graphics. Claimed to be IBM PC compatible.

Against. Heavy. Pricey.

(continued on page 129)

Ugly ducklings

lan Stobie introduces our top 20 selection, and raises some doubts about the future of heavy, mains-powered transportable micros.

MAINS-POWERED transportable computers are generally pretty unpleasant looking things, and, if the truth be told, generally fairly difficult to move too.

The transportable provides all the elements of a complete computer system, though usually not a printer. Screen, disc drives, keyboard and processor board are simply shoved into a box with a carrying handle on it, and a single power cable coming out of the back.

The concept of an all-in-one package has prompted most transportable manufacturers to bundle in software with their systems. Often this provides very good value for the purchaser. Most transportables run either standard CP/M or MS-DOS, so abundant business software is available to supplement packages supplied with the system.

Budget buys

Software bundling is less common with static desk-top office systems, while the chic new battery machines are handicapped by non-standard operating systems or use some weird mass-storage system in place of standard disc drives. The transportable is really putting itself forward not for its rather debatable degree of portability, but as a good budget business system.

The plasticky-looking but reliable Zorba transportable, for instance, comes with



good-quality word processing and spreadsheet packages for £1,395, and accepts discs produced on a variety of other machines. The £1,000 Wren looks ugly but it comes with some of the same software packages and has a BT-approved built-in auto-dial modem, making it suitable for use as a Prestel terminal as well as a standard business machine.

Nonetheless, these budget workhorses are likely to be a fairly transitory product category. The present mains-powered transportable concept is being squeezed by the growing capabilities of battery portables. This pressure is likely to be

increased when BT approval for equipment that connects directly to the phone lines starts coming through, and computer applications which the truly mobile battery portable is better able to handle start taking off in the U.K.

Meanwhile the ordinary stay-at-home office machine looks likely to begin mutating into a transportable. The Macintosh and the Apricot represent the beginnings of this development. The Macintosh is intended for common office tasks and has been carefully designed to sit compactly on the desk top. But while they were at it, Apple's engineers made the Macintosh into a transportable computer as well, and a very elegant one.

When the requirement dictates a compact main unit, perhaps using Sony microfloppy disc drives, with a single power cable to make the system easy to set up, then little extra effort is needed to come up with a transportable system, which is what Apple did. The Macintosh at 21lb. is lighter than the majority of machines in this survey, while at the same time it embodies what many people regard as the state of the art in easy-to-use computing.

Our top 20 selection starting on the next page obviously leaves out some quite adequate machines. In particular those which have made little market impact, and American models not available on this side of the Atlantic, are not included.

Suppliers

Apricot: ACT (U.K.) Ltd, Shenstone House, Dudley Road, Halesowen, West Midlands B63 3NT. Telephone: 021-501 2284

Colby: Microware (London) Ltd, 637 Holloway Road, London N19 5SS. Telephone: 01-272 6398

Columbia VP: Icarus Computer Systems Ltd, Deane House, 27 Greenwood Place, London NW5 1NN. Telephone: 01-485 5574

Commodore SX-64: The Commodore Information Centre, 675 Ajax Avenue, Slough, Berkshire SL1 4BG. Telephone: (0753) 79292

Corona: Midlectron Ltd, Midlectron House, Nottingham Road, Belper, Derby DE5 1JQ. Telephone: (077382) 6811

Eagle Spirit: Geveke Electronics Ltd, RMC House, Vale Farm Road, Woking, Surrey GU21 1DW. Telephone: (04862)

Fox: Digital Microsystems Ltd, Molly Millers Bridge, Molly Millers Lane,

Wokingham, Berkshire RG11 2PQ. Telephone: (0734) 793131

HP-85B: Hewlett-Packard Ltd, PC Group, King Street Lane, Winnersh, Wokingham, Berkshire RG11 5AR. Telephone: (0734) 784774

Hyperion: Gulfstream Computer Group, Unit 3A, Tunnel Estate, 726 London Road, West Thurrock, Grays, Essex RM16 1LS. Telephone: (04026) 4926

Jonos: Jonos International Ltd, 5 The Curfew Yard, Thames Street, Windsor, Berkshire SL4 1PL. Telephone: (07535) 54272

Kaypro: CK Computers Ltd, Estover Close, Industrial Estate, Plymouth, Devon PL6 7PL. Telephone: (0752) 780311

Macintosh: Apple Computer (U.K.) Ltd, Eastman Way, Hemel Hempstead, Hertfordshire HP2 7HQ. Telephone: (0442) 60244

Merlin: Xcalibur Computers Ltd, Spencer House, 3 Spencer Parade, Northampton NN1 5AB. Telephone: (0604) 21051

Osborne PC: Osborne Computer

Corporation (U.K.) Ltd, 38 Tanners Drive, Blakelands, Milton Keynes MK14 5LL. Telephone: (0908) 615274

Philips P-2000C: Kingsway Data Systems Ltd, 30 Guildford Street, Chertsey, Surrey. Telephone: (09328) 68911

Pied Piper: Semi-Tech Microelectronics (Europe) Ltd, 145-147 Ewell Road, Surbiton, Surrey KT6 6AW. Telephone: 01-390 6177

Sord M-23P: Socius Computer Systems (U.K.) Ltd, Samuel House, St. Albans Street, Haymarket, London SW1Y 4SQ. Telephone: 01-930 4214

Teletote: Televideo Systems International Ltd, Silbury Court, 372 Silbury Boulevard, Witan Gate East, Milton Keynes MK9 2AF. Telephone: (0908) 668778

Wren: Prism Business Systems Ltd, Prism House, 18-29 Mora Street, London EC1V 8BT. Telephone: 01-253 2277

Zorba: Sun Computing Services Ltd, Concorde House, St. Anthony's Way, Feltham, Middlesex TW14 0NH. Telephone: 01-890 1440

WHAT RESOLUTION FOR ONLY £230.



Our RGB high resolution colour monitors (580 × 470 pixels) sell for £229.95 (excluding VAT)—a saving of over £100 compared to other leading monitors of similar specifications.

That's a bargain we guarantee you won't see from

any other micro retailer.

We've managed to acquire the sole distribution rights enabling us to offer these superb monitors at this unbeatable price.

And just because you're saving on price doesn't mean you're sacrificing quality. Here's what Personal Computer News had to say about our monitors.

"There is no doubt that the JVC range of ECM colour monitors is excellent value for money...there is no loss in quality of picture after long periods...remember as more and more resolution is available with new micros, the need for a better display will be that much greater."

For those who only require medium resolution we also have a model (370 × 470 pixels) at £149.95 (excluding VAT) which is equally excellent value for money.

Both units have a 14" screen and are suitable for the BBC Micro, Spectrum QL, Lynx, Oric, Apple, IBM and

MODEL REFERENCE	1302-2 High Resolution	1302-1 Medium Resolution
RESOLUTION	580 x 470 Pixels	370 x 470 Pixels
C.R.T.	14"	14"
SUPPLY	220/240v. 50/60Hz.	220/240v. 50/60Hz.
E.H.T.	Minimum 19.5kv Maximum 22.5kv	Minimum 19.5kv Maximum 22.5kv
VIDEO BAND WIDTH	10MHz.	6MHz.
DISPLAY	80 characters by 25 lines	80 characters by 25 lines
SLOT PITCH	0.41mm	0.63mm
INPUT: VIDEO	R.G.B. Analogue/ TTL Input	R.G.B. Analogue/ TTL Input
SYNC	Separate Sync on R.G.B. Positive or Negative	Separate Sync on R.G.B. Positive or Negative
EXTERNAL CONTROLS .	On/off switch and brightness control	On/off switch and brightness control

most other leading micros.

And naturally there's a years full guarantee.

Another one of our commitments is to make certain we deliver your monitor by courier within ten

days of receiving your order.

You can order by filling in the coupon below and posting to: Opus Supplies Ltd., 158 Camberwell Road, London SE5 0EE. Or by telephoning 01-701 8668 quoting your credit card number. Or, of course, you can buy at our showroom between 9.00–6.00pm, Monday–Friday 9.00–1.30pm, Saturday.

Now available from John Menzies.

To: Opus Supplies Ltd., 158 Camberwell Road, London SE5 0EE. Please send me:		
High Resolution Colour Monitor(s) at .£229.95 each (ex. VAT).		
Medium Resolution Colour Monitor(s) at £149.95 each (ex. VAT).		
Connection lead(s) at £6.00 each.		
I understand carriage per monitor will cost an extra £7.00. (N.B. A High Resolution Monitor including VAT, lead, and carriage costs £279.39. A Medium Resolution Monitor including VAT, lead and carriage costs £187.39).		
Ienclose a cheque for £Or please debit my credit card		
account with the amount of &My Access/Barclaycard		
(please tick) no. is		
Please state the make of your computer		
Name		
AddressObus.		
Telephone:Opus Supplies Ltd.		
PC6		



When you have an enormous memory there's no end to the things you can do.

	Please send me further information on: the 64 computer ☐ 64 software ☐ disk drive ☐ cassette unit ☐ printers ☐ monitor ☐
	Name (Mr. Mrs. Miss)
_	Address
O consecutives ()	Send to: The Commodore Information Centre, 675 Ajax Avenue, Slough, Berkshire SL1 4BG. Or telephone (0753) 79292.
	C commodore
	6SPC00484

WHAT RESOLUTION FOR ONLY £230. (EX.VAI)



Our RGB high resolution colour monitors $(580 \times 470 \text{ pixels})$ sell for £229.95 (excluding VAT)—a saving of over £100 compared to other leading monitors of similar specifications.

That's a bargain we guarantee you won't see from any other micro retailer.

We've managed to acquire the sole distribution rights enabling us to offer these superb monitors at this unbeatable price.

And just because you're saving on price doesn't mean you're sacrificing quality. Here's what Personal Computer News had to sav about our monitors.

"There is no doubt that the JVC range of ECM colour monitors is excellent value for money...there is no loss in quality of picture after long periods...remember as more and more resolution is available with new micros, the need for a better display will be that much greater."

For those who only require medium resolution we also have a model (370 × 470 pixels) at £149.95 (excluding VAT) which is equally excellent value for money.

Both units have a 14" screen and are suitable for the BBC Micro, Spectrum QL, Lynx, Oric, Apple, IBM and

MODEL REFERENCE	1302-2 High Resolution	1302-1 Medium Resolution
RESOLUTION	580 x 470 Pixels	370 x 470 Pixels
C.R.T.	14"	14"
SUPPLY	220/240v. 50/60Hz.	220/240v. 50/60Hz.
Е.Н.Т.	Minimum 19.5kv Maximum 22.5kv	Minimum 19.5kv Maximum 22.5kv
VIDEO BAND WIDTH	10MHz.	6MHz.
DISPLAY	80 characters by 25 lines	80 characters by 25 lines
SLOT PITCH	0.41mm	0.63mm
INPUT: VIDEO	R.G.B. Analogue/ TTL Input	R.G.B. Analogue/ TTL Input
SYNC	Separate Sync on R.G.B. Positive or Negative	Separate Sync on R.G.B. Positive or Negative
EXTERNAL CONTROLS	On/off switch and brightness control	On/off switch and brightness control

most other leading micros.

And naturally there's a years full guarantee.

Another one of our commitments is to make certain we deliver your monitor by courier within ten days of receiving your order.

You can order by filling in the coupon below and posting to: Opus Supplies Ltd., 158 Camberwell Road, London SE5 0EE. Or by telephoning 01-701 8668 quoting your credit card number. Or, of course, you can buy at our showroom between 9.00–6.00pm, Monday–Friday 9.00–1.30pm, Saturday.

Now available from John Menzies.

To: Opus Supplies Ltd., 158 Camberwell Road, London SE5 0EE. Please send me:
High Resolution Colour Monitor(s) at £229.95 each (ex.VAT).
Medium Resolution Colour Monitor(s) at £149.95 each (ex.VAT).
Connection lead(s) at £6.00 each.
I understand carriage per monitor will cost an extra £7.00. (N.B. A High Resolution Monitor including VAT, lead, and carriage costs £279.39. A Medium Resolution Monitor including VAT, lead and carriage costs £187.39).
Ienclose a cheque for ₤Or please debit my credit card
account with the amount of £My Access/Barclaycard
(please tick) no. is
Please state the make of your computer
Name
Address
Telephone: Opus Supplies Ltd.

CP M SOFTWARE CENTRE

MAKE THE MOST OF YOUR MICRO WITH THESE QUALITY PACKAGES

MULTIPLAN Microsoft's new advanced feature Electronic Worksheet, a new generation of spreadsheet programs. Features include linking of worksheets; alphanumeric sort facility; special text capabilities for dependent display and formatted printing.

£190 ×

Tremendous benefits to aid business people – professional, small business and large company management.

THE FORMULA Not just a Data Management System, but a fully functional Configurable Business System. The fastest way to build an application system. Free format reports, multiple file access and field updates. From Accounting through Stock Control and Personnel to Mailing and Membership systems without resorting to conventional programming languages – easy to create, easier to maintain



and expand.

Telesystems Ltd

P.O. BOX 12, GREAT MISSENDEN, BUCKS, HP16 9DD. Tel: (02406) 5314

ASCOM Open up the world of telecommunications: Connect CP/M micro to CP/M micro, mainframe or mini timesharing systems; transfer files and programs between micros; control remote micros using ASCOM. Menu driven with on-line Help facility. (Also for CP/M-86, MSDOS, IBM-PC.)

GEEST SSP

Full Function statutory sick pay system



CARDBOX 135
SUPERCAL 195
BASIC-80 INTERPRETER 240
MBASIC-80 COMPILER 271
FORTRAN-80 343
COBOL-80 455
COBOL-80 455
COBOL-80 455
COBOL-80 455
COBOL-80 515
MAGSAM 199
COBOL-80 155
CASAIC 156
CBASIC 156
CBBO 156
CBASIC 156
CBBO 1

MS 120 UTINES 120

• Circle No. 158




Don't let software give you a hard time, get the user guide to microcomputer software.

The PC EXPRESS Accelerator Board for the IBM PC and XT or ACT Sirius 1 and Victor 9000 computers

With Free RAMOS software

You can treble the speed of your computer and expand it's memory up to 640K with the IBM version or up to 512K of fully socketed memory with the Sirius version. PC Express upgrades your computer to a true 16 bit machine with its own advanced 10 MHZ, 8086 microprocessor. Both boards are totally compatible with All Hardware All Software All Operating systems—without modification and are fully user expandable.



RAMOS

RAM Operating System for IBM and Sirius

A revolutionary new concept from Intelligence Research that extends the power of your DOS – dramatically speeding up input and output. Includes disk caching, psuedo (memory) disk and print buffering. Combine RAMOS with PC Express to give your machine mainframe capabilities.

IBM MULTIFUNCTION Board


An invaluable asset to the professional user

- Occupies only one of your valuable slots.
- Two RS232 serial communications ports for use with modems or extra printers and terminals.
- A centronics parallel I/O interface port which directly matches the IBM printer adapter.
- More memory. Up to 512K of parity checked RAM.
- Real Time Clock, battery powered.



More Power

for IBM, Sirius/Victor and Apple computers



HyperRAM Memory Boards for IBM PC and XT, ACT Sirius 1, and Victor computers

With Free RAMOS software

HyperRAM, the flexible solution. IBM version available with 64K, 128K, 192K, , 256K, 384K or up to a full 512K of memory installed. User expandable and full parity generation and checking.

Sirius/Victor version with either 128K, 256K, 384K or a maximum 512K fully socketed memory. User expandable.

Apple II and IIe Memory Expansion Boards

With Free software


All the memory you need and more! Available with 64K, 128K, 256K or 384K and fully user expandable.

Apple lie EXCEL-80 Card

The EXCEL-80 card is an 80 column display board which can be enhanced by the addition of 64K auxiliary RAM.
A unique feature of the EXCEL-80 is that it can be simply and instantly upgraded by plugging chips straight onto the board. No soldering or track cutting is required.

Software

- Re-locates DOS from normal memory to RAM card freeing approximately 10K of usable memory.
- Psuedo memory disk drive uses RAM card memory to emulate a disk drive at greatly increased speed. The capacity of the pseudo disk drive can be set from 64K up to 384K.



Quality Products — Advanced Technolog

Designed and manufactured in Britain by Europe's premiere innovator of microcomputer enhancement boards.

For further details contact: Intelligence Research Limited, FREEPOST. London SW18 4BR.


01-871 1422

or contact your local dealer.



When you have an enormous memory there's no end to the things you can do.

	Please send me further information on: the 64 computer □ 64 software □ disk drive □ cassette unit □ printers □ monitor □ Name (Mr. Mrs. Miss)	
	Address	
O constant of the second	Send to: The Commodore Information Centre, 675 Ajax Avenue, Slough, Berkshire SL1 4BG. Or telephone (0753) 79292.	
Simmon 9	Ccommodore	
	6SPC00484	



The problem with buying a home computer, as you may already have discovered, is there's often very little software to go with it. Or all that is available is games, games and more games.

There's no such problem, however, with the Commodore 64. It has a more extensive range of serious software than any other home computer.

It also has an unusually large (in fact elephantine) 64K memory, as well as every peripheral you're ever likely to need.

Put simply, this means the computer has the capacity to run more interesting, entertaining and complex programs.

You can teach yourself just about any subject

you care to mention, even computer programming

And for the office there are programs like word processing, financial planning, information storage and stock control.

Finally, when you're mentally exhausted, you can even entertain yourself – yes, with games.

When all's said and done, however, we do have to admit that in one respect the Commodore 64 isn' up with the competition. It costs around £229, much less than any comparable machine.

And that's a fact we hope you'll never ever forget.

The right software for your application from



£45



COMPUTECH FINANCIAL ACCOUNTING PACKAGES

Payroll £375 £295 Invoicing and Stock Recording Sales, Purchases and General Ledgers each £295 Also costing and group consolidation

COMPUTECH UTILITIES DISK

for reliable error checking copying, diskette scan, interpret and patch, etc £20 VisiCalc, Applewriter and other Apple software (Prices on request)

COMPUTECH CHAIN MAIL

A mailing merging document processor which may be used with text files, including random files and Applewriter 1.1 binary files

COMPUTECH GRAPHICS DISK

for printing Apple pictures and graphs on Epson and Microline (free with printers purchased from Computech)£30

COMPUTECH TERMINAL UTILITIES

Apple to Apple and Apple to mainframe


computed hardware...just plug it in and go switches and jumpers provide hardware options without soldering



168 Finchley Road, London NW3 6HP. Tel: 01-794 0202

The Apple logo is a trade mark of Apple Computer Inc. VisiCalc is a trade mark of VisiCorp. Circle No. 155

Explore the Personal Computer Age at the NEC Birmingham



May 4-May 4-Open 10 am-6 pm daily 10 am-5 pm Monday To see the very latest in microcomputers, peripherals, accessories and software visit the Midland Computer Fair.

Whether you already own a microcomputer, or are about to buy one, the show will be the best place to try the products with expert advice close at hand.

For business users the Midland
Computer Fair really is a must with hardware, software and ancillary products all on show.

Entry to the show is FREE to bona fide businessmen upon production of a business card. Normal admission price is £2.50.

Midland

For further information contact: The Exhibition Manager, The Midland Computer Fair, Reed Exhibitions, Surrey House, 1 Throwley Way, Sutton, Surrey SM1 4QQ.

Sponsored by

Practical

Computing

YOUR

COMPUTER

We kid you not.

The uninitiated can be led a merry dance by the bewildering choice of accounting programs currently on offer.

But don't put your foot in it by assuming that a high price guarantees you high efficiency.

You can, if you really wish, pay £1,000 or more for a sprawling, highly complicated, 4 – 7 disk monster, with a manual you can't lift without a course of weight training, or understand without a brain transplant. Alternatively, for just £375, you can discover the unique simplicity of SAGE.

SAGE produce an accounting program which is truly integrated and uses only one program and one data diskette.

- Sales and Purchase Ledgers.
- Nominal Ledger, Cash Book.
- Journal Entries,
 Trial Balance,
- VAT Return, Monthly and Annual Accounts. ● Age Analyses.
- Statements and Audit Trail every accounting function you need in one compact and comprehensive package. The SAGE program is also widely used for Incomplete Records Accounting (without requiring modification). It can therefore be used by practising accountants for both functions. Its efficiency is built on simplicity—and its simplicity accounts for the price.

The SAGE accounting program is easy to learn and easy to use, with a short, clear and simple manual.


It's fully automatic – which means no shuffling through the program to find the section you need.

It's complete and selfcontained – no expensive modules to buy every time you need an extra function.

It's suitable for use on CP/M or MS-DOS machines and has so far been implemented on Osborne, Superbrain, Epson QX-10, Sirius, Victor 9000, IBM PC, BBC/Torch Z80 and ITT with others in the pipeline.

What's more, the SAGE accounting program has been successfully tested in hundreds of installations and is the only system of its type—is as effective in a oneman business as in a multi million pound corporation.

Check it out and we'll prove to you that software doesn't have to be expensive to be efficient. Return the coupon and we'll send you more information and the name of your nearest dealer.



Operating systems: Pick

(continued from previous page)

microcomputer users is that it allows a machine with relatively modest amounts of storage — say 128K — to run as many as 12 active terminals at once. Provided they do not all want to carry out work at once, the natural optimisation of the virtual-storage concept will allow high utilisation from relatively small machines.

User interface

Apart from the report generator, the main user interface provided by Pick is the Terminal Control Language, TCL. It consists of over 200 utilities, some of which are used to maintain and tidy up the central database. Additionally, users can set up procedures consisting of lists of the commands made available by the Pick system. These commands provide the main way of controlling the operation of the system, and can be stored in procedures. The procedures can then be passed to the TCL utilities or to the other Pick facilities.

Pick includes an editor within which any element of data, including dictionary items, can be modified. It has full system accounting which provides details of CPU usage, pages printed and so on. There is a very powerful spooler which can handle 600 print files on up to 16 attached printers. It caters for multiple copies, immediate

Suppliers

Pick is relatively new to the U.K. so the number of products now available is fairly limited. Probably the most significant are an implementation on the IBM PC from IDM, and the Crystal 68000 series from Aston Technology.

- Interactive Data Machines, Scawthorpe Hall, Great North Road, Doncaster, South Yorkshire.
 Telephone: (0302) 786677. Provides a Pick look-alike front end to PC-DOS for the IBM PC; also Apgen, a bridge between Unix and Pick.
- Aston Technology, Aston Science Park, Love Lane, Birmingham B7 4BJ.
 Manufactures the Crystal 68000 series, available with Pick as standard; also System Builder, an application generator based around Pick.
- Altos Computer Systems, Manhatten House, High Street, Crowthorne, Berkshire. Pick available on 536/10/40 range of computers.
- Consultants (Computer & Financial) plc, 2-12 Wilson Street, London EC2M 2TE. Various software packages running under Pick: shipbroking, commodity trading, stockbroking, investment management.
- Computer Factor (Sales) Ltd, Marshall House, Manor Road, Coventry CV1 2GF. Mailbrain II mail order processing on Pick machines.
- EDP Systems, 1 Tapton Park Road, Sheffield 10, South Yorkshire. Large number of commercial Pick-based packages available.

or delayed printing and spooling to tape.

The Pick security system provides options for the protection of accounts, files, commands and even devices. Pick provides a word processor called Jet, a text processor called Runoff, and a specific form of Dartmouth Basic called Databasic. This enhanced Basic compiler generates reentrant code, includes programmer-development aids, a high-level interface to the relational database, direct output to the spooler and access to the query language.

This year should see the arrival of the

long-awaited rewrite of Pick called Release 84. One of the innovations to be found in the new release will be a C compiler which should allow other operating systems such as Unix to run under Pick.

Although Unix will always find a home in many of the computers of the future, the attractive features of Pick mean that it too will create its own niche. In particular, its high degree of user-friendliness will ensure that large numbers of software suppliers will adopt it to cater for non-specialist users.

14:37 14 FEB 1983

A simple enquiry ...

PAGE 1

LIST PERSONNEL WITH AGE > "23" NAME BIRTH DATE SALARY DEPT

... produces a report in the following form ...

RECORD	NAME	DATE OF BIRTH	DEPARIMENT	SALARY
317	JONES D A	14 JAN 1951	QUALITY CONTROL	11800
1412	MORRISON B	01 MAR 1947	QUALITY CONTROL	8500
113	FAIRCLOUGH A B	31 DEC 1958	PLANNING	4750
1123	JONES D K	15 MAR 1931	QUALITY CONTROL	8750
882	SMITH B W	03 MAY 1949	PLANNING	11200
1417	MYERS J	21 JUL 1943	QUALITY CONTROL	8500
1110	JONES A F	12 FEB 1946	QUALITY CONTROL	8750

or you could use more complex enquiry to produce a more structured report:

SORT PERSONNEL WITH AGE > "25" AND WITH SALARY BETWEEN "5500" AND

"11500" BY DEPARIMENT BY SALARY BY AGE BREAK-ON DEPARIMENT TOTAL

SALARY NAME AGE HEADING "PENSION FUND MEMBERS WITH SALARY IN RANGE

5500 TO 11500" LPTR

IDM's Revelation is a Pick look-alike for the IBM PC. One of its most important features is a general-purpose retrieval language.

The man and his product

The Pick operating system was written by Dick Pick in the late 1960s. At the time Pick was working for TRW, having left Berkeley with an MBA, and having spent some time with Mattel Toys as a programmer. TRW had just been commissioned to develop a sophisticated database-management system to keep track of the Cheyenne helicopter project and set out to build a computer architecture geared towards data management and information retrieval.

There was at the time no definitive hardware specification, so the team built what Pick calls a "software machine". The result was a sophisticated data-retrieval and query system. By the early 1970s, this had been surrounded by an operating system that had many of the features that are so distinctive of Pick. They included its built-in relational database, variable-length data organisation, integrated word processor and a whole range of end-user and programmer tools.

The first major implementation of the complete Pick system came out as long ago as 1973, as Reality on Microdata hardware. Things have been quieter since then, but now there are over 20,000 users world-wide and a new product base built round the 68000 chip. Implementations are either here or due on most IBM machines from the PC to the large mainframes, and there is a growing band of vociferous supporters advocating its use.

Dick Pick himself has always had the reputation of a maverick within the computer industry. Even now, with a product that appears about to take off in a massive way, he is often said to appear somewhat wistful for the good old days of assembler programming. Dick Pick must take a lot of the blame for his operating system having been undersold in the past. He is unlikely to become the archetypal marketing executive, but the future of his creation seems assured nonetheless.

Operating systems: Pick


Non-procedural languages

The availability of powerful reporting facilities such as that provided under Pick means that, for microcomputer users, the conventional balance between package software and home-grown programs is radically altered. Hitherto it has been difficult to justify the expense of writing software. Not only is it a time-consuming and costly task, it requires end-users to delve into their computers. The use of non-procedural languages and tools against a background of a relational database as provided with Pick, now enables users to tell a computer what to do rather than how to do it. Thus it becomes possible for a user to write programs without first having to become a programmer.

Normal programming languages such as Cobol and Basic are termed as procedural languages. The name implies the necessity to code out a program in full detail. The program then directs the computer as to how a particular task should be carried out. Using a non-procedural language, it is merely necessary to direct the computer as to what is required. The language's supporting software works out in detail how this is to be done.

Using Pick's non-procedural language you can tell the computer something like

LIST ALL ACCOUNTS WITH ACCOUNT-BALANCE >£1000.00 rather than having to write a program telling the computer exactly how to do it. The availability of such powerful, non-procedural languages will eventually provide a realistic alternative to those users who are now limited by the constraints inherent in package software.



All Pick files are organised in a relational manner. Associated with each file or set of files there is a data dictionary which defines the attributes of both the file and of all the fields within the file.

Two main advantages follow from the use of a data dictionary. First, the logical structure of the file is independent of its physical structure. So if you wished to lengthen a particular field or to add a new field to a file, it would merely be necessary to make a one-off change to the data dictionary. No change would have to be made to the file itself, and very few to the programs as they all access the file via the dictionary.

Secondly, it facilitates the use of very high-level enquiry and report facilities. A powerful, non-procedural, fourth-generation query language is supplied as an integral part of Pick. It features a natural, English-like command syntax, making it easy for the non-specialist end-user to perform complex enquiry and reporting tasks without having to write special programs.

The file organisation within Pick, allows many different users to keep files within the system. All the files within the system are structured into a series of accounts, one for each user on the system. Each account has a master dictionary which lists all of the subsidiary data dictionaries for the account. Access to data held in differing accounts is permitted.

Hashing

All data within Pick is stored using a hashing algorithm whereby only one disc access is required to read or write data records. This avoids the need for tree structure indexes, and speeds up access to all data items. Each data element within Pick is considered to be of a variable length. This applies not only to each file and to each field within those files, but also extends to the capability of having a variable number of sub-values within each field

Many computers employ a virtualmemory system to provide relatively large storage capacities within reasonably sized real memories. This is done by placing large chunks of the virtual memory on disc and only calling them into the computer's memory when they are needed. Pick takes this concept further. As well as considering the computer's memory to be virtual, it also considers all the computer's data, including disc files, to be part of virtual storage.

Any computer running Pick has, potentially, up to 8Gbyte of local storage available. The only physical constraint is the available disc space. This is possible because of the natural optimisation that occurs when using virtual memory. For example, any user not currently active actually takes up little, if any, main storage — all the storage is held on disc until the user wants to use it again.

The main advantage of this concept for (continued on next page)

All one big family

Russell Jones summarises the virtues of the operating system designed for the time when ample processing power blurs established computer categories.

EACH ADVANCE in microprocessor technology brings closer the end of that artificial barrier between micro, mini and mainframe computers. The new 16-bit and 32-bit chips are now forming the basis of compatible computer families, distinguishable only by their cost and performance, not by some nebulous name.

In such an environment, the need to develop operating systems that are not restricted to any particular machine becomes much more urgent. The most obvious example of such an operating system is Unix. It evolved as part of a larger research project but it now reigns as undisputed leader in nearly all academic, R&D and laboratory installations.

R&D and laboratory installations.

Pick is less well known. It initially formed part of computers being used by U.S. troops in Vietnam, where the primary requirement was for an ultra-high level of that old computer-industry cliché, user-friendliness. Unix was built by programmers for programmers: it provides a veritable battery of programming aids and tools, but is not exactly renowned for the accessibility of its user interface. Pick, on the other hand, was designed expressly to protect end-users from the vagaries of different computers and from needing to understand the details of how they work.

Basic needs

The originators of all too many operating systems seem to forget that the basic requirements of a computer are that it should be able to store and manipulate data in such a way that it is easily available to its users. Furthermore, they also forget that different users may want to look at the same data in different ways.

Somebody using an accounts system to post payments of different types to a ledger is likely to be interested in accessing the ledger via an account number of some sort. Somebody else within the company may be more interested in looking at a summary of such postings by payment type. By far the easiest way or organising data to enable such tasks to be done is via what is known as a relational type of database. Each element of data, such as a ledger entry, is



reached by reference to some form of key, such as the number allocated to that particular posting.

In this example the types of posting could be held in a separate file indexed by payment type. If this file were to be amended each time a payment was made, then it would be easy to obtain a summary of the payments by type merely by specifying the payment type to an enquiry program. Of course, all of this processing could be carried out using any form of file system. The use of a relational database, which only allows files to be accessed by pre-specified keys, makes such tasks much easier.

Left: Richard Pick. Below: Pick OS structure.



Operating systems: MS-DOS

MS-DOS and its rivals

- For system implementors the ease with which drivers can be added is the best thing about MS-DOS. As one of them put it to me: "You need a lot less support: which is just as well, because you get a lot less support."
- For users, the most important thing about MS-DOS is the wealth of available software. Because of the runaway sales of the IBM PC, the MS-DOS repertoire is considerably greater than that for CP/M-86 and Concurrent CP/M. Much of the early popularity of MS-DOS was because of the way its RAM-based directories make it faster than CP/M-86 on small floppy-disc machines. Reportedly CP/M Plus and products like Concurrent CP/M Plus which are beginning to flow from it more than redress the balance.
- The Microsoft product continues to score over its Digital Research rivals with its extended facilities for recalling and editing the command line: long, incorrectly entered commands do not have to be retyped in full. It also has a really useful batch processor that works quickly, operates on all drives, and can take decisions three points where CP/M's Submit falls down.
- An important secondary consideration is the superior error handling of MS-DOS. CP/M has come in for some rather unfair criticism in this respect. Kildall provided the notorious "BDOS error on P" as the basic minimum, and left it to system implementors to improve on it in the BIOS. Few did. MS-DOS puts rather more extensive error handling into the DOS, guaranteeing that it is consistent across different implementations.
- The piecemeal enhancements to be added to MS-DOS 2 are now starting to appear. The first is Microsoft Windows, a resident system process that allows you to run more than one program simultaneously. Each program can be allocated a part of the screen to itself, and data can be passed between programs.
- As it stands, Microsoft Windows is not a full multi-tasking system because it requires all its programs to be in RAM. Windows has no mechanism for juggling RAM and backing store, as in Unix, to accommodate an unlimited number of programs. Without it Windows is a limited, front-end product aimed mostly at reassuring OEM customers that Microsoft is holding its own against the Lisa, Visi On and Concurrent CP/M competition. The OEMs are responding enthusiastically, though IBM is still non-commital about the product.

Xenix-based software development. That version is not yet with us. In fact the latest news is that MS-DOS 3 will not appear at all, at least not under that name. Enhancements are to be added piecemeal.

Version 2 of MS-DOS is a brave attempt to bridge the gap between the bought-in Seattle Computers 1.25 version, and full-blown Xenix. The most immediately noticeable difference from its 1.25 and CP/M predecessors is the hierarchical directory that treats directories as files that can also include other directories, and so on more or less *ad infinitum*.

Hard-disc boon

To what extent this is an improvement is not easy to say. The approach confers little advantage for the limited backing-store capacity of a floppy-disc system, but users have found it a boon in the hard-disc environment. Even so, the user unbiased towards Unix is likely to find CP/M's straightforward layered division of a Winchester drive into user areas in many ways easier for managing a large number of files.

Where disc space is limited there is some

argument for the byte granularity of the MS-DOS filing system. Instead of blocking files on to the disc in allocation units typically of 2K — but as much as 16K on some Winchester systems — MS-DOS can be implemented to write no more than the exact number of bytes. In CP/M even a small file can seize a sizeable chunk of the disc.

The internal redesign that made this possible was the way the BIOS and I/O handling was changed to work through device drivers that can be thought of as separate from the operating system. A device driver is a software routine that acts as a go-between in the transactions the operating system must have with hardware devices like printers, console and disc drives. The wildly various and sometimes awkward requirements of these peripherals are translated by device drivers into formal, orderly requests that the operating system can understand. As most device drivers are bi-directional, the translation process also works the other way round.

As with the earlier version, and with CP/M, the operating system proper is isolated from the hardware by a 15K chunk of hardware-dependent assembler code, the

BIOS. Traditionally the device drivers are embedded in this code, which is supplied by the OEM, like the cogs and wheels in a clock.

The 2.0 BIOS is quite different. The jump table that was the traditional CP/M-style entry point is now replaced by a linked list of devices that can be reconfigured at will — even, in simple cases, by the user. On booting up, MS-DOS 2.0 reads a text file called Config.Sys, which defines the drivers to be laoded into RAM. Initialisation code is loaded, executed and then overwritten. It is a useful technique for conserving memory by making sure that routines only needed at boot-time do not outstay their welcome.

Memory conservation is still an issue, despite the ability of the 8086 family of chips to address a megabyte of RAM. Competition encourages OEMs to squeeze production costs, and most MS-DOS machines arrive in the market-place with no more than 128K of RAM. Compare the 15K of MS-DOS BIOS with the 2K BIOS for CP/M-80. Floating device drivers may further increase this disparity for they are always more demanding of space than embedded drivers.

Unix ideas

The drivers of MS-DOS 2 each define two entry points, called the Strategy and Interrupt routines, in another technique borrowed from Unix. The idea is that processes calling the drivers must not be allowed to hog the resources. So the first call from the process registers a request for the port, drive or whatever, and immediately relinquishes control. The Interrupt routine then has the job of dealing fairly with the queued requests and flagging them as completed when they are finished.

In MS-DOS 2.0, however, the idea is there only as a shadow of the multi-tasking I/O handling the technique implies. The Interrupt and Strategy routines are simply welded together, the one calling the other with no chance for other processes to break in.

But the data handling associated with this method is only partially implemented. Instead of streaming data through the CPU's accumulator in the usual way, the data has to be buffered in RAM in packets. Each packet must be keyed with headers so that the Interrupt routine knows what to do with it. MS-DOS 2.0 does implement this packet passing; however, since it allows only a single request to be pending at any time the exercise does not turn out to be particularly productive.

In the Unix tradition, two types of device are supported: character and block. Character devices like consoles, modems and printers, will pass their data into and out of the packet one byte at a time. Block devices, notably disc drives, move their data in chunks that are allowed to vary in size so that exact numbers of bytes can be accommodated.

MUCH HYPE and rumour surrounds the origin of MS-DOS. This short account comes direct from the protagonists: from Bill Gates of Microsoft, which got the IBM contract to produce an operating system for the IBM PC; and from Gary Kildall of Digital Research, which didn't.

IBM wanted a version of CP/M to run on its new baby. According to Kildall Bill Gates was approached first because IBM knew so little about the micro market it thought CP/M came from him, but according to Gates it was because Microsoft had implemented more CP/M systems than anybody, including Digital Research.

Gates sent IBM to Kildall, because he understood that a launch of CP/M-86 was imminent. But, says Gates, Gary Kildall was out flying his plane the day the gentlemen from IBM arrived. They returned to Bill Gates and said the contract was his if he could make the deadline.

Gary Kildall is not pleased with this version of the story. He was not out joyriding that day, as the Microsoft faction likes to imply, but had flown off to visit some clients. In any case, there were some legal difficulties to be cleared up before he could talk to IBM.

Wary from past experience, IBM was insisting that a waiver be signed to preclude any litigation arising out of the discussions. If an idea they discussed were to turn up later in an IBM product, IBM did not want an expensive legal squabble about who thought of it first. That was the intent, but its effect was far wider, and Kildall's lawyers had warned him that, technically speaking, IBM might walk away from the meeting virtually owning CP/M.

Agreement

Bill Gates either had better lawyers, or was less finicky about the preconditions. He talked to IBM, and the result was an agreement to produce a 16-bit operating system for the IBM PC in an uncomfortably short time. History does not disclose the financial terms of the contract, but IBM watchers have no reason to believe they were generous.

But by this time Bill Gates had one card up his sleeve. He knew of a company in his home town of Seattle that made 16-bit processor boards and which was so tired of waiting for Digital Research's CP/M-86 that it had written its own.

So it was that the original author of MS-DOS was not Microsoft but Seattle Computer Products. It was always intended as a stop-gap meausure, and as such it was exactly what Bill Gates needed while he geared up his team to meet his sparkling new contract with IBM.


That release, version 1.25, is now replaced by version 2. The update is characterised by a style that owes a great deal to Unix, with a treed directory, a pseudo-pipe facility, a handful of filterstyle utilities, and the peripherals-as-files philosophy.

The chosen one

When IBM adopted MS-DOS for the PC it became the premier 16-bit operating system. Chris Bidmead wonders whether its success is well deserved.



Bill Gates of Microsoft.



The latest extension to MS-DOS 2 provides user-definable windows.

MS-DOS in either version is generally agreed to be easier to use than the colourless CP/M-86 that eventually emerged from Digital Research. Properly implemented — and there are some notorious exceptions — MS-DOS has several advantages for the user over CP/M-86, including disc speed and ease-of-command line editing.

But CP/M-86 itself was only a vamp-till-

ready while Concurrent CP/M was being put together behind the scenes. Midway through 1983 Concurrent CP/M made its entrance, embodied in the utilitarian hardware of the IBM PC.

Faced with the threat of this efficient, usable, and above all, available offering from Digital Research, Microsoft first said that users did not need multi-tasking. If they did there was always Xenix, Microsoft's own slightly more polished version of Bell Labs' original Unix. The fact that the progress of Xenix in the commercial word had not, up to then, been very impressive would seem to reinforce the point, though Microsoft naturally did not say so.

Interruptions

But the announcement went on to say that "when the market was ready" a subsequent version of MS-DOS, would offer a "hold" feature to let users suspend a running process to go off and do other tasks. On returning to the initial process the machine state would be recalled and everything would resume as if there had been no interruption. Bill Gates claimed that for single users this was much more useful than to have processes churning away in the background.

We will never know what went on in the mind of IBM, but it appears that the corporation was impressed by Digital Research's achievements with Concurrent CP/M, and may well have gone back to its own supplier with some politely phrased questions. Whatever the cause, there followed a slight rewrite of history, in which Microsoft announced that true multi-tasking, along with a networking capability, was always intended to form part of the kernel of MS-DOS version 3, due early in 1984.

The fact of MS-DOS 3 being written in C was supposed to be speeding it to the market-place, for one of Microsoft's proud boasts is the superior productivity of its

Operating systems: Unix

<name1> is taken to be a sub-directory of
the current directory, which in turn holds a
file called <name2>. The single name
<name1> refers to a non-directory file in
the current directory.

A feature called Linking allows the same non-directory file to turn up in more than one directory, and even under different names. This is possible because files do not actually exist within any particular directory. The directory entry is no more than a pointer to the information actually describing the file.

The feature can be used, to quote a reallife example, in coping with the logistics of maintaining different versions of the source code for a software product. The software house of Southdata develops its Superfile database under Idris, a reverse-engineered Unix from Real Time Systems. Southdata covers the variety of operating systems on which its product must run by storing the Superfile source code in directories called MS-DOS, CP/M-86, CP/M-80 and so forth.

To make sure that modifications made to one version of Superfile are automatically applied to others where appropriate, the source files that appear in the separate directories are actually one and the same file. Linked to the various directories, and suitably dotted with compiler conditionals to match each target operating system, the master file is able to cope with revisions from all fronts.

With special files, Unix introduced a genuine innovation to computing which was subsequently adopted by MS-DOS 2. File-name pointers can be connected to I/O device drivers, enabling them to be read and written to, where appropriate, just like an ordinary disc file. Special files connect the directory up to communication lines, discs, peripherals, and even to raw memory.

When I/O devices are handled like this, file and device names have the same syntax and meaning, so a program expecting a file name as a parameter can be passed a device name. This arrangement also allows special files to be given the same access protection as regular files.

The root directory is always kept on the same device, often a built-in Winchester disc. By a process known as Mounting, additional devices such as floppies can become temporary branches of the file-system tree. The Mount system request is given with two arguments: the name of an existing ordinary file kept in the root directory specially for the purpose,

followed by the name of a special file that is in fact a device with an independent file system containing its own treed directory.

Executing the Mount makes all subsequent references to the ordinary file refer instead to the root directory of the Mounted file system. In effect, the Mount expands the ordinary file into a whole new sub-tree. This approach will seem fussy to users of micro systems where the repertoire of mass-storage devices is decided when the system is generated, and the equivalent of Mounting consists at the most of hitting Control-C, as under CP/M. Its advantage is that it leaves a Unix machine open-ended for future hardware expansion.

Unix protects its files by tagging each one with a set of 10 mode bits, the values of which are controlled by the user who creates the file. One bit is set if the file is a directory, and three triads of three bits each indicate Read, Write and Execute permission for the local user, the user's group and for all users in general.

Listing the directory in long form will show the values held in this bit field. For the purposes of restoring forgotten passwords, backing up, and other system maintenance where the protection system would be a nuisance, Unix provides for a super-user who overrides the usual file-access constraints.

Redirection

Unix allows I/O redirection and piping. The standard assumption of programs running under Unix is that input will come from the user's keyboard and output will go to the console screen. Redirection allows this assumption to be altered at the last moment, from the command line immediately prior to execution. Left and right arrows are used to indicate the device and file to be used for input and output.

Pipes are an extension of the same idea. By naming a pair of executable files in the command line with a vertical bar character between them, the output from the first program can be directed into the second program. The vertical bar character means: take the output from the program on the left and make it the input to the program on the right.

One use for this might be to look through a directory listing to find all the entries that are themselves directories. The command

Is -1

will produce a long listing, where each file name is accompanied by a readable presentation of the protection bits. The first bit is displayed as a d if the file is a directory, and lines like this can be selected by using the pattern-recognition program Grep with the parameter 'd, which means: look for a d as the first character on the left-hand edge.

The command line to do this will look

 $1s - 1 > grep '^d'$

Because Unix is a true multi-tasking system the programs will run simultaneously. The pseudo-pipes of MS-DOS 2, and the Microshell CP/M enhancement, are emulated by the creation of a temporary file to hold the output of the first file until the second begins its run.

File interlocks

Unix makes no distinctions at system level between random and sequential file operations. No logical record size is imposed, unlike the 128-byte records for CP/M. As you might expect on a multiuser system, there are internal interlocks to prevent users deleting each other's open files and creating files with the same name in the same directory.

The level of file and record interlocking provided by MP/M-II, for example, was rejected by the Unix designers as being unnecessary and insufficient. Consequently raw Unix occasionally produces unscheduled revision of files that are simultaneously written to by more than one user.

This does not mean that Unix is totally unsuitable for business use. Modern versions of Unix, like Uniplus + from Root Computers Ltd, include record-locking facilities. On systems without them, applications packages will obviously have to supply their own elaborate checking mechanisms.

For an operating system of its size and capability, Unix is very portable, thanks to its being written in a high-level language. Customised shells will go a long way to meet the non-scientific, non-academic market, but the more you cover Unix the slower it gets. Even ordinary single-user versions still usually contain the multi-user kernel, which spends CPU resources in unnecessary housekeeping, looking out for non-existent other users. Unix has been called "The octopus in your tank".

Not enough Unix software is yet available to compete with CP/M and MS-DOS in the field of business administration, although this may change quickly. Microsoft is already embracing Unix in the form of Xenix, and now Digital Research has changed its tack with a dramatic recent announcement of applications software support for Unix.

Despite Unix's built-in facilities for generating and maintaining documentation, or perhaps because of them, the manuals are over-blown, inconsistent in tone, and in need of drastic editing. The Xenix documentation is little better, though it does offer some improvement in the indexing and general organisation.

Unix features

- A treed directory system with demountable volumes.
- Compatible file, device and inter-process I/O.
- The ability to run several processes at once.
- Shells that can be chosen individually by users, even on a multi-user system.
- A huge range of utilities and OS functions, including a dozen languages.

(continued from previous page)

and the sanctuary of Bells Labs. The computing power it needed was not generally available beyond the narrow orbit of minicomputers built by DEC and Data General, who were too busy gathering revenue on their own operating systems to want to alert their customers to alternatives. AT&T was blocked from making a commercial go of Unix by U.S. anti-trust legislation. Even as recently as 1982 there were no more than 20,000 Unixbased computer systems in the U.S.

The number rose by five times in 1983. This leap in popularity came as no surprise to observers of the college scene: with benign commercial foresight Bell Labs had been sowing seeds for the future with cheap educational licences. Current estimates reported in The Economist are that the Unix user base will grow to half a million by the end of 1985.

As a general-purpose, multi-user interactive operating system Unix offers a collection of features not usually found even in larger operating systems. You can think of Unix as being in three layers. At the centre is the kernel of code that directly accesses the hardware. It is equivalent to CP/M's BIOS, the section that has to be adapted for different hardware environments. The kernel remains in core all the time that Unix is running, controlling the file handling, multi-tasking and I/O.

Wrapped around the kernel is the shell, a glorified command-line interpreter that also combines the capability of executing

batch files, rather like CP/M's Submit. Although two shells are supplied as standard with most versions of Unix, it was the intention of the designers that users or OEMs should be able to write their own easily.

Many implementations, like the Fortune 32:16 do take advantage of this. Three shells come with Microsoft's Xenix, a derivative of Bell Labs' Unix version 7 with several additional extensions from the University of California, Berkeley.

Standard shells

The standard shells are very powerful, allowing While and For loop constructions, parameter substitution, and file-name expansion from wild cards. And you do not have to be a C programmer to change the way that the shells work. Nonprogrammers can write what are called "shell scripts" in plain text to run under either the Bourne shell or the Berkeley Cshell, whose syntax is a simplification of C's.

Outside the shell lie the utilities. A huge variety of them come as standard with most versions. C itself is included, together with a rich selection of aids for software developers. Although they are all regarded as part of the system, some Unix implementations allow you to buy subsets of the utilities. It seems sensible to leave the business world in ignorance of the accumulation of ingenious and sometimes miraculous aids for programmers that make up a large proportion of the utilities,

but this sacrifices the designers' fundamental idea that any Unix system should be self-supporting.

The most important role of any operating system is to provide a method of handling files. The Unix user sees files as being of three kinds: ordinary disc files, directories and special files. Ordinary files include text files and binary, executable programs. They are created with no special structuring, except that the terminator of text lines is traditionally regarded as a single character - the Newline character although it may in fact consist of a Carriage Return plus a Line Feed.

Directories behave exactly like ordinary files except that they cannot be written on by ordinary programs; it is the system itself that controls the directory contents. The system maintains several directories for its own use, the main one of which is called the root directory. All the other directories are files in the root directory, and any file in the system can be found by tracing a path through the branching chain of directories. Typically a special system directory called Bin contains all the system command programs, although a program does not need to reside in this directory to be executed.

Name sequences


Files names have 14 or fewer characters. Files outside the current directory can be evoked by giving the full path name, that is to say a sequence of directory names separated by / characters and ending in a file name. If the sequence begins with a slash, the search begins in the root directory. For example, specifying

/<name1>/<name2>/<name3> causes the system to search the root for directory < namel>, then to search <name1> for <name2>, finally to find <name3> in <name2>. The name / refers to the root itself.

Any name not beginning with / starts the search in the current directory. If it is a path name, like < name1 > / < name2 > , then

usr

bin



20:32

13 09:36 util

usr

92 Aug 80 Feb

Root directory listing. total 117 spool .profile 112 Feb 18:43 drwxrwxrwx root 128 Jul 26 1983 896 Dec 16 02:37 root drwxrwxr-x -rw-rw-r--Feb 13 09:37 13 02:27 demo Feb drwxr-xr-x root dev One level down from the root is the USR sub-directory. drwxrwxr-x root drwxrwxrwx 32 Mar 32 Oct total 10 drwxrwxrwx 2 bin drwxrwxr-x 1982 048 Mai 176 Dec 16 48 Jul 18 Aug 5 drwxrwxrwx 1983 lost+found 0 Feb 13 224 Sep 20 -rw-rw-r-- 1 drwxrwxrwx 2 root 09:48 demo 16 03:05 18 1983 drwxrwxrwx10 root bin 07:55 games 1983 help 1983 incl games drwxrwxr-x 2 man drwxrwxr-x 2 160 Jul bin 80 Aug 192 Feb drwxr-xr-x bin 1983 drwxrwxr-x 3
drwxrwxr-x 5 Jul include drwxrwxrwx 13 tmp bin 336 Aug 10:26 lib 416 Feb 12 100412 Jun 30 192 Aug 21 18:57 drwxrwxr-x26 bin -r--r-- 2 bin 1983 man 1983 spo 11:45 tmp drwxrwxr-x 6 96 Jul 64 Jul root 6 unix drwxrwxr-x 4 bin

drwxrwxrwx 2 bin drwxrwxr-x 2 bin

drwxrwxr-x11

drwxrwxr-x 2 root

432 Jul spool

1983 ucb

The octopus in your tank

After years in the hands of researchers Unix is to appear as a commercially backed operating system on micros. Chris Bidmead assesses its chances.

ON JANUARY 12 this year IBM made it official. Unix goes on to the IBM PC with the company's blessing, and so the rapidly snowballing product of the Bell Labs boffins has finally arrived officially on the micro market. Interestingly, IBM stock prices dipped at the news, Wall Street assuming that AT&T, the multi-national giant of which Bells Labs is the research department, would now hold IBM in the palm of its hand. It just shows how little Wall Street knows about operating systems, and about IBM.

In a recent series on Unix, *Byte* magazine recounts how the earliest version of the operating system was derived from an ambitious and sprawling project called Multics, a time-sharing development in which the Massachusetts Institute of Technology, Bell Laboratories and General Electric all had a hand. By 1969 Multics seemed to be getting nowhere slowly, and Bell Labs withdrew its support. The news came as a blow to Bell Labs computer scientist Ken Thompson. While the rest of the project was turning sour, his own Space Travel game was coming along nicely on one of the Multics time-sharing terminals.

The only alternative hardware that Thompson had to hand at Bell Labs was a neglected PDP-7. Its operating system offered little support for program development, so he rolled up his sleeves and got stuck into PDP-7 assembler to construct a rudimentary filing system and a few utilities. The improvisation was a far cry from the monumental Multics, and since there was nothing "multi" about it, Thompson christened his baby Unix.

Time-waster

At this point the Unix/Space Travel project was still just another of those unofficial machine-hogging time-wasters. It became official when together they were able to offer some simple word-processing facilities, and other departments began to see some value in it for them.

In February 1971, with the help of some official funding, the operation was resited on a PDP-11 in a radical revision inspired by Ritchie from the previous year's experience. PDP-11s sprang up in other departments, and users chose Unix in



Ken Thompson of Bell Labs.

favour of the native operating system supplied by DEC.


In 1973 came the next major revision, one that was crucial to the future of Unix. The new version was written in C, a language developed by Ritchie from

BCPL; it was designed to replace B, which was a bare-bones rejig of BCPL knocked up by Thompson.

Unix and its utilities now comprised over 300,000 lines of C source code, an effort that remains the most ambitious project ever written in the language. The virtual-memory techniques which the system employed required only 53K of the system to be resident in core memory, which was just as well since there was only 122K of RAM in the PDP-11s.

Between 1971 and 1974 over 100 Unix installations went into service. They were generally smaller than the full-blown version, and mostly engaged in jobs like preparing and formatting patent applications, dealing with fault reports on the Bell telephone system, and recording and checking telephone service orders. At the central installation the accent remained on research into operating systems, languages, networking, and computer science in general. Supporting all this were utilities for document preparation.

During the 1970s Unix hardly showed its head outside the ivory towers of academe (continued on next page)



With the tree-structured directory you can have several files of the same name as long

Operating systems: CP/M

(continued from previous page)

C, and a copy of the Digital Research C compiler is included in the price.

Although informed observers speak highly of 68K, sales have not yet really materialised. This has a lot to do with the availability of that other 68000 C-based OS Unix, an operating system with which it is very hard to compete. Another Digital Research product that has been slow getting started is Personal CP/M, a ROM-based system, intended for very small machines that do not necessarily have random-access disc drives.

All the products mentioned so far are single-user, single-tasking operating systems. Another branch of the family serves the multi-user market. MP/M-II and MP/M-86 are the best known of these products, available for eight-bit and I6-bit systems respectively. They support fixed RAM partitioning, and a simple but effective form of record locking. Less well-known is CP/Net, an eight-bit system designed to control networks of local processors which share printers, discs and other resources.

Concurrent CP/M

Arguably the most interesting member of the CP/M family is Concurrent CP/M, the only single-user multi-tasking operating system in the range. Concurrent CP/M lets the user run several jobs at the same time on the same computer so allowing you, say, to run a spelling check on one document while you are editing another and printing a third. This product, which requires a minimum of 256K RAM and preferably a hard disc, is well established on the IBM PC but has only recently become available on other machines.

The many versions of CP/M all share the same basic structure, and they all look more or less the same to the user. Whichever version of CP/M you boot up the first thing you always see is the prompt

A >

telling you that CP/M is ready to accept your command.

There are two types of CP/M commands: built-in commands and transients. The first group are functions that are wired into the Console Command Processor, which is the part of the system that communicates with the operator and known as the "shell" in Unix jargon. They include commands to list a directory, Dir, to erase a file, Era, and to display the contents of a text file on the screen, Type.

The second group of commands is not strictly a part of the operating system, but is supplied as a set of separate programs. Although they perform typical OS functions, CP/M regards them just as any other transient programs. You may therefore elect to remove from your system disc any functions you do not need, or to replace them with alternative versions purchased from third-party suppliers.

One of the things that sometimes irritates CP/M users is the apparently haphazard

BDOS

BIOS

CCP
(This area may be overwritten by application programs)

TPA
(Transient program area)
For user programs

CP/M PARAMETER AREA

Location 100H

Location 0

How CP/M uses the computer's memory.

way that the various jobs have been shared out among these transient commands. Another is the fact that the command names often give no clue to their intended use. Take Stat, a typical rag-bag of a progam. Its functions include assigning logical I/O devices to physical units, reporting on file size and disc usage, flagging files as read-only, and displaying information about the disc format in use.

Then there is Pip, a multi-purpose file-copying and transfer utility. The program performs its duties in a workmanlike way, but who would guess its function from its name? Even if you knew that the letters stood for Peripheral Interchange Program you would probably be none the wiser.

Other CP/M transient commands are Dump, Submit and XSub. Dump produces a hexadecimal listing of a file on the screen. Submit and XSub work together to provide batch-processing. If you type Submit followed by a file name, the Console Command Processor will take subsequent commands from the file rather than the keyboard. If one of those commands is XSub, than any application programs invoked within the batch will also take their input from the file. This feature is much loved by programmers, who are able to automate entire editing, compiling and linking runs in this way.

Utilities

In fact, one of Gary Kildall's main aims when designing CP/M was to provide a working environment for assembly-level programmers. The system therefore includes an assembler, ASM, and editor, Ed, and a debugging aid, DDT. In practice, few programmers rely on these tools. Macro-based assemblers like Digital Research's own Mac and Microsoft's Macro-80 provide far more features than ASM, and Digitial Research's Sid is a better debugger than DDT. As for Ed, this is surely the most awful editor ever to be seen on a computer, and very few users seem willing to give it disc space.

The fact that the CP/M commands tend

to be the same in all members of the family is one of its strengths. True, there are some irritating differences. CP/M Plus uses Show for some of the functions assigned to Stat, and Device for others. To erase a file in most versions you type Era, but in CP/M Plus you may type Erase instead. But on the whole the user can move between one member of the family and another without having to learn a new way of talking to it.

You would notice this same uniformity if you could, as it were, lift the lid and peer into the works of CP/M. The various versions of the system are all constructed from three basic modules: the Console Command Processor, CCP, the Basic Disc Operating System, BDOS, and the Basic Input-Output System, BIOS.

The BDOS is a set of routines that provide I/O and disc-management services to the programmer. Its functions include buffering of input from the console, searching directories for specified files, creating new files and transferring blocks of data between RAM and disc. To use these services, the programmer loads certain registers with parameter information and a function code, then passes control to BDOS at a specified address.

The BDOS in turn calls the BIOS, which handles the actual input and output. The BIOS alone knows about the physical nature of the hardware and the addresses of the I/O ports. It is responsible for translating logical device types and disc files into actual ports and track/sector addresses.

Skeleton BIOS

While the BDOS and the CCP are machine-independent, the BIOS must be customised for each new configuration on which the operating system is to run. In the early days, Gary Kildall provided a skeleton BIOS with each CP/M sold, clearly expecting the readers of *Dr Dobbs Journal* to do the necessary patching themselves. Today the work is done for you by the hardware manufacturer who supplies your computer, although modifying a BIOS is not beyond the ability of most system programmers.

So what is the future for the CP/M family? Digital Research has clearly signalled its intention of providing versions of CP/M for all new major processors. The adoption of C is a step in this direction although it will not guarantee the effortless portability that some Digital Research people seem to be expecting.

The company's problem is that CP/M is no longer the automatic choice of operating system for computer manufacturers. CP/M played a major part in the micro revolution by creating a market for high-quality software. Today it is in danger of becoming just another operating system, and one that compares badly with some of its competitors. But one thing is certain. With its million-strong customer base across the world, CP/M is going to be around for a long time to come.

Operating systems

An at-a-glance guide to the major operating systems currently available on micros.

UCSD p-System


Single-user OS originally developed at the University of California, San Diego. Portability across machines its prime aim. Application software written on an eight-bit machine under the p-System should transfer easily to a 16-bit machine running the p-System, and even to PDP-11 minis.

For. Software portability. Good range of programmer's tools. Well established in higher education. Widely available.

Against. Limited range of business software. Supports Pascal and Fortran but few other languages.

Future. The p-System is very strong in education and so unlikely to disappear rapidly. Its standing in the business community is much weaker, but the way it is implemented, compiling down to an intermediate code, makes it suitable for running under another OS, Unix being the most attractive choice. So with its large base of technical and often free publicdomain software, the p-System will live on.

Microcomputer operating systems Estimated 1983 usage



Source: International resource development Inc.

Pie chart shows percentage of computers running each operating system.

Total is greater than 100% because of computers used with more than one OS.

Pick

Originally a mini OS, now dropping down on to micros for both single and multiusers. Pick integrates OS with datamanagement and query system. It is supposed to be easy to use. System developers have adopted Pick to create vertical-market packages quickly. At present available mainly on 68000-based systems; an IBM PC version is just available.

For. Built-in database. Virtual-memory management. Easy for user. Great for system developers. Fast.

Against. New to micros. Available on only a few machines.

Future. Pick is unlikely to ever become a mass-market OS, but it will gain increasing acceptance as vertical-market packages emerge and as users of larger computers begin to realise how important the proper control of access to data is in multi-user systems. It is likely to appeal to large corporations where the DP professionals will recognise Pick's advantages.

Oasis

Multi-user operating system available in eight-bit and 16-bit versions. Oasis has tended to be available only on rather obscure machines, and is only now coming out into the light of day. Proponents say it rivals Unix in facilities but is easier for the end-user. C, Cobol and compiled Basic are currently supported.

For. Easy to use. Robust. Good development utilities and range of file types. Good security features.

Against. Less software than rivals. May be too late.

Future. Oasis has enthusiastic supporters in the business community but the arrival of the 16-bit version was long held up by contractual disputes. Its future depends on word-of-mouth reputation turning into solid support from major hardware manufacturers, who mostly seem to be going down the Unix road.

BOS

Business-orientated multi-user operating system linked to Microcobol, originally developed by U.K. software house CAP with government aid. Cobol has advantages over Basic for develoing multi-user software. Microcobol running under BOS compiles down to a very portable intermediate code along p-System lines.

For. Highly portable across different machines, ISAM file support. Multi-user system for micros that actually works. Against. Limited software base. Software has to be written in specific version of Cobol.

Future. BOS is still a credible choice for multi-user systems as the competition is still weak in the business sector and application software running under BOS has a good reputation for reliability. But the very specific tie to one proprietary dialect of Cobol makes BOS's long-term future look gloomy.

Operating systems: CP/M

(continued from previous page)

C, and a copy of the Digital Research C compiler is included in the price.

Although informed observers speak highly of 68K, sales have not yet really materialised. This has a lot to do with the availability of that other 68000 C-based OS Unix, an operating system with which it is very hard to compete. Another Digital Research product that has been slow getting started is Personal CP/M, a ROM-based system, intended for very small machines that do not necessarily have random-access

All the products mentioned so far are single-user, single-tasking operating systems. Another branch of the family serves the multi-user market. MP/M-II and MP/M-86 are the best known of these products, available for eight-bit and 16-bit systems respectively. They support fixed RAM partitioning, and a simple but effective form of record locking. Less wellknown is CP/Net, an eight-bit system designed to control networks of local processors which share printers, discs and other resources.

Concurrent CP/M

Arguably the most interesting member of the CP/M family is Concurrent CP/M, the only single-user multi-tasking operating system in the range. Concurrent CP/M lets the user run several jobs at the same time on the same computer so allowing you, say, to run a spelling check on one document while you are editing another and printing a third. This product, which requires a minimum of 256K RAM and preferably a hard disc, is well established on the IBM PC but has only recently become available on other machines.


The many versions of CP/M all share the same basic structure, and they all look more or less the same to the user. Whichever version of CP/M you boot up the first thing you always see is the prompt

telling you that CP/M is ready to accept your command.

There are two types of CP/M commands: built-in commands and transients. The first group are functions that are wired into the Console Command Processor, which is the part of the system that communicates with the operator and known as the "shell" in Unix jargon. They include commands to list a directory, Dir, to erase a file, Era, and to display the contents of a text file on the screen, Type.

The second group of commands is not strictly a part of the operating system, but is supplied as a set of separate programs. Although they perform typical OS functions, CP/M regards them just as any other transient programs. You may therefore elect to remove from your system disc any functions you do not need, or to replace them with alternative versions purchased from third-party suppliers.

One of the things that sometimes irritates CP/M users is the apparently haphazard



How CP/M uses the computer's memory.

way that the various jobs have been shared out among these transient commands. Another is the fact that the command names often give no clue to their intended use. Take Stat, a typical rag-bag of a progam. Its functions include assigning logical I/O devices to physical units, reporting on file size and disc usage, flagging files as read-only, and displaying information about the disc format in use.

Then there is Pip, a multi-purpose filecopying and transfer utility. The program performs its duties in a workmanlike way. but who would guess its function from its name? Even if you knew that the letters stood for Peripheral Interchange Program you would probably be none the wiser.

Other CP/M transient commands are Dump, Submit and XSub. Dump produces a hexadecimal listing of a file on the screen. Submit and XSub work together to provide batch-processing. If you type Submit followed by a file name, the Console Command Processor will take subsequent commands from the file rather than the keyboard. If one of those commands is XSub, than any application programs invoked within the batch will also take their input from the file. This feature is much loved by programmers, who are able to automate entire editing, compiling and linking runs in this way.

Utilities

In fact, one of Gary Kildall's main aims when designing CP/M was to provide a working environment for assembly-level programmers. The system therefore includes an assembler, ASM, and editor, Ed, and a debugging aid, DDT. In practice, few programmers rely on these tools. Macro-based assemblers like Digital Research's own Mac and Microsoft's Macro-80 provide far more features than ASM, and Digitial Research's Sid is a better debugger than DDT. As for Ed, this is surely the most awful editor ever to be seen on a computer, and very few users seem willing to give it disc space.

The fact that the CP/M commands tend

to be the same in all members of the family is one of its strengths. True, there are some irritating differences. CP/M Plus uses Show for some of the functions assigned to Stat, and Device for others. To erase a file in most versions you type Era, but in CP/M Plus you may type Erase instead. But on the whole the user can move between one member of the family and another without having to learn a new way of talking to it.

You would notice this same uniformity if you could, as it were, lift the lid and peer into the works of CP/M. The various versions of the system are all constructed from three basic modules: the Console Command Processor, CCP, the Basic Disc Operating System, BDOS, and the Basic Input-Output System, BIOS.

The BDOS is a set of routines that provide I/O and disc-management services to the programmer. Its functions include buffering of input from the console, searching directories for specified files, creating new files and transferring blocks of data between RAM and disc. To use these services, the programmer loads certain registers with parameter information and a function code, then passes control to BDOS at a specified address.

The BDOS in turn calls the BIOS, which handles the actual input and output. The BIOS alone knows about the physical nature of the hardware and the addresses of the I/O ports. It is responsible for translating logical device types and disc files into actual ports and track/sector addresses.

Skeleton BIOS

While the BDOS and the CCP are machine-independent, the BIOS must be customised for each new configuration on which the operating system is to run. In the early days, Gary Kildall provided a skeleton BIOS with each CP/M sold, clearly expecting the readers of Dr Dobbs Journal to do the necessary patching themselves. Today the work is done for you by the hardware manufacturer who supplies your computer, although modifying a BIOS is not beyond the ability of most system programmers.

So what is the future for the CP/M family? Digital Research has clearly signalled its intention of providing versions of CP/M for all new major processors. The adoption of C is a step in this direction although it will not guarantee the effortless portability that some Digital Research

people seem to be expecting.

The company's problem is that CP/M is no longer the automatic choice of operating system for computer manufacturers. CP/M played a major part in the micro revolution by creating a market for highquality software. Today it is in danger of becoming just another operating system, and one that compares badly with some of its competitors. But one thing is certain. With its million-strong customer base across the world, CP/M is going to be around for a long time to come.


Operating systems: CP/M

Last year, Digital Research released a much enhanced version, originally labelled CP/M 3.0 but later renamed CP/M Plus. This release was not intended as a replacement for 2.2, but as a new product designed to take advantage of the larger RAM and disc capacities becoming available.

CP/M Plus has many new features, some of which answer specific complaints from users, while others pay passing tribute to more sophisticated operating systems such as Unix. Thus you have a limited form of I/O redirection, a simple tree structure for directories, and a password scheme that works at both disc and file levels. In response to a barrage of criticism about unfriendliness, Digital Research has implemented a rudimentary Help system.

Perhaps the most interesting feature of CP/M Plus is its support for Resident System Extensions. These user-written modules are intended to enhance and extend the operating system in a way that is specific to the user's application. They can be loaded into RAM, where they are coresident with the application software and communicate with it in much the same way as does CP/M itself.

CP/M undoubtedly dominates the eightbit world, but move into the domain of 16-bit processors and it is a different story. Here the senior member of the family is CP/M-86, which is currently battling against Microsoft's MS-DOS for the leadership of the market. At the moment it



The latest version of Concurrent CP/M complete with windows.

is looking more and more likely that Microsoft will win.

CP/M-86 is more or less a straight conversion of CP/M 2.2 to the 8088 and 8086 processors. It looks like eight-bit CP/M — or CP/M-80, as Digital Research is now calling it - apart from a few new features such as track buffering and background printing. MS-DOS, on the other hand, was designed for 16-bit chips.

It is a different story with Digital's other 16-bit offering, CP/M-68K. This product is a complete rewrite for the Motorola 68000 chip — hence the name. It is also the first of the CP/M operating system to be written in (continued on next page)

CP/M commands

ASM — Invoke CP/M assembler; converts an assemblylanguage source program to Intel hex format

DDT — Invoke the Dynamic Debugging Tool; DDT is used to trace program execution, examine the contents of files, and incorporate low-volume patches into programs

DIR — Display a disc directory

DUMP - Display the contents of a file in hex

ED - Invoke the CP/M line editor

ERA - Delete a file or a group of files

LOAD — Convert a hex-format object file, as outpout from ASM, into an executable program

MOVCPM — Reconfigure and relocate CP/M for a

different memory size

PIP — Multi-purpose file-transfer utility; Pip may be used to copy files, combine files, and transfer files between peripherals, for example from a modem to the screen

REN - Rename a file

SAVE - Copy the contents of RAM, or part thereof to a disc file

STAT — A multi-purpose command whose functions include: report free space on disc; report sizes of files; set read-only flags; set file attributes, report characteristics of disc drives; report and alter assignment of peripherals

SUBMIT — Invoke batch processing; CP/M will take its subsequent commands from a specified file, with optional parameter substitution

SYSGEN — Copy CP/M from the operating system tracks of a disc to those of a second disc

TYPE — Display the contents of a text file on the screen

USER — Change the current user number

XSUB — Used withing batch processing — see Submit to direct programs to accept input from the batch file rather than the keyboard

The following commands are specific to CP/M Plus:

COPSYS - Similar to Sysgen

DATE — Set or display the current time and data DEVICE — Assign logical devices to physical ports; set device attributes

DIRSYS — Like Dir, but permits display of system files GENCOM — Create a user-program with an attached Resident System Extension

GET — Redirect keyboard input to come from a disc file HELP — Display CP/M operating instructions

HEXCOM — Convert an object program into an executable program file; see also Mac

INITDIR — Initialise time and date stamping in the directory

LIB — Invoke the library-maintenance program

LINK — Combine relocatable program modules into an executable program file

MAC - Invoke the macro-assembler; converts assembler program into object code

PATCH — Install a patch in CP/M or a program

PUT - Redirect console or printer output to a disc file RMAC — Invoke the relocatable macro assembler;

converts assembler-language source programs into relocatable object modules

SET — Set disc labels, file attributes, data and time stamps and password protection

SETDEF - Set system options, including a directorysearching path

SHOW — Similar to Stat

SID — Invoke the symbolic debugging utility

XREF — Invoke the assembly-language cross-reference program

Kildall was here

Mike Lewis looks at Digital Research's CP/M, the archetypal and still most widely used micro operating system.

EVEN BY the remarkable standards of the micro industry, CP/M is an extraordinary product. It started life as a hastily assembled operating system that was awkward to use, scantily documented, and only barely did the job it set out to do. It did not even have the benefit of skilful marketing or packaging. Yet in 10 years it has become the most widely used software product of all time, with well over 1,000,000 installations throughout the world.

The success of CP/M owes nothing to technical excellence and everything to market forces. It is an operating system that lives in a 1960s world of punched paper tape and hard-copy Teletypes. It is the only OS designed to make a 25Mbyte Winchester perform like an 8in. floppy. And its reputation for enigmatic messages is so well established that in some circles the term BDOS Error is synonymous with everything that is mysterious and obscure.

So how can a million CP/M users be wrong? CP/M hit the big time because it was able to overcome one of the biggest problems facing the early microcomputer industry. It provided the means of transporting application programs from one manufacturer's hardware to another. This fact alone made CP/M into one of the two computer products that, literally, started in a shed and went on to make their inventors into millionaires.

Garden shed

In the case of CP/M, the shed was a children's playhouse in the garden of Gary Kildall's house in the town of Pacific Grove, at the northern tip of California's Monterey Peninsula. In the early 1970s, Kildall was teaching computer science at the Naval Postgraduate School in Monterey. He was also working as a consultant for the semiconductor firm Intel, where he was writing a compiler for the PL/M language.

One of Kildall's garden shed projects was to try to hook up an early floppy-disc drive to Intel's 8008-based Intellec development system, which was one of the world's first real microcomputers. With some help from his friend John Torode, who went on to found Digital Microsystems, he wired up a home-made disc controller, then knocked



Gary Kildall, inventor of CP/M.

up a simple control program. This was the first version of CP/M. It was written mainly in PL/M, was loaded via paper tape, and it worked.

Kildall offered CP/M to his bosses at Intel but, in what must have been the greatest missed opportunity in computing history, they turned it down. So Kildall starting selling it in ones and twos to computer enthusiasts, advertising it for \$70 a time in magazines like *Dr Dobbs Journal*.

But it was not until computer manufacturers began to approach him for licences that Kildall started rethinking the structure of CP/M. He decided to recode parts of it, placing all the hardware-dependent features in a single module which he called the Basic Input/Output System — or BIOS as it is still known. The main part of the system would thus present a uniform and consistent interface to the programmer, who would not need to know anything about the specific configuration in use.

This was the making of CP/M. Not only was it now much easier to transport the system itself to new computers, it also enabled application programs to run on a whole range of different micros. Computer manufacturers bought it because it was readily available off the shelf. Software houses wrote programs for it because they were assured of a larger market for their products. And end-users opted for it because of the wide choice of software that was quickly becoming available for it.

In 1976, Kildall decided to devote himself full-time to developing and marketing CP/M. He stayed in the garden shed for another year, then incorporated his company as Digital Research and moved to

a proper office. Today, Digital Research is the largest employer in Pacific Grove, and CP/M has developed into a whole family of operating systems.

The idea of CP/M as a family rather than as a single operating system is one that should be kept firmly in mind. The various members of the family may look similar to the casual user, but they are very much different products and they vary a lot both in features and quality.

The first CP/M to be sold in commercial quantitites was version 1.4. Although obsolete, this early release is still giving yeoman service in computer installations around the world. In a corner of my office, we have an ancient Microstar computer that we only use as a last-ditch standby. This venerable machine only supports CP/M 1.4, but that does not prevent us from running WordStar, dBase II and Microsoft Basic on it — although some recent versions of these products do require later releases of CP/M.

Awkward

Version 1.4 of CP/M was designed around the IBM 8in. single-sided, single-density floppy disc. It was theoretically possible to adapt the BIOS for higher-density discs, but it was awkward to do so. Our Microstar has double-sided drives, so the manufacturer implemented CP/M in such a way that each side appears as a separate drive, each with its own drive designation and directory.

Part of Digital Research's motivation for developing version 2.2 of CP/M was to overcome this and similar limitations in 1.4. Release 2.2 is the best known and most widely used implementation of CP/M. It gets round the problem of non-IBM floppies by storing all the required information about the disc configuration in a set of tables, making it far simpler to adapt to different disc formats and sizes.

CP/M 2.2 allows larger file and drive sizes than 1.4 — theoretically 8Mbyte each — and up to 16 logical drives, compared to four in 1.4 It also enables the user to flag files as read-only within the directory, to give a semi-permanent measure of protection against accidential erasure, and to divide the directory into a maximum of 16 compartments, or user areas.

Operating systems

An at-a-glance guide to the major operating systems currently available on micros.


UCSD p-System

Single-user OS originally developed at the University of California, San Diego. Portability across machines its prime aim. Application software written on an eight-bit machine under the p-System should transfer easily to a 16-bit machine running the p-System, and even to PDP-11 minis.

For. Software portability. Good range of programmer's tools. Well established in higher education. Widely available. Against. Limited range of business software. Supports Pascal and Fortran but few other languages.

Future. The p-System is very strong in education and so unlikely to disappear rapidly. Its standing in the business community is much weaker, but the way it is implemented, compiling down to an intermediate code, makes it suitable for running under another OS, Unix being the most attractive choice. So with its large base of technical and often free publicdomain software, the p-System will live on.

Microcomputer operating systems Estimated 1983 usage



Source: International resource development Inc.

Pie chart shows percentage of computers running each operating system.

Total is greater than 100% because of computers used with more than one OS.

Pick

Originally a mini OS, now dropping down on to micros for both single and multiusers. Pick integrates OS with datamanagement and query system. It is supposed to be easy to use. System developers have adopted Pick to create vertical-market packages quickly. At present available mainly on 68000-based systems; an IBM PC version is just available.

For. Built-in database. Virtual-memory management. Easy for user, Great for system developers. Fast.

Against. New to micros. Available on only a few machines.

Future. Pick is unlikely to ever become a mass-market OS, but it will gain increasing acceptance as vertical-market packages emerge and as users of larger computers begin to realise how important the proper control of access to data is in multi-user systems. It is likely to appeal to large corporations where the DP professionals will recognise Pick's advantages.

Oasis

Multi-user operating system available in eight-bit and 16-bit versions. Oasis has tended to be available only on rather obscure machines, and is only now coming out into the light of day. Proponents say it rivals Unix in facilities but is easier for the end-user. C, Cobol and compiled Basic are currently supported.

For. Easy to use. Robust. Good development utilities and range of file types. Good security features. Against. Less software than rivals. May be too late.

Future. Oasis has enthusiastic supporters in the business community but the arrival of the 16-bit version was long held up by contractual disputes. Its future depends on word-of-mouth reputation turning into solid support from major hardware manufacturers, who mostly seem to be going down the Unix road.

BOS

Business-orientated multi-user operating system linked to Microcobol, originally developed by U.K. software house CAP with government aid. Cobol has advantages over Basic for develoing multi-user software. Microcobol running under BOS compiles down to a very portable intermediate code along p-System lines.

For. Highly portable across different machines, ISAM file support. Multi-user system for micros that actually works. Against. Limited software base. Software has to be written in specific version of Cobol.

Future. BOS is still a credible choice for multi-user systems as the competition is still weak in the business sector and application software running under BOS has a good reputation for reliability. But the very specific tie to one proprietary dialect of Cobol makes BOS's long-term future look gloomy.

OS top 10 guide

CP/M-80

One of the original eight-bit operating systems, now a family of several compatible products known generically as CP/M-80. CP/M 2.2 is the most widely used current version. CP/M Plus has extra features including tree-structured directories and better help facilities. Personal CP/M is a new development intended for home computers. It has a friendlier user interface and is supplied on ROM


For. Very large software base. Easy for manufacturers to get running on new machines.

Against. Crude. CP/M 2.2, with its notorious error messages, is hard for newcomers to use.

Future. CP/M will probably survive much longer than many expect, as eight-bit machines are still fundamentally cheaper. Zilog's forthcoming chip offering both Personal CP/M in ROM and a Z-80 processor in the same 40-pin package should give eight-bit CP/M a new lease of life as an OS for home machines.

MS-DOS

eight-bit home machines.



Microsoft-inspired family of Japanese MSX

For. Very large software base. Reasonable error messages. Tree-structured directories. Against. Still unfriendly compared to integrated systems. Only runs on 8086 and 8088 machines.

Future. Much depends on whether IBM stays with MS-DOS, but Microsoft has worked hard and succeeded in winning most other 16-bit manufacturers to its OS family. The Unix-like Xenix for multi-user systems and the file-compatible MSX for eight-bit home machines gives the MS-DOS family great strength across the range, though IBM seems to prefer Unix itself to Xenix

Apple DOS

The eight-bit Apple II machine range uses Apple DOS, which probably has the third largest software base after CP/M and MS-DOS. Prodos is a new, compatible product aimed at system developers rather than end-users.

For. Large software base. DOS itself occupies little memory.

Against. Limited to Apple and look-alikes. Rather crude. Needs improved user interface.

Future. Like CP/M-80, Apple DOS will probably survive better than expected in some form as the OS for cheap eight-bit machines. Apple is planning new eight-bit models for the home and budget business sector, and is not likely to abandon the enormous DOS software base. Tied very closely to the way Apple develops.

CP/M 16-bit

The 16-bit members of the CP/M family preserve a similar user interface to CP/M-80, but with many new facilities. CP/M-86 is straight rewrite for 8088 and 8086 machines; MP/M-86 is multi-user variant. Concurrent CP/M-86 provides multi-tasking for single users, and now has windows. CP/M-68K is for 68000-based machines and aims to compete against Unix.

For. Easy for the CP/M-80 user to get used to. Good range of software. Concurrent CP/M-86 is very powerful.

Against. Bad user interface. Concurrent version requires powerful hardware set-up.

Future. Looking brighter now that Concurrent CP/M has arrived on the scene. Concurrency or multi-tasking lets the machine carry on with one task while continuing another on the screen. As hardware improves and office automation gets under way concurrency is likely to be what computer users will want.

Unix

Multi-user minicomputer operating system now dropping down on to the more powerful micros. Unix supports multi-tasking as well as multiple terminals connected to a single system. It is well established among university and technical users and is beginning to look unstoppable with IBM, MS-DOS creator Microsoft and CP/M creator Digital Research all apparently accepting it as the main multi-user contender.

For. Provides great tools for programmers. Truly multi-tasking. Software is very portable.

Against. Little commercial software. Needs plenty of disc space. Only runs on 68000-based systems at present.

Future. IBM's interest in Unix for the PC coupled to its present strength in academic and technical computing seem to assure it a strong future as improved hardware capable of doing it justice becomes available. Unix may be rather unwieldy for simple end-user tasks, and the real threat to it comes from the more user-friendly integrated systems.

Integrated OSs

The radical philosophy about how computers can be made easy to use was first pioneered by Smalltalk. Distinctions between OS and application program disappear. A consistent multi-tasking environment allows users to control the system, often using a mouse to point to graphics symbols on the screen. Apple's Lisa and Macintosh machines, the ICL Perq and the Gavilan portable all use an integrated OS.

For. Easy to learn to use. No-fuss multitasking. Software is usually integrated. Against. Requires powerful hardware. Can be slow. Software base small.

Future. All the evidence indicates that this is the way things are going. If not in the next two years then in the next five, conventional operating systems will be overtaken in the market-place by integrated OSs — or more likely, they will evolve a similar face to present to the world. Mice and multiple on-screen windows are already being copied, though data integration and true multi-tasking will take longer.

Operating systems

of the operating system is to allow the operator to communicate with the computer. At its very least, the OS has to provide some mechanism for the operator to specify which program is to be run next. This usually means accepting a command from the console, loading the required program into RAM, and passing control to it in an orderly and consistent way.

In fact, most systems provide much more sophisticated methods of running programs. Version 2 of MS-DOS is a good example, with its complex system of operator commands that is almost a programming language in its own right. Even CP/M's humble Submit command lets the operator run a pre-specified sequence of tasks without any manual intervention. Add to this the automatic execution of a command on powering up, and you can arrange things so that the operator never even needs to see the operating system.

The visible, operator-orientated part of the operating system is sometimes called the shell, as distinct from the inner kernel that forms the heart of the system. In CP/M, the shell is called the Console Command Processor, and it is recognised by the familiar prompt, A>. It usually has other responsibilities, like keeping the operator informed about such vital topics as the amount of free space remaining on a disc, and the existence of damaged or suspect blocks of data on the disc.

No agreement

Surprisingly, there seems to be no universal agreement on which functions rightly form part of the OS and which can safely be made the dominion of higher-level software. In CP/M, there is a built-in function called Dir that displays a disc directory, but you need to use a separate program called Stat to find the sizes of each file. Although Stat forms part of CP/M in the sense that it is included in the purchase price, to the operating system it is just another application program.

So which operating system should the prospective purchaser favour? The answer depends largely on who you are. For a programmer, the choice of OS will depend on the services that the system offers in terms of system calls and debugging aids. If you are a system builder, putting together systems for non-technical users, you will need to look at the ease of operation and the degree to which the mechanics of operating can be automated.

For the person who simply wants to use a computer in his or her busines or profession, the choice of OS is mainly academic. What you are really investing your money in is a tool for doing a job, and this invariably means the application software. So your best bet is to concentrate your energies on finding the accounting package, word processor or whatever that best meets your needs, then seeing what operating systems it runs on, and then choosing a hardware configuration for which the operating system is available.






Figure 1. Most computing environments can be considered as a series of layers, with the operating system occupying a position close to the hardware.



Operating systems are getting friendlier. Above: MS-DOS's old-style opening screen. Below: How the new MS-DOS with Windows greets the user; along the bottom are icons representing programs the user can run.



CHOOSING A COMPUTER system has never been easy. First you are faced with a long and detailed search for the best software for your application. Then you have the equally difficult task of selecting the most suitable hardware to run it on. Recently, a third factor has emerged which is often as intractable as the other two: which operating system do you go for?

In the early days of microcomputing the question of which operating system to choose was extremely simple. There weren't any. On Commodore Pets and the earliest Apples, the only way of talking to the hardware was through a Basic interpreter, which usually carried out the minimum functions expected of an OS. Many smaller machines continue to use this approach and are none the worse for it.

As more sophisticated hardware came along, the problem changed. For several years the question was simply whether to use CP/M or the manufacturer's own machine-dependent operating system. I doubt if even Gary Kildall would claim that CP/M was the best OS around, but it did offer the one thing that the market was desperate for: the ability to run the same program on many different computers. For this reason CP/M became the dominating OS, a position which it still holds in the eight-bit world.

Fierce battle

With the arrival of the 16-bit processor, the situation became far more complicated. Today a fierce battle is in progress between CP/M, a clutch of new systems of which the market leader is undoubtedly Microsoft's MS-DOS, and various products like Unix and Pick, which have migrated from minis and mainframes.

If it all seems a bit bewildering, take heart. The articles on the next few pages will help you find your way round the operating-system jungle. Keep firmly in mind that the most suitable OS for you is not necessarily the one that is technically the best. Indeed, most users do not know or care what is going on within the OS, and many live happy and useful lives without ever being aware that it exists.

So what exactly are operating systems, and why do we need them? One function of the OS is to act as a bridge between the application software and the physical computer. If you are writing an accounting system or a database package, you do not want to have to worry about the way the disc directories are organised or which peripherals are attached to which ports. A good operating system will take care of all these details and a hundred others.

Say your accounts program wants to send a message to the printer. The program issues a Print command, or its equivalent in the appropriate language. The language processor, which might be a Basic interpreter or a compiler, converts this command to a set of machine-level instructions, one of which is a call to the operating system. The OS decides which

Bridging the gap

Mike Lewis introduces our special section on operating systems with a discussion on why we need them and how to choose one.

port is assigned to the printer, checks its status, and prepares the message. Finally, the hardware outputs the required bytes to the relevant port.

The operating system is one of several layers of software that make up the total system, as shown in figure 1. Its exact functions vary from one environment to another, but it always forms the lowest layer, just above the hardware.

One of the most important tasks that a good OS performs is the management of discs. The hardware, in this case the disc controller, can do little more than read or write a specified track and sector. But application programmers must concern themselves with logical files, such as a name and address file or a word-processed text file. It is the operating system that forms the link between the user's files and

the physical storage of data on the disc.

To do this, the OS maintains a directory of each disc in the system. At its minimum, this is a list of files containing the file name in a recognisable form and some sort of map of the tracks and sectors that the file occupies. So when the accounts program asks for the fifth record of the ledger file, the OS can tell the hardware exactly where to look for it.

Most operating systems go much further than this with their directory maintenance. Partitioning directories into separate units is a common feature, allowing different users to concentrate on their own little corners of the disc. Another often-seen device is automatic date and time stamping, so that you can always know when your file was last updated.

But perhaps the most obvious function

How to write an operating system

If you are thinking of writing your own operating system, pause before you start. The design work will be difficult, the coding tricky, and the level of detail highly precise. You will need an intimate knowledge of your hardware, and you will be faced with a new set of problems every time you want to move the system to another machine.

If you still want to go ahead, here is a check-list of the jobs that your operating system will need to perform. It is far from complete.

- Provide the means for assigning and reassigning logical I/O devices to physical ports.
- Carry out and monitor I/O.
- Organise the RAM; provide a work area for transient programs and mechanisms for loading programs, chaining between programs and passing parameters.
- Receive commands from the operator; interpret and act on these commands; provide the operator with typing and editing facilities for entering commands.
- Provide some form of batch processing of commands.
- Maintain disc directories; translate requests for logical files and records to physical disc addresses; perform physical reading and writing of the disc; monitor disc errors; format new floppy discs.
- Provide mechanisms for copying, deleting, renaming and dumping of files; report on disc usage and file sizes; handle read-only protection for files and discs, and date and time stamping of directory entries.
- Implement a password protection scheme.
- Provide programming tools and debugging aids, such as program traces and monitors.
- Monitor and process hardware interrupts.

ros should you buy one?

hem.

n floppy disks. The normal 53/4" size an store more than 100K.

If that information was news to ou, you'd probably be interested in ying the Sinclair Spectrum, or the tari 600XL.

Both are ideal starter computers, with 16K memories, and both can be pgraded with add on memory packs and a wide range of hardware. And, nost important of all there's already hasses of software available.

You can plug game cartridges traight into the Spectrum and with he Atari you can start with 'My First Alphabet' and go right through to leach Yourself Conversational French'.

Add on the optional 64 K memory, and you'll have a useful small business computer, complete with software like Atari Writer for word processing. (You will also be able to boast that you built our own Atari 800X).

If you truly have ambitions for our business, there's the Commodore X64 personal computer.

• Circle

It has built-in high resolution monitor and disk drives, which means it's transportable, compact and doesn't have spaghetti problems.

Soit makes your business look smarter before you've even run a financial planning programme.

Acom BBC-B

These are just some of the computers you can have a hands-on experience with at Laskys.

Prices start at £99 and there's interest free credit and a very professional after sales service. (We know what it's like having your whole business depending on the reliability of a computer.)


As you can see, we've done everything to make it easy for you to find your way to a micro that you'll be happy with.

Commodore 64

And if you think trying all the micros in Laskys sounds like a lot of trouble to go to, it's a lot less hassle than trying to make do with the wrong micro.

A word of advice about micros:





licroSign



MicroSight I on the BBC model B includes:-

- A CCTV camera with lens and tripod.
- MicroEye vision interface 256 x 300 resolution with 8 bit video plus all cables.
- Fully documented hardware and software.
- MicroSight software package with area perimeter routines as well as disk and printer dumps.
- Hi Res software package with mode O display, disk and printer dumps and thresholding.
- Package using mode 2 high quality display.

All for £495 + VAT

MicroScale

An image processing package with editing area and perimeter calculations, dimensioning, windowing, £295 + VAT threshold and contrast setting.

MicroEve

Vision interface 256 x 300 resolution 256 grey levels with full documentation and software for BBC Sirius, IBM, Apple, RML, CBM etc. £295 + VAT



MicroScale II

Image analysis for the IBM PC with:-

- Object area measurement (absolute and %)
- Perimeter measurement to user defined scaling
- User definable and standard windows.
- Disk and printer dumps.
- Dimensioning and object counting.
- Fully documented C software.

£1950 + VAT

Also available for Hewlett Packard and Sirius.

For further details contact:-



The image analysis people

Digithurst Ltd. Leaden Hill, Orwell, Royston,

Herts. SG8 5QH

Telephone (0223) 208926

Prentice-Hall International

Computer Bookware and Software displays

to see an extensive range of up-to-date titles at these shops

LONDON AREA

London: Barbican Business Book Centre.

London: Dillons Q.M.C. Bookshop, Queen

London: Dillons University Bookshop, Malet Street.

London: Imperial College Bookshop, Imperial College.

London: Modern Book Co. Ltd, Praed Street.

London: W. & G. Foyle Ltd, Charing Cross Road.

Croydon: Webster's Bookshop, Whitgift Centre.

Uxbridge: Brunel University Bookshop, Brunel University.

Watford: Watford Technical Books,

EAST

Cambridge: W. Heffer Booksellers, St Tibbs Row

MIDLANDS

Bedford: Pemberton Bookseller, Mill Street. Birmingham: Hudsons Bookshop, New Street.

Birmingham: Midland Educational Co. Ltd. Corporation Street.

Cranfield: Cranfield Bookshop, College Road, Wharley End.

Coventry: Hudsons Bookshop, Earl Street.

Coventry: Hudsons Bookshop,

Keele: Students Bookshop, University of Keele.

Leeds: Austicks Bookshop, Cookridge Street.

Leicester: Bowes & Bowes, Horsefair Street.

Leicester: Hudsons Bookshop Ltd, High Street

Leicester: University Bookshop,

University Road.

Loughborough: Hudsons Bookshop, Loughborough College.

Nottingham: Sissons Paperback Bookshop, Milton Street.

Sheffield: Bowes & Bowes, Chapel Walk.

Sheffield: W. Hartley Seed Ltd. West Street Wolverhampton: Hudsons Bookshop Ltd, Victoria Street.

NORTH

Chester: Bookland & Co., Church Street. Liverpool: Bowes & Bowes, Lord Street, Liverpool: Parry Books Ltd, Brownlow Hill. Manchester: Haigh & Hochland Ltd, Oxford Road.

Manchester: Sherratt & Hughes, St Anne Square

Manchester: W. H. Willshaw Ltd, John Dalton Street.

Newcastle-upon-Tyne: Thorns Student Bookshop, Percy Street

Stockport: Sherratt & Hughes, Princes Street.
SOUTH

Abingdon: Dene Bookshop,

East St Helen Street

Brighton: Garlands Bookshop,

Trafalgar Street.

Brighton: Robinsons Bookshop, Bond Stree Crawley: Hooks Bookshops Ltd.

Haslett Avenue

Guildford: University Bookshop, University of Surrey.

Guildford: Webster's Bookshop,

Tungate Square

Kingston-upon-Thames: Botes Bookshop, Eden Street.

Oxford: B. H. Blackwell Ltd, Broad Street

Reading: William Smith Ltd, London Street

Slough: Carter & Wheeler Ltd, High Street. Southampton: Bowes & Bowes, Above Bar

Southampton: Bowes & Bowes

University Bookshop.

Waterlooville: Bay Tree Bookshop,

London Road.

Wokingham: Bates Booksellers,

Peach Street.

WEST

University of Bath: Bowes & Bowes University Bookshop

Bristol: George's Ltd, Park Street

Exeter: George's Bookshop, Sidwell Street.

Exeter: University Bookshop, Stocker Road Plymouth: Bookseller, Drake Circus.

Plymouth: George's of Plymouth, Armada Way.
WALES

Bangor: Bookland & Co., High Street. Nottingham: Dillons University Bookshop Ltd. Cardiff: H. J. Lear Ltd, Royal Arcade. SCOTLAND

Aberdeen: James G. Bissett Ltd.

Edinburgh: Bauermeister Booksellers, George IV Bridge.

Edinburgh: James Thin Ltd. South Bridge.

Edinburgh: Kimptons University Bookshop

Glasgow: John Smith & Son, St Vincent Street



publishers of computing books for over 25 years

Graphics

```
SGN(NX-LX) : REM X FIXED
14020 \text{ Y} = INT((X-LX)*S+LY+.5) : REM Y DERI
VFD
14030 BI = CR*(4^FNBI(X)) : REM BITS TO MO
DIFY
14040 BM = 3*(4^FNBI(X)) : REM BITS TO MAS
14050 P = FNCO(0) : REM THIS LOCATION
14060 IF P > B191 AND P < 16192 THEN POKE
P. (PEEK(P) AND (255-BM)) OR BI
14070 REM WITH THE ABOVE VALUE
14080 NEXT X
14090 RETURN
Listing 5.
Ø REM C64 MULTICOLOUR HIRES, BORIS ALLAN
      Y FIXED
  REM
2 REM
15000 S = 0 : IF LY-NY <> 0 THEN S=(LX-NX)
15010 FOR Y=INT(LY+.5) TO INT(NY+.5) STEP
SGN (NY-LY)
15020 X = INT((Y-LY)*S+LX+.5)
15030 BI = CR*(4^FNBI(X))
15040 BM = 3*(4^FNBI(X))
15050 P = FNCO(0)
15060 IF P > 8191 AND P < 16192 THEN POKE
P, (PEEK(P) AND (255-BM)) OR BI
15080 NEXT
15090 RETURN
```

normally used to store the video number of a character at that corresponding location on the screen. The eight bits at each location in screen memory can store 256 different values, and because there are only 16 different colour values you can store two different sets of colours. Each set takes up four bits.

The fourth colour is stored at the location in colour memory which corresponds to the character block in which the pixel bits are set. Only the lower four bits of colour memory are used. The background colour used is the same throughout the screen, but the foreground colours can vary inexplicably from one character block to another.

-		
	.	
	.	**
	ŧ	
	·*····	
		**
	+	,**
	ŧ	ŧŧ
	ŧ	
	Figure 1.	Figure 2.
1	A dot signifies 0,	and an asterisk

The multi-colour high-resolution system is initialised by use of the subroutine at line 10000. It is worth comparing this to the earlier subroutine 10000 for two-colour high-resolution graphics which appeared in last month's article.

To start subroutine 10000 you clear the screen by typing

PRINT CHR\$(147)

You then blank the screen by Poking into location 53265 which is used again to switch to bit-map mode. At the same time you direct the Vic-II chip to look at 8192 onwards by Poking into 53272 or line 10040.

Compared to the two-colour graphics, there is an important new Poke at line 10050, where you set bit 4 of location 53270 to be on by

POKE 53270, PEEK(53270) OR 16

This switches into multi-colour bit-map mode. Switching that bit on and off whilst set up for multi-colour can give some amusing effects. You clear the same patch of memory by Poking 0 into every location, which will set all bits to zero and all pixels to the background colour.

When the bit-map memory has been cleared, you initialise colours 01, 10, and 11. The colour corresponding to the bit pattern 01 is given by the upper four bits of the corresponding location in screen memory and the colour corresponding to the bit pattern 10 is given by the lower four bits of the same location in screen memory. You Poke the value 65 at line 10100 into the screen memory locations. In binary form the value 65 is 00100001, and when divided into two nybbles of four bits each this gives 0010 0001. These are the numbers 2 and 1.

Colour 1 is Red and has a colour code of

2 or 0010. Colour 2 is white and has a colour code of 1 or 0001. Thus pixels can be red or white when active, plus one other colour. The other colour is that given by colour memory. The colour set by colour memory — line 10110 — is 6, which corresponds to the colour code for blue. So the foreground pixels can be red, white or blue. The background on which the colours are drawn is that given by the Poke to location 53281 in line 10130. This Poke sets the background colour to yellow, which corresponds to a colour code of 7.

Finally, you switch on the screen to start work on the drawing of lines. To draw a line you make the call Gosub 12000, as with the two-colour system.

The functions are collected in subroutine 11000, and the only one to differ is FNBI(Z). As you are dealing with pairs of bits at a time such as 0,1; 2,3; 4,5; and 6,7 you do not want to change an individual bit. You do not alter the scaling of the X and Y axes and so all other functions are still operative. FNBI(Z) takes the bit position, divides it by 2 and strips off the fraction. FNBI now locates a bit pair from 0 to 3 rather an individual bit.

The routine at 14000 draws a straight line. You take the X axis as fixed and derive Y values from there. This is the same as the equivalent two-colour high-resolution routine, until line 14030 is reached, where it becomes apparent that you are not merely switching individual bytes.

For example, the bit pattern 00110001 is made up of four bit pairs. Bit pair 3 is 00, bit pair 2 is 11, bit pair 1 is 00, and bit pair 0 is 01. Suppose you want to change bit pair 0 by overwriting it with 10. If you Or with 2 or binary 00000010, then you produce a bit pattern 00110011. You do not produce 00110010, which is the desired effect. What happens is that 01 Or 10 is 11. To change the bits to the pattern you wish — 10 — you have to 01 And 00 Or 10 which is then 10.

So first And some zeros into the correct bit pair. You do this by using a bit mask, called BM. It is set equal to the value corresponding to a binary number with two bits each equal to 1, at the correct bit-pair position. For example, if you consider the third bit pair, bits 4 and 5 or binary 00110000, this is equal to 48 or 3*4^2.

The binary number you want to use to And is 11001111 or 207. This you find by subtracting 48 from 255. You set the binary number within the pair by

CR * 2 FNBI(X)

where CR is the colour code to be used — the binary number is called BI.

The next major difference from the twocolour version occurs at line 14060. The value Poked is more complex in appearance because the value has to be first masked to zero. Apart from that there is little difference.

The multi-colour system is easy to use, as long as values are supplied for LX,LY and NX,NY, and a current value for CR from 1 to 3. There is no reason why, given patience as it is so slow, complex effects cannot be produced.

signifies 1.

More colours on the 64

In the second part of his series on the Commodore 64, Boris Allan explains how to draw multi-colour graphics.

LAST MONTH'S article explained how to produce two-colour high-resolution graphics on the Commodore 64. The next step is to extend the coverage to more than two colours. The Commodore 64 makes provision for three colours per character block, plus the background colour.

Before you can start to use any form of high-resolution graphics, you have to move the base of Basic above the portion of memory used for the bit map. You move the base by

POKE 44,46 : POKE 16384,0 : NEW

In high-resolution graphics you are concerned with bits in an eight-by-eight block where there are 1,000 such blocks When you use high-resolution graphics, you are working towards the type of situation as shown in figure 1, which is what a straight line under magnification might look like drawn on the screen. Each bit or pixel within the character block can either be equal to 0 or 1. Two colours may be used, depending upon the value of the bit. The two colours for the block are set by screen memory for the corresponding character in low-resolution graphics.

Multi-colour mode is set by forcing bit 4 at location 53270 to a 1, which is Or 16. In this mode a straight line through the eight-by-eight block would look like figure 2. Now the resolution is halved and the line is two pixels or two bits wide. Since the resolution is less, the lines drawn are cruder approximations to straight lines.

As the number of bits per pixel has doubled, the number of colours the system can cope with is now four. Whereas previously you had two possible values, 0 and 1, you now have four possible values, and each value takes its colour cue from a different place. Table 1 gives the possible bit patterns and their corresponding colour cues. The background colour #0 is set by using location 53281. Location 53281 is normally used to set the colour of the background.

Screen memory is that portion of memory from 1024 to 1023 which is

- 00 background colour #0
- 01 upper four bits of screen memory
- 10 lower four bits of screen memory
- 11 lower four bits of colour memory

Table 1. Bit patterns and colour cues.

```
Listina 1.
Ø REM C64 MULTICOLOUR HIRES, BORIS ALLAN
  REM INITIALIZE
2 REM
10000 PRINT CHR$(147) : REM CLEAR SCREEN
10010 GOSUB 11000 : REM ACTIVATE FUNCTION
10020 POKE 53265, PEEK (53265) AND 239 : R
EM BLANK SCREEN
10030 POKE 53265, PEEK (53265) OR 32 : REM
BIT MAP MODE
10040 POKE 53272, (PEEK(53272) AND 240) OR 8: REM LOCATE CHARACTER MEMORY
10050 POKE 53270, PEEK (53270) OR 16 : REM
TURN ON MULTICOLOUR MODE
10060 FOR I=8192 TO 16192
10070 POKE I,0: REM CLEAR THIS PATCH OF
MEMORY
10080 NEXT I
10090 FOR I=1024 TO 2023
10100 POKE I,65 : REM COLOUR 1 IS RED, CO
LOUR 2 IS WHITE
10110 POKE 54272+I, 6 : REM COLOUR 3 IS B
LUE
10120 NEXT I
10130 POKE 53281, 7 : REM BACKGROUND IS Y
ELLOW
10140 POKE 53265, PEEK (53265) OR 16 : REM
 SCREEN BACK ON
10150 RETURN
```

Listing 2.

Ø REM C64 MULTICOLOUR HIRES, BORIS ALLAN

1 REM FUNCTIONS

2 REM

11000 DEF FNCO(Z) = 8192 + 320*FNCH(Y) + 8

*FNCH(X) + Y - 8*FNCH(Y) : REM LOCATION

11010 DEF FNCH(Z) = INT(Z/8)

11020 DEF FNBI(Z) = INT((7 + FNCH(Z)*8 - Z)/2) : REM BIT PAIR

12030 RETURN

Listing 3.

Ø REM C64 MULTICOLOUR HIRES, BORIS ALLAN

1 REM LINE CHOICE

2 REM

12000 IF ABS(LX-NX) >= ABS(LY-NY) THEN GOS

UB 14000 : REM X FIXED

12010 IF ABS(LX-NX) < ABS(LY-NY) THEN GOSU

B 15000 : REM Y FIXED

12020 RETURN

Listing 4.

Ø REM C64 MULTICOLOUR HIRES, BORIS ALLAN

1 REM X FIXED

2 REM

14000 S = Ø: IF LX-NX <> Ø THEN S=(LY-NY)

/(LX-NX): REM GRADIENT

14010 FOR X=INT(LX+.5) TO INT(NX+.5) STEP

(continued opposite)

SELECTION FROM OUR PRODUCT RANGE

Supersolt SIC INTERPRETER Microsoft SIC COMPILER VS.3 Microsoft SINCE COMPILER WISCOMPILER Microsoft OMPILER Microsoft OMPILER Supersolt SISIC OMPILER Oligital Research SISIC OMPILER Oligital Research USIC COMPILER Oligital Research USIC COMPILER Supersolt SIC OMPILER Supersolt THE			
	E GES OF		
SIC COMPILER SIC COMPILER V5.3 SINESS BASIC COMPILER OMPILER OMPILER ISIC SIC COMPILER	Microsoft Supersoft Microsoft Microsoft Microsoff Supersoft Oigital Research Oigital Research	•	•
IOL COMPILER	Microsoft	•	•
TRAN COMPILER	Supersoft Microsoft		
JISP MATH/muSIMP	Supersoft Microsoft Microsoft		
SCAL COMPILER	Microsoft Olgital Research	 •	•

Digital Research

Olgital Research

Micro Focus

Micrology

Micro Focus

Phoenix Software Digital Research

Phoenix Software

Phnenix Software Phoenix Software Phoenix Software

Oightal Research Oightal Research

Oigital Research Oigital Research

Keele Codes Digital Research

Supersoft

Supersoft

Slogger Software Supersoft

Slogger Software

Slogger Software

Slogger Sottware Slogger Software

Silicon Valley Corp

Decision Systems

Fox & Geller

Micro Focus

Supersoft

Supersoft Supersoft

Microsoft Micropro

Stemmos

elecommunications/Conversions

Comley Byrom Software Byrom Software

Micro Focus

Fox & Geller

Softwright
O.J. 'Al' Systems
O.J. 'Al' Systems

Microsoft

rogram Development Tools

ow Level Languages

GRAMMERS UTILS [RASM]

FO PROGRAMMING PACKAGE

KTOOLS-1 | DISKMAN & DISKORG| KTOOLS-2 | DISKTDOLS-1 & DISKED-2|

Code Generators

tilities/System Tools

MATOR

VELOP

NK NK II NK 86

п

GNOSTICS II K DOCTOR

TIL (FOR OBASE-II)

RAINBOW SERVICE S/W:

I) Format/Verity Service

2) Autorun Service 3) Function Key Service ERVICE S/W VOL. 1 (1, 2 & 3)

STEM CHECKER E OPERATING GUIDE

ILITIES I

orting

SORT JPERSORT 2

JTOCODE

JICKCOOE

CSCOPY TAM TMS

URCEWRITER

HE LAST ONE-COMPACT

IE LAST ONE

IRMS-2

KEO-2 K-EOIT KMAN

KORG

PLAY MANAGER


EL II ANIMATOR

. .

Telecommunications Cont

ICL CO3 EMULATION (Bulk)
ICL CO3 EMULATION (Interactive)
ICL CO3 EMULATION (Interactive & Bulk)
REFORMATTER CP/M ↔ OEC

Synchro Systems Synchro Systems Synchro Systems Microtech Exports Microtech Exports



Word Processing/Text Editing/Editors

CORRECTOR	Supersoft	1.01		
EOIT-80 V2.02	Microsoft			
MAILMERGE	Micropro			
MEMOPLAN	Chang Labs			
WORD	Microsoft		•	
WORD WITH MOUSE	Microsoft			
PARAGRAB	Focus			•
PEOIT				1 1
PMATE	Phoenix	•		
	Phoenix	•		
SPELLSTAR	Micropro	•		•
STARBURST	Micropro			•
STARINGEX	Micropro	•		•
WORDMASTER	Micropro	•		
WOROSTAR	Micropro			•
WORDSTAR PROFESSIONAL				
(WS - MM - SS - STAR INDEX)	Micropro	•	• •	•

Databases/Data Management Systems

OATASTAR FRIDAY dBASE-II INFOSTAR	Micropro Ashton Tate Ashton Tate Micropro			• • • •	
REPORTSTAR	Micropro	•	•	•	

Financial Accounting

INCOMPLETE RECORDS SYSTEM	MPI		•	
NOMINAL LEOGER	Padmede			
OPEN ITEM PURCHASE LEOGER	Padmede		•	
OPEN ITEM SALES LEDGER	Padmede		•	
PADMEDE BUSINESS CONTROL SYSTEM	Padmede			
PAYROLL	MPI			
PURCHASE LEDGER	Padmede	•		
SALES INVOICING	Padmede	•	•	
SALES LEOGER	Padmede		•	
TIME & COST RECORDING	Padmede		•	

Financial Modelling/Problem Solving

CALCSTAR	Micropro	•	•	•	l
DECISION ANALYST	Executive Software				l
LINEAR & GOAL PROGRAMMING	EAS				
MATHSPACK	MPI		•		ı
MICROPLAN	Chang Labs			•	l
MULTIPLAN	Microsoft				l
PLANTRAC 1	Computerline		•	•	
PLANTRAC 1+	Computerline		•		
PROFIT PLAN	Chang Labs		•	•	l
OSTAT	Pivotal Soltware				
STATSPACK	MPI		•	•	ı
TK! SOLVER	Software Arts	- 1			ı
TK! SOLVER PACKS	001111011111				ı
FINANCIAL MANAGEMENT		3			
MECH ENGINEERING					

Business Applications

Dusiliess App	lications					
JOB COSTING	Heseltine	•			•	
POLICY MASTER		•	•	•	•	
PRINT ESTIMATION	Software Mgmt Systems					
STOCK CONTROL	Padmede	:			•	
	Tudinoge		1			
Training Aids						
CP/M TUTOR	Syntax Software	•				
KEYBOARO MASTER	Anthony Ashpitel	•	•		•	
TYPING MASTER	Anthony Ashpitel	•			•	
Graphics						

Fox & Geller

HGRAPH

...

.

.

. .

> . .

> > STATSGRAPH *Retailer and OEM Terms Available



An overlay linkage editor that can bind together individually compiled modules of a programme into one or more files, that may be loaded and executed by the operating system.

- *An interactive or batch-link leader
- ** Works on CP/M-86, PC-DOS and MS-DOS, and fully supports the MS-DOS2 Directory Tree Structure.
- * Is a true 16-bit overlay linker.
- * Can create MS-DOS programmes under CP/M86 and then pull these programmes across.
- * Under MS-DOS, Plink-86 can be used with the following languages

MICROSOFT LATTICE C FORTRAN PASCAL BASIC COBOL ASSEMBLER


- *Under CP/M86, Plink-86 can be used with LATTICE C.
- *Input to Plink-86 can be free-format and multi-line.

ORDER INFORMATION

When ordering suftware please specify the format you require. All software items are subject to VAT. Manuals, when purchased separately, are not subject to VAT. Please add £3.75 (plus VAT) for postage and packing for the tirst item purchased, and then £2.00 for each extra item. For overseas please add £6.50 for the first item and then £2.15 for each extra item required. Most software in this advertisement is available from stock. These details are current as of January 1984 (Telephone at time of purchase to confirm latest prices.) All payments must be in Sterling and drawn against a U.K bank. Prices may change without notice due to fluctuations in the dollar exchange rate. Please confirm price at time of ordering.







MICROCOMPUTER **PRODUCTS** INTERNATIONAL LIMITED

THE HOME OF MICROCOMPUTER SOFTWARE

Room PL3 Central House. Cambridge Road, Barking. Essex IG11 8NT.

•

Tel: 01-591 6511 Telex: 892395

ECT DISK SUP

OUR NAME SPEAKS FOR ITSELF

BARGAIN BOX — BASF DISKS

Single density SSSD £10.99 per 10. £99.99 per 100 Double density SSDD £12.99 per 10. £119.99 per 100

Apricot Disks — Sony 3.5" Are you paying too much???

Our price only £37.99 per 10 £69.99 per 20 £299.99 per 100

p&p as per price matrix

Easy pricing. Use the DDS price matrix for the right price first time. Or DIAL-A-DISK, for firm quoted prices.

		3M			erbati		ma	ixel	
5.25' single sided disks	Code	1-9	10+	Code	1-9	10+	Code	1-9	10+
double density 48tpi	744	14.99	13.99	525	17.99	15.99	MD1-D	22.99	20.99
quad density 96tpi	746	22.99	20.99	577	24.99	22.99	MD1-DD	13.99	28.99
5.25' double sided disks									
double density 48tpi	745	21.99	19.99	550	25.99	23.99	MD2-D	30.99	28.99
quad density 96tpi	747	26.99	24.99	557	32.99	30.99	MD2-DD	41.99	39.99
p&p per 10 disks		.75	foc		.75	foc		.75	foc
See-10 library box	1.99	1.75						A. C.	

p&p per See-10 .75 .30 ABA lockable boxes 13.99 12.99 M35-40 disks M85-80 disks 16.99 15.99 p&p per ABA box 1.75

Prices per box of 10 disks excluding VAT Next day delivery Under 100 disks £7.50, over 100 foc

Same day delivery by quotation.





Hard sector formats available Exstock.

Price as per soft sector equivalent (EG. Verbatim. 52510 see 525.01 price 17.99 per 10)

8" Disks Single Density, Double Density, or Double Sided -

phone for best prices.

(Carriage at cost on 3-9)



How to order:

Postcode

1. Complete the coupon below and post with your cheque, using our FREEPOST address. A first class stamp gets it there the next day.

2. Urgent Orders: DIAL-A-DISK 01-541 1144. Dictate your order, with ACCESS or VISA, and they're as good as received.

3. Collect from our offices, phone and they will be waiting for you between 10.00 and

17.00 weekdays. (Other times by arrangement)

4. Crucial Orders: Same day delivery by arrangement.

5. Official Orders: Orders from Government departments, Local Authorities Universities, Schools etc. are very welcome and receive immediate attention. Telex orders to 932905 (Larch G) attention LAN.

All offers and prices subject to change without notice.

o:	Direct Disk	Supplies Ltd	., FREEPOST	, 29 Dagmar	Road, Kings	ton, Surrey I	CT2 6BR.

Qty	Description	Price
	Qty	Qty Description

Name	Nett price
Address	Carriage
	Subtotal VAT 15%

Tel Total payable to DDS Cheques payable to DDS. Debit my Access/Barclaycard No:

• Circle No. 164 Signature:







"No Compromise" – with the Sprint 12/20 letter Quality Printe from the World's leaders in word-processing printers

> A good speed for business and professional use,

Engineered by Qume for superb print quality and reliability for years of every day use

- and the price is right

Other important features -

- 1. Interface compatibility with most popular desktop computers i.e. Serial, Centronics Parallel or Qume Sprint 3
- 2. Compact design user friendly

- 3. The widest range of easily interchangeable typefaces in the industry
- 4. Uses Qume standard Printwheels and Ribbons the most accessible range available

Accessories include –

Optional Forms Tractor and Letter Guide

Backed by Qume's proven **World-Wide Sales and Service** organisation

Qume (UK) Limited,

Bridgewater Close, Reading, Berkshire RG3 1JT. Tel: Reading (0734) 584646. Telex: 849706

A British Company of ITT

Qume.

Distributor Network UK and Ireland

P = Printers.

V = Video Terminals.

M = Disk Drives.

PV Access Data Communications 1.td Uxbridge, Middlesex UB8 2RT, Tel: 0895 59781

PV Alphatech Computer Systems Ltd Bourne End, Buckinghamshire SL8 5SP, Tel: 06285 28237

PV Bytech Ltd Reading, Berkshire RG6 IAZ. Tel: 0734 61031

PV Daisy Terminals Ltd Haywards Heath, West Sussex, RH16 IUA. Tel: 0444 457546

PV Datac Ltd Altrincham, Cheshire, WA14 5 TN, Tel: 061 941 2361

M Euro Electronics Ltd London NWI IYE, Tel: 01-267 5416

P Facit Data Products Rochester, Kent, MEI 3QN, Tel: 0634 401721

PV ISG Data Sales Ltd Reading, Berkshire, RG7 IAW. Tel: 0734 884666

V Northamber Ltd Mill Road, Esher, Surrey KT 10 9QA. Tel: 0372 68311

PV Peritronic Ltd Livingston, Scotland, Tel: 0279 20411

PV Recall Information Systems Ltd., Dublin-18, Ireland. Tel: Dublin 887361

V R.T.S. Technology Ltd. London NW1 0BY. Tel: 01-267 7541

PV Teleprinter Equipment Ltd Tring, Hertfordshire, HP23 6AJ. Tel: 044282 4011

Printwheels and Ribbons

ISA Ltd (Master Distributor) Bradford, Yorks. Tel: 0274 306787 & 01-992 3411

Facit Data Products Rochester, Kent. Tel: 0634 401721

Willis Computer Supplies Ltd Bishop's Stortford, Herts. CN23 3DN. Tel: 0279 506491

Stylographic Services Ltd Herts WD7 7NN. Tel: 09276 4585

Desco Carbon & Ribbon Supplies Ltd Glasgow, G62 7SS, Tel: 041 956 1134

Willis Computer Supplies (Ireland) Ltd Co. Dublin, Ireland. Tel: 0001 801470

Qume (UK) Limited,

Bridgewater Close, Reading, Berkshire RG3 1JI Tel: Reading (0734) 584646. Telex: 849706 A British Company of ITT

• Circle No. 165

Book reviews

Native wit

John Cookson looks at three books on advanced programming.

A COMMON complain against computer science graduates is that they enter the computer industry like missionaries going into a land of primitive tribesmen. They often find practices current which are at variance with their training and frequently make this clear to the natives. Not suprisingly the natives resent it.

Gary D Brown's book *Beyond Cobol* aims to provide a bridge between what the student has learned at college or university and what happens in commercial data processing. It gives novice business programmers in Cobol an introduction to techniques they will probably be using in the early stages of their career. A particular merit of the book is that it makes clear that business applications can be challenging and difficult.

You are taken through the basics of collecting data, validation, updating, handling files, tables, sorting and merging, databases, producing reports, documentation and maintenance programming. But in a short book like this there are obviously going to be weak areas, notably the discussions of on-line systems and databases which are too shallow to be really useful.

There are few texts on programming languages as useful, well written and clear as Martin Richards and Colin Whitby Stevens' BCPL — The Language and its Compiler. BCPL is a simple but effective systems programming language which is now enjoying an increased popularity as microcomputer implementations are appearing.

The basic features of the language are covered quickly and concisely. Throughout the book the authors present sensible approaches to developing good programming style in BCPL. The library, language extensions and considerations of machine independence are dealt with in sufficient depth with some useful guidelines to BCPL style for portability. Especially welcome are the explanations of programming holes into which programmers experienced in other languages might fall.

While small examples may be appropriate to novices interested in learning the syntax of a language, for systems

programmers a more substantial example is more useful. In this case the authors have included a complete listing of the lexical and syntax analysis phases of the BCPL compiler. This is given with a helpful—and essential—commentary on the code.

Although the code is clear with the aid of the commentary the standard of internal documentation is lamentable. Again this is unlikely to worry systems programmers.

The book is an excellent text for experienced programmers. The section on the BCPL compiler is of interest to anyone involved with compiler construction, particularly as supporting material for a course on compiler writing.

Of the new generation of 16-bit micros, the Motorola 68000 is perhaps the most interesting and it is covered in Leo J Scanlon's *The 68000: Principles and Programming.* Several aspects are particularly significant, notably its 32-bit internal architecture, enormous address range, many addressing modes and number-crunching potential. Unlike earlier 16-bit machines a strong aspect of the Motorola is a collection of features to provide support for high-level languages and multi-tasking and multi-programming.

Unfortunately, Scanlon's book does not deal with this last aspect in the same depth as the others. It is aimed more at the practical engineer who may have used eight-bit or four-bit microprocessors rather than the software enthusiast who may be interested in developing products at a higher level.

Scanlon discusses the architecture, instruction set, cross-macro assembler, processing states, interfacing and system-development support. In addition a number of programming examples are given of mathematical routines and the use of lists and look-up tables. But the latter does not integrate well with the rest of the book and the author seems more at home with the hardware than the software.

The quality of the discussion is generally very good. Comprehensive references are given at the end of each chapter, and give you a good introduction to the literature. Overall, the book is well worth buying for anyone seriously interested in 16-bit microprocessors.

Beyond Cobol by Gary D Brown. Published by Wiley Interscience, 200 pages, £12.25 hardback, £8.25 paperback

BCPL — The Language and its Compiler by Martin Richards and Colin Whitby Stevens. Published by Cambridge University Press, 173 pages, £4.95

The 68000: Principles and Programming by Leo J Scanlon. Published by Blacksburg Continuing Education Series, Howard W Sams Inc.

SYMBIOTIC COMPUTER SYSTEMS LIMITED



SYMBFILE 54" WINCHESTER SUB SYSTEM


The SYMBFILE hard disk subsystem is a complete add-on mass storage system for the Apple II, II+, IIE, or III microcomputers and is at present being developed for the SIRIUS, IBM PC and the BBC micro. It is compatible with the majority of hardware products currently available for the Apple, including the 16K Language card and all 80-column cards. SYMBFILES are available in sizes from 5-21 megabytes.

Full DOS, Pascal, and CP/M support allows any standard application software, including database, word processing, and accounting packages to be used.



SYMBSTORE TAPE STREAMING BACK UP

SYMBSTORE is the perfect complement to SYMBFILE giving a high speed, tot reliable back up system. SYMBSTORE will copy the entire contents of a SYMBF to a C60 type digital cassette. SYMBSTORE'S unique multiple buffer verificat ensures the perfect transfer of data. Software to individually back up volumes files under present operating systems will soon be available on request.



SYMBNET LOCAL AREA NETWORK

SYMBNET is a "tree and branch" network system using fibre optic cable to allow several microcomputers to share a common SYMBFILE. SYMBNET is the fastest long range local area network for microcomputers, and can cover a range of 7-9 Kilometres, fibre optics means that SYMBNET is more cost effective; it uses a high intensity semi-conductor laser to transmit data and cables can be laid at the shortest route, whereas other networking systems use flat ribbon or coaxial cable which is sensitive to electrical noise from fluorescent lights, photocopiers, etc. SYMBNET is compatible with DOS, Pascal, SOS, and CP/M running on any microcomputer supported by the SYMBFILE in concurrent operation.



SYMBPLEXER NETWORK CONTROLLER

The SYMBPLEXER is a network controller which complements SYMBNET SYMBPLEXER is connected directly to the SYMBFILE and performs all read-way operations to and from the hard disk. SYMBPLEXER does away with the need to central machine thus releasing another terminal to run any application you way being a dedicated device the read-write operations are performed very efficient the support software allows SYMBPLEXER to designate pass codes for each user at to decide which user may access which applications. If you are currently us SYMBNET, accessing your SYMBFILE via a central machine, the addition of SYMBPLEXER will in no way change the operational capabilities of the network

For more details of all SYMBIOTIC products contact

ENGLAND

SYMBIOTIC COMPUTER-SYSTEMS LTD
DUROMA HOUSE
32 ELMWOOD ROAD, CROYDON
SURREY CR9 2TX
\$\infty\$ 1137 PBX

BENELUX

SYMBIOTIC COMPUTER SYSTEMS
(BENELUX)
KEIZERSGRACHT-26-5611 GDEINDHOVEN-NEDERLAND
28-140-456055-

FRANCE

SYMBIOTIC COMPUTER SYSTEMS S.A.R.L. 87 RUE LEMERCIER 75017-PARIS-FRANCE 20 (1) 228-14-18+

NORWAY

SYMBIOTIC COMPUTER SYSTEMS A/S
POSTBOKS 162-OKERNVFIENOSI O 5-NORWAY
\$\alpha\$ (47) 2 64 55 77

USA

SYMBIOTIC COMPUTER SYSTEMS
PO BOX 1431
FAIRFIELD CT 0r430
2 (203) 374 5910

The SYMBIOTIC GROUP OF COMPANIES

SYMBIOTIC COMPUTER SYSTEMS LTD - SYMBIOTIC EDUCATIONAL SYSTEMS LTD SYMBIOTIC COMPUTER SYSTEMS LTD - SYMBIOTIC COMPUTER SYSTEMS INC - SYMBIOTIC COMPUTER SYSTEMS A/S
SYMBIOTIC COMPUTER SYSTEMS (BENELUX) - SYMBIOTIC COMPUTER SYSTEMS A/S

• Circle No. 264

DOPEN FILE

PRACTICAL COMPUTING

APRIL 1984

Open File monitors

A 1	
Apple	John Harris
Atari	
BBCNichol	as McCutcheon
Commodore	Mike Todd
Dragon	Ian Stobie
Epson HX-20	
IBM PC	Jack Schofield
Newbrain	
Tandy	
Research Machine	
Sharp	
Sinclair	John Wellsman

Open File is the part of the magazine written by the readers of *Practical Computing*. All aspects of microcomputing are covered, from games to serious business software and utilities. Fully-debugged programs can be submitted for any micro, and for standard CP/M machines such as the Osborne and Superbrain. Programs can be in machine code or any language, including Forth and Pascal.

Submissions should include a brief description which explains what your program does, and how it does it. If possible it should be typed, with lines double-spaced. We need a printed program listing. Hand-written listings cannot be accepted. A tape or disc of the program helps if it is in a standard format.

a standard format.
When printing lis

When printing listings, please remember to use a new ribbon or double-intensity printing — faint listings reproduce badly. Use plain paper only, and try to list the program across either a 35-character or a 70-character width. Also, make sure all special graphics or inverse-video characters are either listed correctly or else include Rem statements to explain them fully.

Each program listing, tape or disc must have your name and address on it, or we cannot promise its safe return. A stamped addressed envelope is appreciated.

If you write in with a comment, correction or enquiry please remember to state the machine and the program title.

We pay at least £10 for any programs used, or £35 per page and pro rata for part pages.

>COMMODORE

148 DIRECTORY SORTER Finding programs on discs containing large numbers of files can often be difficult, but Laurie Faulkener's program helps by sorting the directory into alphabetical order.

148 VIC PATTERN MAKER

An unusual drawing program for the unexpanded Vic-20, written by B M Phillips.

SHARP

152 FOOD VALUES
Weight watchers and dieticians will be interested in Dr
Frank Rooney's Basic program, which gives you the energy values — in calories or kilojoules — for any quantity of up to 255 different foodstuffs.

152 PRINT/P Printing draft-format programs can waste a great deal of paper, so J S Levett has devised this routine for the MZ-80K which lets you direct material to the screen first, so that revisions can be made before printing.

153 SCREEN DUMP
Not entirely unrelated
is M D deBokx's program, also for
the MZ-80K, with which you can
dump any screen display straight to
the printer.

153 HIDDEN LINES
A correction to the routine to reveal hidden program lines, which appeared in the February Sharp Open File.

153 SUBROUTINE CALLS
Sharp Basic does not
normally permit subroutine calls to
be made to a calculated variable, but
with the help of this short routine it
will.

>SINCLAIR

155 WHITE NOISE
You can enhance the
Spectrum's meagre sound-producing
capabilities with this routine by
Duncan Stokes.

155 MAZOR A bright version of the popular maze game written in Basic by R D Lancaster.

>BBC

160 DISASSEMBLER Make sense of your machine-code programs with this full-scale disassembler, which has itself been written in machine code by C Dunne.

161 CASSETE BOX INSERTS

With this program from Ian Masters you can print labels for audio cassettes and computer tapes.

>TANDY

163 GRAPHING Any mathematical function will be represented on the screen in graphical form by this Basic program from Jason Smith.

164 REINFORCE
A neatly programmed
Basic game is provided by Stephen
Daniels.

>ATARI

167 KEYBOARD SUPPRESS How to stop people tinkering with your keyboard and playing havoc with your programs.

167 BLINKING ATARI Blinking characters are not provided as standard on Atari micros, but if you need them Nick Pearce has the program which provides them.

Send your contribution to:

Open File, Practical Computing, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS

space bar.

over the required shape or colour in the To change its shape or colour you place it the fire button or space bar. deposited in the drawing area by pressing joystick or the keyboard and its shape is cursor. This cursor can be moved using the main drawing area is set up with a flashing during the changing colour sequence — the peen sejected - py pressing the space bar Once the border and screen colours have

border and press the fire button or the

program for the unexpanded Vic-20. B M Phillips has submitted a drawing

pattern maker

60 PRINT"[RIGHT]SPACE"BAR"OR"FIRE"" RSOR~AND~THE~"

~M~OK~THE~JOYSTICK~TO~MOVE~~THE~CU SØ PRINT"[DOWN, RIGHT] USE~KEYS~I~J~L~&

~SHAPES~PROVIDED."

40 PRINT"[RIGHT]PATTERNS~USING~THE~~~ E~YOUR~~~~OWN~PICTURES~OR~" THIS~PROGRAM~ALLOWS~~~YOU~TO~CREAT

SØ PRINT"[DOWNZ, RIGHT, BLUE] "ATTERN~MAKER"

20 PRINT"[CLÉAR, DOWN, RIGHT4, RED]

TO HOME 26869, 242

Pattern maker.

```
SZØ PRINT"[RVS]"EN,EM$,ET$,ES$:STOP
               SZØ IF EN=Ø THEN RETURN
           DIO INPUTHIS, EN, EM#, ET#, ES#
                            NAUTAA:
    $DØ PRINT"[DOWN3]~~~~~ERUS]"T#
             DØ: RETURN
                         490 DIRECTORY
                           : EDOMN3 ..
   480 PRINT"[CLEAR]"""DISK"
                             470 RETURN
   460 GET A$: IF A$
     RETURNIRVOFF]~WHEN~READY~**"
 450 PRINT"[DOWN2]~~~~***PRESS~[RVS]
44Ø CLOSE 2:F$="SORTED":GOSUB 48Ø:END
      IF T=18 THEN V=V+1:60T0 380
                         @IS Ensos:
 420 NEXT: PRINT#15, "U2"; 2; 0; 18; 5(V-1)
          410 IF JC>8 THEN PRINT#Z,C#;
400 FOR J=1 TO 8:PRINT#2,A$(K);:K=K+1
      260 PRINT#2, CHR$(T); CHR$(S(V));
   280 IF S(V)=0 OR S(V)=255 THEN T=0
     SZØ PRINT#15,"B-P";Z,Ø:GOSUB 510
          :0020B 200:K=1:A=1:1=18
      NEX1: 1 $= "WRITING"FILENAMES"
                   (B)=N$:60T0 36Ø
220 IF LEFT#(A$(R),66)="ZZZZZZ"=(A)#FI
                :NEXT:FOR R=1 TO K
 240 H=E:NEXI:NEXI:W=INI(M\Z):H=(M>0)
                     H=러 : $Z=(기) $∀ :
     (T) = \forall \exists (H) \Rightarrow \forall \exists (H) \Rightarrow \forall \exists (T)
IF RIGHT*(A*(H), 27)>RIGHT*(A*(L),
                                     022
                       -W:L=H+M:P=0
FOR J=1 TO K-M:FOR H=J TO @ STEP
```

320 M=INT(K/2):FOR A=-1 TO Ø STEP Ø

170 and 360.

300 NEXT: IF TY0 60TO 210 K)="ZZZZZZ"+RIGHT\$(A\$(K), Z4) IF LEFT*(A*(K),1)=CHR*(Ø)THEN A*(IF J<>B THEN GET#Z,X≰:GET#Z,X≰ 082 SNO 日本(K)=日本(K)+B本:NEX上 SPO CELHS'B#: IE B#=""THEN B#=CHR#(0) : FOR I=1 TO 30 EOK 1=1 10 8:K=K+1:∀*(K)=nn (本S) コSV=(A) S:(本上) コSV=上: T+A=A ØtZ CET#Z,S≢:IF S≢=""THEN S≰=CHR\$(Ø) 022 GET#2, T4: IF T4=""THEN T4=CHR4(0) SIØ PRINT#15,"U1";Z;Ø;T;S(V):GOSUB 510 Z00 OFEN 2,8,2,"#":GOSUB 510 190 OPEN 15,8,15,"IO": GOSUB 510 180 N#=C#+C#+C#+C#+C#+C#+C#+C# (□) +CHE(□) 81=1:1=(0)S:(0Z)S'(0SI) \$\ WIG 0LI WES .: COSOB 200 16Ø PRINT"[CLEAR]":T\$="READING~FILENA 0St 80S09: 150 GOSUB 450:F≢="UNSORTED":GOSUB 480 11 ~~~~~~~~~~~~~ ØbI EEL-NOA-1983~" PRINT""""""ERVS]"BY"LAURIE"FAULKN ØSI OKT~PROGRAM~" PRINT"~~~~CRUS1~DISK~DIRECTORY~S 100 PRINT"[CLEAR, DOWN63~~~~[RVS]

210 T#="SORTING~FILENAMES": GOSUB 500

itself, and Laurie Faulkener of Leicester has possible to sort the directory on the disc program titles in the process. But it is files from one disc to another, sorting the

You could generate one by copying the make life so much easier.

alphabetically ordered directory would even with a hard copy of the directory. An large numbers of files can often be difficult, FINDING PROGRAMS on discs containing

the details are of a deleted file, the file name each file into a string in lines 250 to 300. If The program fetches all the details of

which can be left out.

command is the Directory in line 490, Commodore 64 since the only Basic 4 works with a 1541 running with a Vic-20 or drive using DOS 2 with Basic 4, and it also The program is written for the 3040 disc provided a program which does just this.

The program can be amended to work rewritten to the disc in lines 360 to 440.

directory track is 39 and not 18 — see lines

with the 8050 disc drive, noting that the

Metzner sort in lines 320 to 360, and then names are sorted using a simple Shellcomplete directory has been read, the file at the end of the directory. Once the is replaced with ZZZZZZ so that it appears

Directory sorter

Py Mike Todd

```
M
                                                                               CLEFT, DOWNIACLEFT, DOWNISCLEFT,
                                                  890 RETURN
                         880 IF FR<>Ø THEN A$="~"
                                                                             DOWNJOCLEFT, DOWNZJECLEFT, DOWNJR
                                                                              CLEFT, DOWN 38 CLEFT, DOWN 23 T CLEFT,
                         870 IF S3<>0 THEN A$="L"
                                                                         460 PRINT"[HOME, BLACK, DOWN4, RIGHTZ13F
                         "L"=≱A N∃HT @<>S2 ∃I @68
                                                                                                   DOWNJOCLEFT, DOWNJP"
                         820 IE 21<>0 THEN A$="M"
                                                                             CLEFT, DOWNZ3SCLEFT, DOWN3TCLEFT,
                         840 IF S0<>0 THEN A$="I"
                                                                             DOWN32CLEFT, DOWN23TCLEFT, DOWN3O
                             820 FR=-((P AND 32)=0)
                                                                              450 PRINT"[HOME, BLACK, DOWN4]F[LEFT,
                               (Ø=(4 GNA 9))=@2:
                                                                                    $\frac{1}{2}$ \ \frac{1}{2}$ \ \fr
                             (D=(91 QNH d))=ZS:
                                                                                              :READ 15(J,I):NEXT J,I
           850 b=bEEK(bH):21=-((b HND 8)=0)
                                                                                        430 FOR I=0 TO 2:FOR J=0 TO 2
                                )=0):boke pp's22
                                                                                                     : PA=37137: PB=37152
 810 LOKE DD'ISY:S2=-((PEEK(PB)AND 128
                                                                          450 DIW 18(5'5): BOKE 27128'0: DD=27124
     ZZ, ZZ, 1Z, 1, 0, 1-, 1Z-, ZZ-, ZZ-ATAG 008
                                                                                                                           410 NEXT Y
                             L'9'5'b'E'Z'I'0'L9
                                                                                               101:POKE P2+20-22*Y,0
  ,59,29,201,555,555,001,18,78 ATAU 097
                                                                        : POKE PZ+1-ZZ*Y, Ø: POKE P1+ZØ-ZZ*Y,
                                                   78Ø RETURN
                                                                                                     400 POKE PI+1-22*Y, 103
                                                I'L TXBN ØYY
                                                                                                              390 FOR Y=3 TO 19
                               APO BOKE BITTESS*1,52
                                                                                                                          Z80 NEXT X
                                      750 FOR J=3 TO 19
                                                                        : FOKE P1+X-440,100: FOKE P2+X-440,0
                                      740 FOR I=2 TO 19
                                                                               210 BOKE BI+X-44 66: BOKE BS+X-44 0
                                                                                                              360 FOR X=2 TO 19
                                                   730 RETURN
                                                                                                                          220 NEXT X
                 120 FOKE 36878,0: FOKE 36875,0
                                                                                                          : POKE P2+X-ZZ,D
                              710 FOR I=1 TO 50:NEXT
                                                                                            240 KEAD D:POKE P1+X-22,204
             700 POKE 36878,15:POKE 36875,NT
                                                                                                 220 FOR X=3 TO 17 STEP 2
                                                                                                                           220 NEXT X
                                                   690 RETURN
                                                                                                         : POKE P2+X-462,0
                                         980 FOKE 36876,0
                                                                                              210 KEAD D:POKE P1+X-462,D
                            970 POKE 36878, I:NEXT I
                                                                                                  300 FOR X=2 TO 18 STEP 2
                          990 FOR I=15 TO 1 STEP-1
                                                                                 CLEFT12, DOWN213C20~L20~U2R5"
                                       928 FOKE 36876, NT
                                                                              290 PRINT"[CLEAR, RIGHT515"H"A"P"E"S
                                                                                                         S80 IE SI=1 THEN 230
                                                   A40 RETURN
                                                                                                                       ZYØ NEXT J,I
                          :IE KI=8\ LHEN KI=2\
                                                                                                             : I=BD+5+08=I:
                        920 KI=2H:KS=CF:0020B 100
                                                                                       OOS=C N3H1..~..=$∀ JI:$∀ L39 09Z
 IF Y=21 OR Y=20 OR Y=2 THEN RETURN
                                                                                                            250 FOR J=1 TO 250
                                :GOSUB 650: RETURN
                                                                                                                240 POKE 36879, I
   HEN SH=beek(b1+X-SS*A):N1=120+X*S
                                                                               320 FOR I=BD+128 TO BD+240 STEP 16
   IE A=SI WAD BEEK(BI+X-SS*A)<>25 L
                                                                019
                                                                                                  PRESS~SPACE~TO~STOP"
           :NT=200+X*2:GOSUB 650:RETURN
                                                                                                    S20 PRINT"[DOWN3, RIGHT]
         IE A=1 THEN CL=PEEK(P2+X-22*Y)
                                                                009
                                                                                                CHOOSE~SCREEN~COLOUR"
                                                                                         210 PRINT"[CLEAR, DOWN6, RIGHT]
                                                074 OTOO 092
                                                                                                         200 IE 21=0 THEN 140
                                                           K<sub>S</sub>
                                                                                                                          190 NEXT J
   FOKE P1+X-22*Y, K1: POKE P2+X-22*Y,
                                                               089
                                                                                                                             I=15:
                          570 FOR T=1 TO 25:NEXT T
                                                                              180 GET A$: IF A$="~"THEN J=100: I=31
                                                           רר
                                                                                                             170 FOR J=1 TO 250
   290 FOKE P1+X-22*Y, SH: POKE P2+X-22*Y,
                                                                                                                 190 POKE 36879,1
                     IF A$="~"THEN GOSUB 600
                                                                                                                         720 BD=1-19
                             :KS=BEEK(BS+X-SS*A)
                                                                                                             140 FOR I=24 TO 31
                               240 KI=BEEK(BI+X-SS*A)
               220 IF A$="[F8]"THEN GOSUB 740
                                                                                                  PRESS~SPACE~TO~STOP"
                              : FOKE 36879,27: END
                                                                                                    130 PRINT"[DOWN3,RIGHT]
      IF A$="[FZ]"THEN PRINT"[CLEAR]"
                                                                                                CHOOSE~BORDER~COLOUR"
                                  : IF Y<1 THEN Y=1
                                                                              IZO PRINT"[CLEAR, DOWN6, RIGHT, BLACK]
                             IF A$="M"THEN Y=Y-1
                                                                ØIS
                                                                                                         110 P1=8164:P2=38884
                                                                                  100 PRINT"[CLEAR]":POKE 36869,240
                              : IF Y>21 THEN Y=21
                            IF A$="I"THEN Y=Y+1
                                                                                            90 GET A$:IF A$<>"C"THEN 90
                                                                009
                              : IF X>19 THEN X=19
                                                                                                    "PRESS"C"TO"CONTINUE"
                            IF A$="L"THEN X=X+1
                                                                06t
                                                                                             80 PRINT"[DOWN, RIGHT, BLACK]
                                  : IF X<2 THEN X=2
                                                                                         LEFT11, DOWNOO'15"A~BLAUK."
                            48Ø IF A$="J"THEN X=X-1
                                                                                  70 PRINT"[RIGHT]THE~COLOUR,[DOWN,
                                  470 GET A$: GOSUB 810
                                                                                                                              HUNGE
                                                  DOMNJE.
                                                                          "BUTTON"TO"PICK"UP"""SHAPES"OR"C
```

YOU CAN RELY ON




THE COMPUTER PROFESSIONALS



COMPUTERS

BBC B
BBC B with disc interface
SINCLAIR SPECTRUM
ELECTRON
COMMODOR 64
ORIC
Awaiting delivery of Sinclair O.L. and Elan.



DISC DRIVES

TORCH Z80 Disc Pack – comes complete with software – GREAT VALUE!

ZEP 100 Z80 — Already own a twin disc drive? Then this is all you need. SINGLE 100K 40 TRACK with integral power

supply SINGLE 100K 40 TRACK powered from the computer

SINGLE 200K 80 TRACK with integral power


TWIN 400K 80 TRACK powered from the computer

TWIN 800K 80 TRACK powered from the computer

TWIN 800/400K 80/40 TRACK switchable, powered from the computer

All the above complete with manual, leads & utilities.

As one of Britain's leading distributors of computer products and northern area distributor for Acorn, we sell only leading brands. Qualified electronics engineers are always on hand to service the vast majority of the equipment which we sell in the fully-equipped workshops which are part of our modern sales, service and administration centre in Bradford.



DATA RECORDERS

BBC DATA RECORDERS – complete with lead for connection to BBC computer BUSH CASSETTE RECORDERS




MONITORS

FULL RANGE OF MICROVITEC COLOUR MONITORS IN ALL RESOLUTIONS NEW MICROVITEC RGB/PAL MONITORS WITH AUDIO

BBC – green screen monitors PHOENIX – green screen monitors


PRINTERS

EPSON RX 80 Parallel printer EPSON RX 80 FT Parallel printer



EPSON FX 80 F/T III Printer 160 cps parallel EPSON FX 100 F/T Parallel printer BROTHER HR 15 Daisywheel printer – Parallel with 3K Buff

BROTHER KB 50 Keyboard – connects to – BROTHER HR 15 printer. SHEET FEEDER – for HR 15 TRACTOR FEEDER – for HR 15 TEC F10-40 Daisywheel printer CENTRONICS – printer cables GRAPHIC DUMP ROM – for the BBC computer



ROMS

ACORNSOFT VIEW — Word processor for the BBC computer COMPUTER CONCEPTS WORDWISE — powerful word processor

COMPUTER CONCEPTS DISC DOCTOR - disc COMPUTER CONCEPTS BEEB CALC powerful spread sheet for BBC COMPUTER CONCEPTS GRAPHICS ROM

enables Sprite graphics to be generated APTL SIDEWAYS ROM BOARD Plus a wide selection of terminal ROMS

BOOKS

ELTEC STOCK THE WIDEST SELECTION OF TITLES FOR BBC, SINCLAIR, COMMODOR etc.



SOFTWARE

ACORN: SUPERIOR: IJK: IMAGINE MICROPOWER: SALAMANDER: GEMINI: DOCTOR SOFT Plus the widest range of Educational software

OYSTICKS


BEEBSTICK - single high quality joystick BBC JOYSTICKS - pair of games joysticks SURE SHOT - single joysticks SURE SHOT - double joysticks KEMPSTONE – joystick with interface SINCLAIR INTERFACE 2 – for use with joysticks

PROTECTIVE COVERS & CARRYING CASES

AVAILABLE IN POLYESTER COTTON, SOFT PVC AND HARD PLASTIC, PLUS COMPLETE COMPUTER AND CASSETTE/DISC DRIVE CARRYING CASES.

UTILITIES

CLARE: GRAF DISC - on cassette or disc, computer aided design program CLARE: THE KEY - utilities for discs CLARE: SHADOW – cassette back up program CLARE: REPLICA II - transfer your favourite programs on to disc SALAMANDER EGD GRAPHICS PACKAGE - on cassette or disc




GENERAL HARDWARE

SPEECH SYNTHESISER - for BBC computer TELETEXT ADAPTOR - for BBC computer MODEM 1000 - for Prestel, Viewdata, etc. MODEM 2000 - Duplex version ACOUSTIC COUPLER - for Prestel/Viewdata/ B T Gold VTX 500 SPECTRUM COUPLER RH ELECTRONICS LIGHT PEN SOUND PICK-OFF MODULE ATPL EProm Programmer ATPL EProm Eraser THE PLUG - removes unwanted mains spikes

VIDEO CASSETTES

from entering computer

FOR BETAMAX & VHS MASTER CLASS - The BBC micro in Primary Education. Demonstrates some of the uses of the computer in the classroom. MASTER CLASS – How to use your computer – starting Basic 1



MASTER CLASS - How to use your computer further Basic 2 MASTER CLASS ELECTRON - The operation and programming



TORCH NET - Local Area Networking - VERY POWERFUL!

Torch Net uses the ECONET network standard developed by Acorn Computers Ltd. for the BBC Microcomputer.

Torch Net provides advanced but easy to use facilities above the Econet level which allow computers running sophisticated business programs to communicate with each other and share information

Torch Net is easily expandable from a network of 2 Torch computers to a 254-computer network.

Write now for full details!

FALERS

ABACUS COMPUTERS

1 Central Buildings Wharf Street Sowerby Bridge HX6 2EG ALGOTEK COMPUTERS LTD. 11 Wood Street Wakefield WF1 2EL BLACKPOOL COMPUTER CENTRE 179 Church Street Blackpool, Lancashire CATEL COMPUTER SYSTEMS LTD.

8 Bower Road Harrogate HG1 1BA THE COMPUTER SHOP 5 Nelson Street Morecambe LA4 5EF

COMPUTER WORLD 208 Chorley Old Road Bolton, Lancs BL1 3BG

COMPUTER FACILITIES (1982) LTD Glebe House, Winterton Road Scunthorpe, S. Yorks

CHRIS TOWNSEND COMPUTERS LTD. 18 Byram Arcade Huddersfield, Yorks.

DANUM COMPUTER SERVICES 17 East Laith Gate Doncaster DN1 1JG

DAWN COMPUTING LTD. Unit 5, Boundary Ind. Estate Millfield Road Bolton BL2 60Y

DONCASTER MICRO CENTRE lw House Farm, Styrrup Doncaster DN11 8NA

EAST RIDING COMPUTERS

76A Market Street Pocklington, York EMPIRE ELECTRO CENTRES

783 Leeds Road, Bradford FLEXIWORDS COMPUTERSHOP

18 Otley Road, Leeds LS6 2AD GTM COMPUTERS LTD.

864 York Road Leeds LS14 6DX HOLDERNESS COMPUTER SERVICES 17 Westgate, Partington Hull HU12 0NA

HOLDENS VIDEO & TELEVISION SERVICES 85 Fishergate, Preston PR1 2NJ

INFORMATION TECHNOLOGY AND MARKET' 6

E3, New Enterprises S.W. Brunswick Dock Liverpool L3 4AR JUST MICRO

22 Carver Street Sheffield S1 4FS **NEWSHAM DALBY**

238 Kings Cross Road, Halifax

PENNINE COMPUTERS LTD.

Somerset House, 5 George Street Halifax HX1 1HA

SCHOFIELDS (YORKSHIRE) LTD. Computer Sales The Headrow, Leeds LS1 6LS

SWEETENS COMPUTER SERVICES 48 Fishergate Preston PR1 8AT

TEMPO COMPUTERS 9 Railway Road Blackburn BB1 5AX TOMORROWS WORLD

15 Paragon Street Hull HU1 3NA

TURNER ELECTRICAL LTD. 47 King Street Bridlington YO15 2DN YORK COMPUTER CENTRE 7 Stonegate Arcade York YO1 200

YORKSHIRE MICROCOMPUTERS LTD. 28 Ramshill Road Scarborough YO11 20F



ELTEC COMPUTERS,

Campus Road, Listerhills Science Park, Bradford. BD7 1HR. Tel: (0274) 722512

FOOD SCIENTISTS, nutritionists and weight watchers will be interested in the Food Value program written by Dr Frank Rooney of Manchester. The program displays the carbohydrate, protein, fat and energy contents of a food selected from up to 255 possibilities stored in Data statements. The user may work in metric or imperial units, and can choose either kilojoules or kilocalories.

When a particular food item is selected, the program searches for it, displaying a Not Found error message if it is not there. You are invited to make a choice if there is more than one available, and the program

Food values

then provides a table of the composition and energy value of a standard quantity. You may then select from a menu, either to see values for a chosen quantity, to see the amount having any particular energy content, to change units or to try a different food.

To save space Dr Rooney has only provided the data for 18 foods, including beans, beer and sausages. *The Manual of*

Nutrition, published by HMSO, contains all the others you might want to see. Remember to alter the value of N in line 110 if you add to the list.

This version of the program runs under SP-5025. The Pokes to 4465 and 4466 move the cursor to the Xth column and Yth row and USR(62) goes beep. There is a limited amount of input error checking, but not very much, and the program needs a friendly user.

Print/P

One of the features of Sharp MZ computers is that the printer is selected simply by using the command Print/P. In other systems, such as the Pet, you have to select the printer as the output device instead of the screen.

But if a program is still in the debugging stage, you can waste a lot of paper unless everything for the printer can first be sent to the screen. A deal of time is then spent converting back and forth between Print and Print/P. Again, if a program is to display information both on the screen and on the printer two memory-wasting sets of program lines are needed, one using Print and the other identical but for the use of Print/P. It might after all be advantageous if output could be directed at will either to screen or printer by a single command.

According to J S Levett of Chelmsford, Essex this is possible, or at least it is on the MZ-80K using Basic SP-5025. The secret lies in the SP-5025 Print command code. The command is dealt with at memory locations 1C2F to 1CCF inclusive. It starts with a routine to find whether it is merely a Print, directed to the screen, or is followed by the / token and then either T or P to indicate the tape deck or the printer.

Various tests are done in this routine, but if /P is established then at 1C43/4 the B register is loaded with 80. If there is no / then it is loaded with 00. Subsequently the I/O system is set to screen if B is 00, to tape if B is 01 or to printer if B is 80. If the call to the device-finding routine is replaced by a jump directly to the location where the B register contents are set to indicate that the output device is the printer then all subsequent Prints will be interpreted as though they are Print/Ps. If the B register is loaded at 1C43/4 with 00 then all printing will go to the screen even if the command is Print/P.

In the first case, locations 1C31/2/3 need to hold the numbers C3/43/1C. The Poke to code into is

POKE 7217,195 POKE 7218,67 POKE 7219,28

In the second case, the 80 in location 1C44 is replaced by 00, that is Poke 7236,0.

Print may not always Print/P in the same

Food values.

```
10 REM FOOD VALUES - SHARP MZ-SOK
20 REM FRANK ROONEY - OCT 83
30 GOSUB 2010
80 PRINT 0000 PLEASE WAIT WHILE 1
   30 GOSUB 2010

$0 PRINT"9382 PLEASE WAIT WHILE THE DATA IS FEAD"

110 N=18:REMINIONO. OF ITEMSINION

120 DIMA$(N),B$(N),C$(N),E(N,5),X(N,5),F$(5),NI(10)

130 FORI=2TO5:READF$(I):NEXTI

140 DATACarbohydrate:Protein,Fat,Energy Value

150 FORI=1TON:READA$(I),B$(I),C$(I)

160 FORX=1TO5:READE(I,X):NEXTX:NEXTI

170 80519730
  160 FORX=ITOS:READE(I,X):NEXTX:NEXTI
170 GOSUB730
190 GOSUB 2010:J=0:INPUT"BENTER food: ";X$:PRINT:I=0
200 OK=0:I=I+1:IFI>NTHEN260
210 IF(A$(I)=X$)+(LEFT$(A$(I),LEN(A$(I))-1)=X$)THENOK=1
220 IFA$(I)=LEFT$(X$,LEN(X$)-1)THENOK=1
230 IFOK=0THEN260
240 NI(J)=I:J=J+1:I1=I:PRINTI;TAB(5);A$(I);:IFB$(I)="-"THENPRINT:GOTO200
250 PRINT" - ":E$(I):GOTO200
260 IFJ=0THENPRINT"BITEM not found":MUSIC"=C1C2":FORD=1T01000:NEXTD:GOTO190
270 IFJ=1THENI=I1:GOTO290
280 POKE4466;11:PRINTSPC(39):POKE 4466;11:USR(62)
281 INPUT"Select No. required: ":I:IF(I(1)+(I)N)THEN280
282 OK=0:FOR0=0TOJ:OK=OK-(I=NI(Q)):NEXTQ:IFOK=0THEN280
290 P1=S(I,1):F1=1:F2=1
   287 OK=04:PORE=0 FUNK=01 (0:0K=UK-(1=N1(Q)):NEXTQ:IFOK=0THEN280
290 P1=5(1,1):F1=1:F2=1
310 IF(C$(1)="S")*(V1=1)THENU$="9":V$=U$
320 IF(C$(1)="L")*(V1=1)THENU$="0":V$="0":F1=F1*.16:F2=35
330 IF(C$(1)="S")*(V1=2)THENU$="CZ":V$="0Z":F1=F1*.2:F2=35
340 IF(C$(1)="L")*(V1=2)THENU$="f1 oz":V$="oz":F1=F1*.2:F2=35
350 W$="Ca1":IFV2=2THENF2=F2*4.184:W$="K]"
360 P1=9+451
   360 P1=P1*F1
  360 P1=P1*F1
370 PRINT"B";A$(I);:L=LEN(A$(I)):IFB$(I)="-"THENPRINT:GOTO390
380 PRINT" - ";B$(I):L=L+3+LEN(B$(I))
390 FORM=1TOL-1:PRINT"-";:NEXTM:PRINT"-"
400 P2=P1:IFP2>9THENP2=INT(P2+.5)
410 IF(E=1)*(P2(1)THENPRINT"Per ";F$;" ";U$;" portion":GOTO440
420 P2=(INT(10*P2+.5))/10
430 PRINT"Per";P2;" ";U$;" portion"
440 PRINT"B - ";P3;" ";U$;" portion"
450 EDBI-1777
   450 FORJ=1T03
  H ": NEXT.I
   530 NEXTO
   550 POKE4466,17:PRINT"ESEPress <1> for DIFFERENT portion"
560 PRINT"S <2> to CALCULATE PORTION with"
570 PRINTTAB(13); "specified ENERGY VALUE"
 670 GOTO370
680 POKE4466.14:PRINT"Enter ENERGY VALUE ("; W$; ")";:INPUT": ";F$
690 F=VAL(F$):IFFX.001THEN680
700 POKE4466.14:PRINTSPC(40)
710 P1=F/(E(1,5)*F1/E(1,1)*F2):GOTO370
720 GOSUB730:GOTO290
730 GOSUB 2010
735 PRINT"02 Press <1> for METRIC version"
740 PRINT"2 <2> for IMPERIAL version":USR(62)
750 GETU1:IF(VI<1)+(VI>2)*THEN750
760 POKE4466,5+2*VI:POKE4465,35:PRINT"+*
770 POKE4466,12:PRINT" Press <1> to use CALORIES"
780 PRINT"2 <2> to use KILOJOULES":USR(62)
```

(listing continued on opposite page)

way, especially when it comes to dealing with text with embedded cursor-control, or Home/Clear symbols. At some time it may be necessary to reverse the change, so to restore Print try

POKE 7217,205 POKE 7218,139 POKE 7219,22

and to restore Print/P try Poke 7236,128.

Put into practice while debugging a section of code, sending text to the printer is easy. Simply write the code as though to print to the printer, but Poke 7236,0 at its start and Poke 7236,128 at its end. Printing both to the screen and to the printer is more difficult, but can be accomplished by a two-pass For-Next loop round the section of code, with the import of Print or Print/P changed to one pass only. For example

10 FOR PQ = 0 TO 1 20 IF PQ THEN POKE 7217,195: POKE 7218,67: POKE 7219,28: REM P TO P/P 30 PRINT "This is the Text." 40 PRINT "And here's some more!" 50 POKE 7217,205: POKE 7218,139: POKE 7219,22: REM P/P TO P 60 NEXT PQ

will print to the screen the first time through, but will go to the printer on the second.

Screendump

From Holland, home of many Sharp users and lovers, comes M H de Bokx and his MZ-80K Screendump, a Basic program that copies the screen to your printer. Mr de Bokx takes an obvious — once you've thought of it — but effective course, albeit a rather slow one. He Peeks each screen memory location, covering the 1,000 bytes from 53248 to 54247 inclusive, then converts the display code to ASCII using a look-up table, and finally sends the result to the printer using Print/P CHR\$().

The program he sent in contained a number of fairly trivial bugs, and while correcting them I took the opportunity to rewrite the code into a slightly neater form.

The look-up table is held in the array AV() and is filled by Reading the Data statements.

Element 129, corresponding to the character a which has display code 129, holds 161, the ASCII value for a. Where there are no Printable characters directly corresponding to what is Peeked, I have inserted the values of similar ASCII ones.

Lines 50280 and 50290, and 50320 and 50330 in part provide a border, while lines 50300 and 50310 enable both quotation marks and commas to be printed. It may not be as fast as machine code, but it is prettier and more flexible.

Hidden lines

At the end of the "Hidden Lines" on page 145 of the February issue it was suggested incorrectly that you Poke 49 into 15583. The correct location is 16583.

```
50000 REM SCREEHDUMP by M.H. de Bokx (my version)
50010 REM P.O.Box524, 4380 AM Ulissinsen, Nederland, dd 4/9/1983
50020 REM C=Counter, DC=DisplayCode, HP=Horizontal Position
50030 REM SS=ScreenStart, PP=Peek/Poke Position
50030 REM SS=ScreenStart, PP=Peek/Poke Position
50040 REM SS=ScreenStart, PP=Peek/Poke Position
50040 REM SS=ScreenStart, PP=Peek/Poke Position
50040 REM SS=ScreenStart, PP=Peek/Poke Position
50050 PRINT "BPLEASE WAIT!"
50060 DIM AU(255):FOR DC=0 TO 255:READ AU(DC):NEXT DC
50070 REM DATA SS=566.67,68,69,70,71,72,73,74,75,76,77,78,79,80.81,82,83,84,85
50090 DATA 86,87,88.89,90,251,205,221,203,209,48,49,50,51,52,53,54,55,56,57,45
50100 DATA 186,199,207,202,128,225,254,200,250,95,248,241,247,63,204,219
50110 DATA 196,199,207,202,128,225,254,200,250,95,248,241,247,63,204,219
50110 DATA 196,199,207,202,128,225,254,200,250,95,248,241,247,63,204,219
50120 DATA 206,211,210,255,33,34,35,36,37,38,39,40,41,43,42,222,246,235,234
50140 DATA 195,197,239,240,228,231,238,237,224,235,216,212,232,216,217,214
50150 DATA 195,197,239,240,228,231,238,237,224,239,216,212,233,242,249,217,214
50150 DATA 195,161,154,159,156,146,170,151,152,166,175,169,184,179,176,183
50160 DATA 158,160,157,164,150,165,171,163,155,189,162,187,153,130,135,140
50170 DATA 188,167,172,145,147,148,149,180,181,182,174,173,186,178,185,168
50180 DATA 177,151,136,141,134,132,137,142,191,133,138,143,190,129,139,144
50190 DATA 177,151,164,115,116,117,118,119,120,121,122,123,124,125,126,105,230
50210 DATA 232,218,227,35,35,35,35,106,107,108,109,62,110,111,253,112,128,221
50220 DATA 232,218,227,35,35,35,35,106,107,108,109,62,110,111,253,112,128,221
50220 DATA 252,216,206,213,222,201,208,223,193,254,194,233,245,200
50230 PRINT "SSPC(12) PRINT "B"
50240 REM *** SCAH SCREEN & PRINT P *** PRIN
```

Subroutine calls

Screendump.

The article "Calling by Name" in the November 1983 issue of *Practical Computing* showed how calling subroutines by name improves readability.

Normally Sharp Basic does not allow the use of numeric variables instead of line numbers, but it can do so if you modify the Goto and Gosub part of the interpreter to include a routine that converts an expression into an integer. For Goto

POKE 7388,140:POKE 7389,25 For Gosub Poke the same two values into locations 7415/6. The normal values held in these locations are 241,22.

A call which is normally made to a decimal-to-binary conversion routine at 5873 includes a check that the target line is

```
Subroutine calls.


100 REM 'FLASH' ANSWER SUBROUTINE
105 REM
110 REM To be used as a GOSUB following
120 REM a Y(es)/H(o)-type question like...
130 PRINT "To you agree (Y/N)?":
135 PEM Here's the Routine
140 POKE 17828,0:USR(2483):GET K#
150 IF ((K#="Y")+1)*((K#="N")+1) THEN 140
160 RETURN
```

an actual number. It is replaced without apparent damage by a call to the expression-conversion routine at 6540, which involves the interpretation of any numeric variables included in the expression. The routine places the calculated integral value into the same register that holds the result of a decimal/binary conversion. After the Return, the Goto or Gosub continues under the impression that it has found an actual number.



56-way I.D.C. connector and ribbon cable assembly, designed and manufactured by Varelco in conjunction with C.P.S. Ltd., to fit the Sinclair Spectrum computer. Available in both single and double end format. Also available, paddle board to convert female connector to male plug format.

Please send me the following:		Insert Quantity here	
6" grey cable with connector each end	£8.99		
	each		
9" grey cable with connector each end	£9.49 each		-
9" colour coded cable	£5.99		
with one connector	each		
12" colour coded cable	£6.49		
with one connector	each		-
Connector only	£4.95 each		-
Paddle board for conversion			
to male plug format	£1.99 each		
Prices include VAT and Post & Packing	Cuon		
l enclose cheque/PO value £ _			
Block capitals please			
Name			
Address			
Town			-
County Post C			
If paying by Access, enter number he	ere		
Available from:			
Hawnt Electronics Lin	mited		
Firswood Road, Garretts Green, Bir	minghar		
Reg. in England No. 3068	808	PC4/84	-



• Circle No. 174

What Qualities do you need in your word processor?

Tick	Where appropriate.
1.	Software produced in the USA.
2.	Little or no support except at transatlantic call
	rates.
3.	Displays full screen of text for editing and uses
	commands that are easy to understand.
4.	Combinations of escape and control characters
	that require a pocket command reference card to
	be handy at all times or continual reference to
	help screens.
5.	Runs on a large number of microcomputers under
	the CP/M operating system.
6.	Only the software need be purchased for your
	hardware.
7.	Handles proportionally spaced printing, retaining
	clean left margins in columns or indented text.
8.	Catalogues disks including full titles and dates.

10. Costs only £345 including mail merging. Ticked boxes 1,2 or 4? Chances are you are already firmly entrenched on some other word processor. If you ticked one or more of the other boxes, find out more about:

Allows viewing of other documents while

VER-WORD The Word processor for CP/M

Circle No. 173

editing.

by writing to Verwood Systems (Dept WMG), Verwood House, High Street, West Haddon, Northants NN6 7AP specifying your machine type, disk size, terminal type and printer.

• Circle No. 175

SOME PEOPLE regard the ability of a computer to generate sound as a criterion in making up their mind which model to buy. The Spectrum's ability in this field is not great but Duncan Stokes of Cheltenham, Gloucestershire, believes that this routine will enhance the Spectrum by adding a white noise.

Once the program is typed in you can set the duration and frequency of the noise with Poke 32583,n and Poke 32589,n respectively; n is an integer between - 255 and +255.

White noise.

- 10 CLEAR 32580
- 20 FOR F=32581 TO 32597
- 30 READ A: POKEF, A
- 40 NEXT F
- 50 DATA33,00,10,43,126,211,254,6,7,5,32, -3,175,132,200,24,-14

hite n

The routine is called by using the

RANDOMIZE USR 32581

function. To save the routine, which is advisable before running in case of incorrect data, you can use

SAVE"NAME" CODE 32581,16

Users of 48K machines can locate the routine higher up in memory.

Mazor

For those who like quick, bright graphics programs, Mr R D Lancaster has sent in the

370

LET

BR

following item which will keep you busy 10 BRIGHT 1: BORDER 0: PAPER 0: INK 7: **OVER 1:CLS**

20 LET i = 3 30 for f = 51 to 10000 STEP 50

40 LET i = i + 1 50 IF i = 8 THEN LET i = 4

60 INK i:CLS

70 PLOT 65,30 80 DRAW 120,120,PI*f

90 NEXT f

Mr Lancaster has also sent in a bright version of the popular maze game which he calls Mazor. It includes instructions, though one point is not mentioned: the border changes colour to that of the fastest ghost at the time.

Mazor.

```
10 FLASH 0: INK 0: PAPER 7:

GHT 1: BORDER 0: CLS

100 LET q=.75: LET y=15; LET

0: RESTORE : GO SUB 9000

110 DIM b$(21,31)

140 LET s=0: LET r=1: LET Liv
IGHT
=0:
110
140
144 LET
145 LET
Q": FOR D
                                                   Liv=5
                 EC=0
              T Z=1: LET X=.5: LET X

n=0 TO 5: BEEP .1,23:

B: BEEP .1,20: NEXT n

INT AT 0,0;"

SCREEN=";"
                                                     を幸="
                                                          BE
      1,28:
5 PRINT
                                   "; c
c=3 THEN LET
  147
                 r=r+1:
ч
  =20
              r=4 THEN LET y=25
r=5 THEN GO TO 20
r b$(1)="
  148
          IF
   150
                 6隻(2)=
  160
          LET 6$ (3) =
                b$ (4) =
  180 LET
                 bs(5)
          LET
   190
  200
                 b集(6) =
                 b事(7)
                 b$(6) =
         LET
         LET
                6 年 (9)
  230
                 b$ (10)
  240 LET
                b$(11) =
           ET
                 b$(12)
                 bs (12)
  270 LET
                  b$ (13) =
  280
  300 LET
                 bs (14) =
  310
                  b$(16)
   320
         IFT
                  bs (17)
                 b$(18)
  340
         LET
  350 LET
                  b$(19)
  360 LET b$ (20) ="
```

```
b$(21) ="
                              PRINT AT 10,0;

MAZOR

FOR (=0 TO 20)

LET p=INT (RND (RND *27) +3

IF b$(p,0)=""""
                                                                                                                         FLASH
                                                                                                                                                                     1; "
      371
       372
                            IF 5$(p,0)="8" OR 5$(p,0)="
HEN GO TO 373
LET 5$(p,0)="8"
NEXT f
       373
      375
376
                              NEXT (
PRINT AT 0,0;"Lives=";liv
IF liv=0 THEN FLASH 1
FOR f=1 TO 21
PRINT """; b$(f)
      380
385
390
       400
                              NEXT F
PRINT AT (
LET d=2: L
LET L=19:
       410
                                                                                      0,11;"Score=";s
LET t=29
LET k=29
      412
415
      420
                                                    b=5
                                                                                              ET 0=2
LET U=
                                LET
                                                                                       LET
                              LET PEZ: LET U=3
LET i=19: LET U=3
IF {iv=0 THEN GO TO 10
PRINT AT 0,6; liv
IF x=1 THEN LET x=.5:
CORDER 3: GO TO 439
IF x=.5 THEN LET x=1:
      430
431
432
                                                                                                                                                                           LET
                                                                                                                                                                                                     Z
        434
                         BORDER 3
 =1:
                                                                                                                                                                            LET
                                                                                                                                                                                                    7
                                                                        1
                                BORDER
                              FOR b=0 TO y
PRINT AT i,U;b$(i,U)
PRINT AT d,t;b$(d,t)
PRINT AT p,o;""
PRINT AT p,o;""
PRINT AT t,k;b$(t,k)
TE TNKEY$=""THEN GO
        439
        445
        450
460
461
                                                    INKEYS="" THEN GO TINKEYS="5" THEN LET
                                                                                                                                                                     TO 470
        462
464
                                IF
                                                    INKEY$="8"
                                                                                                                         THEN
                                                    INKEY #="?"
                                                                                                                         THEN LET
                                IF
        455
468
                                                    INKEY #= "6"
                                                                                                                         THEN LET
                                IF
                                                                                                                         THEN GO SUB 5
        469
                                IF
  000
                                LET p=p-(t=="@" FM
      470
                                                                                                                                       AND
                                                                                                                                                              b$ (P
                                                                                                                                       b$(p+1,0) ()
                                                                                                           AND
                                LET 0=0-(t$="$"
"")+(t$="$" AND
                                                                                                                                     AND bs(p,0-
bs(p,0+1) <>
        475
       477 IF 0<2 THEN LET 0=30
478 IF 0>30 THEN LET 0=2
480 LET l=l-z*(l>p AND b*((l-z)
k)<>>="") +z*(l<p AND b*((l+z),k)
       K3 C>"
                                      QNA Q<br/>
44 QNA q<br/>
40 QN
                                                                                                                                       (P-P)) #4 QN:
```

(continued on next page)

(sontinued from previous page)

CO TO TOS STOP STOP TI: FLASH 1:"FREEZE" PRINT #1; FLASH 1:"FREEZE" FOR 1 =0 TO 500: NEXT 1 ī RETURN Ø586 2010 PRUSE 600 2080 Øt 18,5; "they unite 0286 INKEY#=""" THEN BEEP IE 0202 2050 PRINT 2050 PRINT 2050 PRINT 0986 INKE\#=... THEN GO TO 206 1169"; B. at PRINT Shone THING QUEE AY 14,5;" Themselve BORDER O: BEER 'OT': BEER 'OT': THIRA SASE 22,5000g" (2.51 TH BORDE OT ROA **3030** The S.2, "Press the freeze the freeze ". A.2, "the freeze the free TNIAG PRINT AT 11,10; FLASH 1;"YO aw SOID KEA Non HT 9,10; FLASH 1; "YOU LET 8=USR (3280 BEEP LET 1=1NT (RND*18) +2 LET h=1NT (RND*28) +2 TF b\$(1,h)="M" THEN GO TO 1 005 PRUSE 1000 0225 JESO OTST HT 20,2; "PRESS A KEY PRINT 1765 PRINT 1765 PRINT GOTS 1080 TA THIRG DASE
".niw uov sna
TA THIRG BASE
THE THIRG SASE
"!!Jabled Jag 020T IE INKEY#="9" THEN GO TO II 12,2; "The screens o PRIVE TO SO,1; "Store of PRIVE TO PRI INKEY = ... THEN GO TO 106 7060) ¿ OSOT TR 20,1;"Another game NBU 6 G BOUCSELF THE BOUCSELF THE BOUCSELF THE BOUCSELF THE BOUCSE BOUCSELF THE BOUCSE BOUCSELF THE BOUCSE BOUCSELF THE BOUCSE BOUCSELF BOUCSELF THE BOUCS JOAO 9,2; "will be prese You" or " will be pre: Unitin 1036 1036 1036 BEEP 3,-30 PRINT AT 1 PRINT AT 1 TR NEXT (FOR 1=0 TO 17: PORE 400 0575 0875 רברשפא זי ...גם FOR 1=1 TO 22 LET 3=USR 3280 LET 3=USR 3280 LET 3=USR 10,10; 1020 1054 02T6 ZEGT 1,0: BEEP. NEXT 1 BEEP. 5,-30 STOT 0916 OZ 9150 PRINT AT 19,7; "USE CURSOR K TOTO LOE NEXT IF cc=21 THEN GO TO 144

IF bf(p,0)="@" THEN LET cc=c+1

BEEP 1,40: LET cc=c+1

BEEP 2,40= LET cc=c+1

BEEP 2,40= LET cc=c+1

BEEP 20: BEEP 0S,1: BORDER 0:1;

CO TO 434

CO TO 434

CO TO 434

CO TO 434 9140 PRINT BORDER ODOT asnioq S 009 สอักเ 029 Ebssq) .. : HI TT ... さてさい。... (8,2 TH TNINT PS 2 PEINT 1,1 (8,2 TH TNIN 1,1 (7,2 TH 1,1 (8,2 TH 1,1 (8,2 TH 1,2 TH 02+ 222 SIED PRINT ette 3'8; INK S; .. ADD 1'15; .. Wazob... ne T THIRA E= 2 T31 N3HT " . " = {0, q} #d JI 5 PRINT AT 1,0; INK 5 PRINT AT 6,1; INK 6 PRINT AT (,k; INK 6 IF ATTR (i,U)=123 1500 THING BOLD 1: "#" 2: "#" THEN GO & OTS 9'992'64'64'921'09'..6.. 005 "[",60,126,242,242,255 60 -10: NE -10, 380 TO 380 ... 190'158'522'522'522 0 DATA "c", 0,0,0,24,24,0,0,0,0 0 0 0 125,722 Ø 0 BEEP 0906 d₃ 197 . 162,60 1'281'82'281'89'18'.4. ATTA 40 FINAN PERD 3 FOR 1=1 TO 7: READ 3 FORE USK 34+0.3 POKE USK 34+0.3 POKE USK 34+0.3 0906 O HND P\$(i,(U+X)) .) +×*(n<0 HND 0206 0706 t=t-q*(t>o AND b\$(d,(t+q)) +q*(t<o AND b\$(d,(t+q)) 0005 5035 TAPUT 5035 PRINT 5040 RETURN ияцізя D P#(['(K+X))
BMD P#(['(K-0> x) * Z+ (.. GNR 483 LET 1=1-x*(1>0 AND b\$((1-x),0) 483 LET k=k-z*(k>0 AND b\$((1+x),0) 483 LET k=k-z*(k>0 AND b\$((1-x),0) SOSO INPUT 2050 TMIAG

◆ Circle No. 176 ►

ਖ

Tandy TRS-80: Setting The Standard

With Dot Matrix Printers

91/2" Dot-Matrix

Parallel Interfaces With Colour Computer and

6683

fanfold, single sheet or roll paper and has built in parallel and colour computer computer computer prints ten and 16.7 characters per inch, or elongated five and 8.3 characters per inch at up to 125 characters per second. A very compact printer it uses DMP-120. This versatile 91/2" dot-matrix printer has high speed data processing and graphics modes, that makes light work of many many tasks. It



67 L3

Colour Graphics

Cartridges Uses Easily Replaceable Ink

characters per second. Uses easily replaceable ink cartridges. A selection of colour pens is available. Set measures $2^{15/16}$ x $8^{1/4}$ x $8^{1/2}$ ". 26-1192 CGP-115. Ultra-compact colour graphics printer helps you create beautiful graphics in red, green, blue and black, and it prints alphanumerics. Built-in commands make it easy! Text mode prints 40 or 80 characters per line at 12



Low Cost Dot-Matrix

Print Graphics and Alphanumerics Whisper Quiet!

make graphics programming easier. Colour computer-compatible serial interface only (600 baud). 26-1261 Microcomputer, and our other colour computers. You can print both screen graphics and alphanumerics. Textmode prints 32 characters per line at 30 characters per line at 30 characters per second on 41/8" wide thermal paper. Special repeat function to TP-10 Thermal Printer. Perfect for use with the MC-10 Colour



Computer Cassette Recorder

96**6**E3 Designed For The TRS-80
 Mains Or Battery Operated

data on cascette tapes. It can easily be connected to Models I, III, 4 and the new TRS-80 Model 100 portable computer. Smart white flinish. Mains operation or requires four "C" batteries (not included). 26-1208 computer cassette recorder is ideal for loading and recording programs and Specially designed for use with TRS-80 microcomputers, the CTR-81



Or Choose The Daisy Wheel Printer To Meet Your Meeds

With



line feed, ribbon end, cover open and paper empty sensing. With carbon ribbon and Courier 10 print wheel. 26-1257 handles an original plus two copies, features 1/200" space and 1/48' minute (18 characters per second) at ten characters per inch. Easily DWP-210. A low-cost printer for that "professional look"! Select ten or 12 characters per inch, or proportional pitch. Prints over 200 words per proportions as the proportion of the proportion

66l l 7

Perfect"


"Letter

Tractor Feed (26-1459) Bi-Directional With Free



DWP-410. Ideal for SCRIPSITTM word processing! Select ten or 12 characters per inch, or proportional pitch. Forward and reverse paper feed and ¹/₂ line feed, underline and programmable backspace. Includes ¹/₁₂₀" space and ¹/₄₈" line feed. Automatic paper set makes includes ¹/₁₂₀" space and ¹/₄₈" line feed. Automatic paper set makes spect insertion easy. Uses interchangeable print wheels for type selection. EPM mode for special wheels. 26-1250

MICPOVA LE 80-BUS MULTIBOARDS



GM813-CPU/64K RAM Board

- * 4MHz Z80A C.P.U. * 64K Dynamic RAM
- RS232Interface
- * Two 8-Bit I/O Ports
- Cassette Interface
- Extended & Page Addressing Modes
- CP/M Compatible Monitor



GM829-Disk Controller Board

- Up To 4 Mixed 5.25 & 8" Drives
- SASI Hard Disk Interface
- Single & Double Density Operation
- * Single & Double Sided Drive Support
- Supports 48 and 96 TPI Drives

£145



GM833-RAM-DISK Board

- * Virtual Disk Operation * 512K Dynamic RAM
- * Port Mapped For Easy Interface Software
- Over 10 Times Faster Than a Floopy Disk

Please note: This board cannot be used as a conventional RAM board



GM812-Video **Controller Board**

- * 80 Characters × 25 Line Display Format
- On-board Z80A Microprocessor
- Buffered Keyboard Input
- Programmable Character Generator
- 160x75 Pixel Graphics
- * Light Pen Input



GM816-Multi I/O Board

- * 61/O Ports
- 4Counter/Timer Channels
- On-Board Real Time Clock
- **Battery Backup**
- Further Expansion Capability

£125

PLUTO-Colour **Graphics Board**

- On-Board 16 Bit Microprocessor
- 640×576 Bit Mapped Display
- 192K Of Dual Ported RAM
- Comprehensive On-Board Software

£499

CLIMAX—Colour **Graphics Board**

- 256×256 Pixel Display
- 16 Colours
- * Ultra-fast Vector & Character Generation
- Light Pen Input
- * UHF or RGB Outputs

UHF Version

£199

UHF & RGB Version

£220

GM811-CPU Board

- * 4MH2 780A CPU
- * 4 'Bytewide' Memory Sockets
- * 2×8-Bit Input/Output Ports
- * 8 Bit Input Port
- * Cassette Recorder Interface \$125

GM803-EPROM/ROM Board

- * Up to 40K of Firmware
- * 2708 or 2716 EPROMS
- * Page Mode Operations

£65

GM802-64K RAM Board

- * 64K Dynamic RAM
- 4MHz Operation
- **RAM Disable Function**
- * Page Mode Operation

£125

MP826-Static RAM Board

- * 32K Static RAM
- * Battery Backup
- * Page Mode Operation

£225

EV814-IEEE488 (GPIB) Controller

- * Cost Effective Controller
- Comprehensive Software Supplied
- **Full Implementation**
- * Easy To Use

£140

GM827-87 Key Keyboard

- * User Definable Function Keys
- Numeric Keypad
- * Cursor Control Keys

£85

GM839-Prototyping Board

- * Fibreglass P.C.B.
- * 80-BUS Signal Identification
- High Density IC Capability

£12.50



All the boards and components in the 80-BUS range are fully compatible and offer a very flexible and cost effective solution to your computer needs. For further information about the 80-BUS range contact your nearest MICROVALUE dealer.

Tandy TRS-80 Setting The Standard

With Dot Matrix Printers...



9¹/2" Dot-Matrix

 With Colour Computer and Parallel Interfaces

DMP-120. This versatile 91/2" dot-matrix printer has high speed data processing and graphics modes, that makes light work of many many tasks. It prints ten and 16.7 characters per inch, or elongated five and 8.3 characters per inch at up to 125 characters per second. A very compact printer it uses fanfold, single sheet or roll paper and has built in parallel and colour computer compatible serial interfaces. 26-1255

Colour Graphics

 Uses Easily Replaceable Ink Cartridges

CGP-115. Ultra-compact colour graphics printer helps you create beautiful graphics in red, green, blue and black, and it prints alphanumerics. Built-in commands make it easy! Text mode prints 40 or 80 characters per line at 12 characters per second. Uses easily replaceable ink cartridges. A selection of colour pens is available. Set measures 215/16 x 81/4 x 81/2". 26-1192



Low Cost Dot-Matrix

- Print Graphics and Alphanumerics
- Whisper Quiet!

TP-10 Thermal Printer. Perfect for use with the MC-10 Colour Microcomputer, and our other colour computers. You can print both screen graphics and alphanumerics. Textmode prints 32 characters per line at 30 characters per second on 41/8" wide thermal paper. Special repeat function to make graphics programming easier. Colour computer-compatible serial interface only (600 baud). **26-1261**



Computer Cassette Recorder

- Designed For The TRS-80
- Mains Or Battery Operated

Specially designed for use with TRS-80 microcomputers, the CTR-81 computer cassette recorder is ideal for loading and recording programs and data on cassette tapes. It can easily be connected to Models I, III, 4 and the new TRS-80 Model 100 portable computer. Smart white finish. Mains operation or requires four "C" batteries (not included). 26-1208



...Or Choose The Daisy Wheel Printer To Meet Your Needs



"Letter

With Free **Bi-Directional Tractor Feed** (26-1459)

With **Automatic** Wheel Positioning

"Letter Quality"



DWP-410. Ideal for SCRIPSIT[™] word processing! Select ten or 12 DWP-210. A low-cost printer for that "professional look"! Select ten or 12 characters per inch, or proportional pitch. Prints over 200 words per characters per inch, or proportional pitch. Forward and reverse paper feed and ½ line feed, underline and programmable backspace. Includes ½ line space and ½ line feed. Automatic paper set makes minute (18 characters per second) at ten characters per inch. Easily handles an original plus two copies, features 1/200" space and 1/48 line feed, ribbon end, cover open and paper empty sensing. With carbon ribbon and Courier 10 print wheel. 26-1257 paper insertion easy. Uses interchangeable print wheels for type selection. EPM mode for special wheels. 26-1250

MICPOVA LE 80-BUS MULTIBOARDS



GM813-CPU/64K RAM Board

- * 4MHz Z80A C.P.U. * 64K Dynamic RAM
- RS232Interface
- * Two 8-Bit I/O Ports Cassette Interface

Monitor

Extended & Page Addressing Modes CP/M Compatible



GM829-Disk Controller Board

- * Up To 4 Mixed 5.25 & 8" Drives
- SASI Hard Disk Interface
- Single & Double Density Operation
- Single & Double Sided Drive Support
- Supports 48 and 96 TPI Drives

£145



GM833-RAM-DISK Board

- * Virtual Disk Operation * 512K Dynamic RAM
- Port Mapped For Easy Interface Software
- Over 10 Times Faster Than a Floppy Disk

Please note: This board cannot be used as a conventional RAM board



GM812-Video **Controller Board**

- * 80 Characters × 25 Line Display Format * On-board Z80A Microprocessor
- Buffered Keyboard Input
- Programmable Character Generator
- 160×75 Pixel Graphics
- * Light Pen Input



GM816-Multi I/O Board

- 61/O Ports
- * 4 Counter/Timer Channels
- * On-Board Real Time Clock
- Battery Backup
- Further Expansion Capability

£125

PLUTO-Colour **Graphics Board**

- On-Board 16 Bit Microprocessor
- 640×576 Bit Mapped Display
- 192K Of Dual Ported RAM
- Comprehensive On-Board Software

£499

CLIMAX-Colour **Graphics Board**

- 256×256 Pixel Display
- 16 Colours
- Ultra-fast Vector & Character Generation
- * LightPenInput
- * UHF or RGB Outputs

UHF Version

£199

UHF & RGB Version

£220

GM811-CPU Board

- 4MHz Z80A CPU
- * 4 'Bytewide' Memory Sockets
- * 2×8-Bit Input/Output Ports
- * 8 Bit Input Port
- * Cassette Recorder Interface \$125

GM803-EPROM/ROM Board

- * Up to 40K of Firmware
- 2708 or 2716 EPROMS
- * Page Mode Operations

£65

GM802-64K RAM Board

- * 64K Dynamic RAM
- 4MHz Operation
- RAM Disable Function
- Page Mode Operation

£125

MP826-Static RAM Board

- * 32K Static RAM
- Battery BackupPage Mode Operation

£225

EV814-IEEE488 (GPIB) Controller

- Cost Effective Controller
- Comprehensive Software Supplied
- **Full Implementation**
- * Easy To Use

£140

GM827-87 Key Keyboard

- * User Definable Function Keys
- Numeric Keypad
- * Cursor Control Keys

£85

GM839-Prototyping


- * Fibreglass P.C.B.
- 80-BUS Signal Identification
- High Density IC Capability

£12.50



All the boards and components in the 80-BUS range are fully compatible and offer a very flexible and cost effective solution to your computer needs. For further information about the 80-BUS range contact your nearest MICROVALUE dealer.

MicroValue - MicroValue



Power Supplies, **Mother Boards** & Frames

*GM807	3A Power Supply	£40.00
* GM817	6A Switch Mode P.S.U.	£75.00
* GM843	10A Switch Mode P.S.U.	£95.00
* GM656	3 Slot Motherboard	£5.00
* GM654	5 Slot Motherboard	£6.00
* GM655	8 Slot Motherboard	£10.00
* MP840	14 Slot Motherboard	£47.00
*GM662	5 Board Frame	£50.00
* GM610	19" Frame	£37.50



Galaxy 2


"I would place the Galaxy at the top of my list' (Computing Today, April 1983)

- *Twin Z80A Processors
- *CP/M2.2 Operating System
- *80×25 Video Display
- *64K Dynamic Ram
- *Light Pen Interface
- *Up to 1.6Mhz Disk Capacity
- *Seriai RS232 interface
- * Parallel Interface
- * Numeric Keypad
- *Definable Function Keys
- *Cassette Interface
- *12" Monitor Included

from £1495

Quantum System 2000





Computerise Without Compromise

- * 80-BUS Construction
- * Serial & Parallel Interface
- * Stylish Design
- * Up To 2.4Mhz Disk Capacity
- * Up To Three 5.25" Drives
- * Fuily Expandable
- * Twin Z80A Processors
- * CP/M Operating System
- * 64K Dynamic Ram
- * Definable Function Keys

Two-Drive Quantum

£1910

Gemini Multinet

The Gemini Multinet enables as many people as possible to have access to their own microcomputer with mass storage and printer facilities for the lowest possible cost. This is achieved by providing a central 'fileserver' fitted with a Winchester hard disk unit and printer interfaces, in conjunction with a method of interconnecting up to thirty-one workstations to the fileserver. The fileserver and each station are fitted with the Gemini GM836 network interface board. A Micropolis 800K floppy disk drive is incorporated in the fileserver providing backup for the hard disk.

GM910 Galaxy 4 Muitinet 5.4 M/byte fileserver

£2600

GM912 Galaxy 4 Multinet 10.8 M/byte fileserver

£2850

GM909 Galaxy 4 Multinet workstation

£650

Both fileservers and workstations are supplied complete with VDU's; the operating software is supplied with the fileserver.

Phoenix P12 Monitor



A high quality 12" data display monitor, ideal for Gemini systems. The P12 is available in both green and amber phosphor versions and £95 has a resolution of 20Mhz.

BUY FROM THE COMPUTER **PROFESSIONALS**

MICROVALUE **DEALERS:**

AMERSHAM, BUCKS

Amersham Computer Centre, 18 Woodside Road, Tel: (02403) 22307

BRISTOL

Target Electronics Ltd., 16 Cherry Lane. Tel: (0272) 421196

EGHAM, SURREY

Electrovalue Ltd., 28 St. Judes Road, Englefield Green. Tel: (07843) 3603

Leeds Computer Centre. 55 Wade Lane, Merrion Centre. Tel: (0532) 458877

LONDON W2

Henry's Radio, 404 Edgware Road. Tel: 01-402 6822

LONDON SW11

OFF Records. Computer House, 58 Battersea Rise, Clapham Junction. Tel: 01-223 7730

MANCHESTER M19

EV Computing, 700 Burnage Lane. Tel: 061-431 4866

NOTTINGHAM

Computerama, (Skytronics Ltd.) 357 Derby Road. Tel: (0602) 781742

Telephone orders welcome





All prices are exclusive of VAT

MicroVa

REAL value - from the Professionals

• Circle No. 177

ONE OF the major advantages of the BBC Micro is its built-in assembler. But there is a snag: once programs have been assembled, it is impossible to modify them without access to the original source code. If you have lost the source code, or if someone else wrote the program, you are in trouble.

Many disassemblers are written in Basic, and so are painfully slow and require colossal string and variable arrays to store op codes, bit data, etc.

Thus the stage is set for Disasm 2, a disassembler written entirely in machine code by C Dunne. It is around 600 bytes long, including all text, and is so fast that it will disassemble a page of 30 lines before you can remove your finger from the Return button. The only concessions it makes to simplicity are that all output is in hex, and that sometimes a garbage byte will happen to form part of a valid op code and

Disassembler

produce a misleading destination address. Unrecognised bytes are designated Bug.

Type the program in as it stands and save it, but do not run it. Set Page to &2500 by:

PAGE = &2500

then load the program back in again. Run it this time and enter 1100 if you are a disc user; otherwise enter E00 as the assemble address. You can then type:

*SAVE DISSA 1100 +600

or

*SAVE DISSA E00 +600.

Any time you want to use the disassembler you now only need to load the assembled code, not the source, etc. You load the object code with:

*RUN DISSA

Operating the disassembler is a simple matter of entering four digits. If, for instance, you wished to start disassembling at location &E00 you have to type 0E00. All locations are entered in hex so do not be surprised if you try and enter a decimal number and find that you are not disassembling where you wanted too.

When you have typed the address, do not press Return. The disassembler will display 31 lines of disassembled text and wait for your command. Press Return to continue where the disassembler left off, or press the space bar to jump to another location to change the disassemble address.

```
10 REM
                                                       430 . DOLOOP JSR OSNEWL
                                                                                                       1010 AND#3
                                                       440 JSR D
450 JSR D+7
                                                                                                       1020 STA&72
                                                                                                      1030 \GET COMPRESSED TEXT
                                                        460 JSR OSNEWL
                                                                                                       1040 .SNARF TYA
    30 REM DISASM2:
                                                       470 JSR OSRDCH
                                                                                                       1050 AND#&8F
                                                       480 CMP#&D
                                                                                                      1060 TAX
                    THE Disassembler
                                                        490 KEY FOR NEXT BLOCK
                                                                                                       1070 TYA
                                                       500 BEQ DOLOOP
                                                                                                       1080 LDY#3
                             Copyright
                                                       510 CMP#27
                                                                                                       1090 CPX#&8A
C Dunne 1982/83
                                  (Assis
                                                       520 KEY TO EXIT TO BASIC-ESCAPE
                                                                                                      1100 BEQ SNARF+22
ted by D Bainbridge)
                                                        530 BNE DISASM2
                                                                                                       1110 LSR A
   40 REM _
                                                       540 LDA#229
550 LDX#0
                                                                                                       1120 BCC SNARF+22
                                                                                                      1130 LSR A
                                                        560 LDY#0
                                                                                                       1140 LSR A
   50
                                                       570 JMP OSBYTE
580 \RE-ENABLE ESCAPE
                                                                                                       1150 ORA#820
   60 *TV0,1
                                                                                                      1160 DEY
   70 MODE4
                                                        590 RTS
                                                                                                      1170 BNF SNARF+15
80 INPUT"ENTER LOAD ADDRESS (PREC
EDED BY '&' IF" "IN HEXADECIMAL) :"D
                                                       600 .D LDA#30
610 \# OF LINES IN BLOCK =2 LESS T
                                                                                                       1180 INY
                                                                                                      1190 DEY
$:DISASM%=EVAL(D$)
90 INPUT'"DO YOU REQUIRE A LISTIN
                                                     HAN
                                                                                                      1200 BUE SNARF+11
                                                       620 \# OF LINES IN PRESENT SCREEN
                                                                                                      1210 PHA
  MODE
                                                                                                      1220 \PRINT HEX OPCODE
                                                       630 STA&77
                                                                                                      1230 .PRTOP LDA(&75),Y
0 ELSE
                                                        640 JSR D+20
                                                                                                      1240 JSR PRTBYTE
GOTO140 ELSE
                                                       650 JSR UPDATE
                                                                                                      1250 JSR SPACES-2
ARDON?": GOTO90
                                                       660 STA&75
                                                                                                      1260 CPY&72
                                                       670 STY&76
  120 REM VARIABLE INITIALISATION
                                                                                                      1270 TNY
                                                       680 DEC&77
                                                                                                      1280 BCC PRTOP
  130
                                                       690 BMI D-1
                                                                                                      1290 LDX#1
  140 BTMSK=DISASMX+&180
                                                        700 BNE D+4
  150 MOLEN=DISASMX+&1C4
                                                                                                      1300 \PAD WITH SPACES
                                                        710 JSR PRTADDR
                                                                                                      1310 .PAD JSR SPACES
  160 ALEFT=DISASMX+&1D1
                                                        720 LDA(875,X)
  170 RIGHT=DISASM%+&1D7
                                                                                                      1320 INY
                                                        730 TAY
  180 TEXTA=DISASMX+&1DE
                                                                                                      1330 LDX#3
                                                        740 LSR A
                                                                                                      1340 CPY#4
  190 TEXTB=DISASM%+&21E
                                                       750 BCC D+40
                                                                                                      1350 BCC PAD
  200 OSWRCH=&FFEE
                                                        760 LSR A
                                                                                                      1360 PLA
  210 OSNEWL=&FFE7
                                                        770 BCS OPNT
                                                                                                      1370 TAY
  220 OSRDCH=&FFEO
                                                                                                      1380 LDA TEXTA,Y
1390 \FIRST HALF OF TEXT
                                                       780 CMP#822
  230 OSBYTE=&FFF4
                                                        790 BEQ OPNT
  240
                                                       800 AND#7
                                                                                                      1400 \(3 LETTERS=2 BYTES)
1410 STA&73
  250 IF D%=3 VDU2:PRINT"PROGRAM"
                                                       810 ORA#&80
  260 REM
                                                       820 LSR A
830 TAX
                                                                                                      1420 LDA TEXTB,Y
               RELOCATABLE DISASSEMBL
                                                                                                      1430 \SECOND HALF OF TEXT
1440 STA&74
ER SOURCE
                                                       840 LDA BTMSK,X
                                                       850 \OPCODE BIT MASK TEST BYTE
                                                                                                      1450 \CALCULATE MNEMONIC
                                                       860 BCS KLM-8
                                                                                                      1460 .KEKMNM LDA#O
  280 FOR 1%=0 TO D% STEP D%
                                                       870 LSR A
                                                                                                      1470 LDY#5
  290 P%=DISASMX
                                                       880 LSR A
890 LSR A
                                                                                                      1480 ASL&74
  300 COPT 1%
                                                                                                      1490 ROL&73
  310
                                                       900 LSR A
                                                                                                      1500 ROL A
1510 DEY
  320 LDA#229
                                                       910 AND#&F
920 BNE KLM
  330 LDX#2
                                                                                                      1520 BNE KEKMNM+4
  340 LDY#0
                                                       930 THAT WAS NO OPCODE (THAT WAS
                                                                                                      1530 ADC#&3F
                                                     MY WIFE!)
940 .OPNT LDY#880
  350 JSR OSBYTE
360 \ESCAPE KEY GENERATES &1B
                                                                                                      1540 JSR OSWRCH
                                                                                                      1550 DEX
  370 .DISASM2 JSR OSNEWL
380 JSR KBIP
390 STA&76
                                                       950 LDA#0
                                                                                                      1560 BNE KEKMNM
                                                       960 \CALCULATE LENGTH & MODE
970 .KLM TAX
                                                                                                      1570 JSR SPACES-2
                                                                                                      1580 LDX#6
  400 JSR KBIP
                                                        980 LDA MOLEN,X
                                                                                                      1590 \CALCULATE EXIT
                                                      990 \ADDRESS MODE & LENGTH
1000 STA&71
  410 STA&75
                                                                                                      1600 .KEXIT CPX#3
  420 \MAIN LOOP
                                                                                                      1610 BNE PRTMODE
```

1620	100072
	LDY&72 BNE CHKBRA
	ASL&73
1450	MOLGIO
1660	BCC PRTMODE LDA#&41
1670	BNE SPACES+2
1680	
1690	
1700	
1710	CMP#&E8
	LDA(&75),Y
	BCS PRTBRA
	JSR PRTBYTE
1750	
1760	BNE CHKBRA
1770	\PRINT ADDRESS MODE DETAILS
1780	.PRTMODE ASL&71
1790	
1800	LDA ALEFT,X
1810	VOPEN ADDRESS MODE SYMBOL
1820	JSR OSWRCH
1830	LDA RIGHT,X
1840	\CLOSE ADDRESS MODE SYMBOL
	BEQ CHKBRA+32
	JSR OSWRCH
1870	
1880	
1890	RTS
1900	
1910	
1920	
1930	
1940 1950	BNE PRTBRA+8
1960	INY TYA
1970	JSR PRTBYTE
1980	
	\PRINT HEX BYTE IN ACC
2000	.PRTBYTE PHA
2010	LSR A
	JSR PRTBYTE+9
2060	
	AND#&F
	ORA#830
	CMP#&3A
	BCC PRTBYTE+19
	ADC#6
2120	JMP OSWRCH
2130	
2140	.PRTADDR JSR OSNEWL
	LDA&76
	LDX&75
2170	JSR PRTBRA+9
2180	\PRINT ONE SPACE
	LDX#1 \PRINT (X) SPACES
2210	
2220	
2230	
	BNE SPACES
2250	
2260	
2270	
2200	CCC

```
2290 LDY&76
  2300 TAX
2310 BPL UPDATE+9
  2320 DEY
  2330 ADC&75
2340 BCC UPDATE+14
  2350 INY
  2360 RTS
2370 \GET ADDRESS FROM
  2380 \USER VIA KEYBOARD
  2390 .KBIP JSR KBIP+3
2400 JSR TESTKEY
  2410 ASL A
  2420 ASL A
2430 ASL A
  2440 ASL A
  2450 LDY#4
  2460 ROL A
  2470 ROL&70
  2480 DEY
  2490 BNE KBIP+12
  2500 LDA&70
  2510 RTS
 2520 \ENSURE KEY IS VALID HEX
 2530 .TESTKEY JSR OSRDCH
2540 JSR OSWRCH
 2550 CMP#&30
2560 BMI TESTKEY+26
  2570 CMP#&3A
 2580 BCC TESTKEY+24
 2590 CMP#847
 2600 BCS TESTKEY+26
  2610 CMP#841
 2620 BCC TESTKEY+26
2630 SBC#7
  2640 AND#&F
 2650 RTS
 2660
  2670 ]
 2680 NEXT
  2690
  2700 REM SET UP TEXT/OPCODE DATA
 2710
 2720 FOR X%=DISASM%+&180 TO DISASM%
 +&25F STEP4
 2730 READ!X%
 2740 NEXT
  2750
 2760 REM DATA (MAINLY COMPRESSED TE
XΤ
 2770 REM AND OPCODES)
 2780
  2790 DATA&03450240,&09400800,&33452
230,8094008b0,833450240,8094008b0,833452

230,8094008b0,833450240,8094008b0,80

3450240,8094008b0,833442200,800448c0

0,833442211,899448cb0,833442210,8094

008b0,833442210,8094008b0

2800
  2810 DATA&A9781362.&82812100.&4D590
000,84A869291,8292C9D85,82628232C,82
6580059, 88A1C0026, 88B5D231C, 88A9DA11
B, 88B9D231D, 8291DA11D, 8A869AE19, 8532
42319, 85324231B, 81A0UA119
2830 DATA&69A55B5B,&AEAE2424,&0029A
DAB,&9C15007C,&69A59C6D,&13845329,&6
9A51134,&62D8A023,&6226485A,&4454889
4,8446854C8,8849094E8,884748408,8F47
```

```
46E28, &F2724ACC, &AA008AA4
     2840
     2850 DATA&7474A2A2,&68447274,&00B23
282,81B1B0022,872722727,8CAC4C888,84
4444826, &0000C8A2
     2860
     2870 IF DX=2 END
     2880
     2890 PRINT'"DATA""
     2900
     2910 FOR X%=DISASMX+&180 TO DISASM%
+825F STEP16
    2920 PRINT; "XX;": ";
2930 FOR AX=0 TO 15
     2940 PRINT; "AX?XX;" ";
     2950 NEXT
     2960 PRINT
     2970 NEXT
    2980 PRINT'"END"
2990 VDU3
3010 REM ONCE THE PROGRAM IS TYPED IN, SAVE IT ON TAPE FOR SAFETY. TO A SSEMBLE THE PROGRAM, SET PAGE
 TO A VALUE SUCH THAT THE ASSEMBLED C
ODE WILL NOT
                                                                                                 OVERWRITE THE
SOURCE CODE (BEAR IN MIND THAT IF YO
U DO NOT TYPE IN REMS,

3020 REM SPACES OR ASSEMBLER COMMEN
TS, WHICH ARE ONLY INCLUDED FOR EASE
OF USE,

THE PROGRAM WILL RESID
E FROM PAGE TO PAGE+81000 (INCLUDING
VACIABLES) SO

THE LOWEST LOAD
THE LOWEST LOAD
THE LOWEST LOAD
THE LOWEST LOAD
                                                                                                  THE LOWEST LOA
     VARIABLES) SO
VARIABLES) SO THE LOWEST LOAD ADDRESS WITHOUT RESETTING PAGE IS $1500 OR 7680 DECIMAL)
3030 REM AND *LOAD TO PAGE AND RUN.
THE 'ADDRESS' PROMPT IS SELF-EXPLAN ATORY, THE 'LISTING' PROMPT REQUIRES 'Y' OR 'N' (NOTE THAT THIS RECEDED TO MARKET PAGE OF THE PAGE 
AVE NO PRINTER, ANSWER 'N' OR THE PR
OGRAM WILL APPEAR TO
3040 REM CRASH
  3040 REM CRASH. IF YOU DO HAVE A PR
INTER, IT MUST BE INITIALISED, AND R
EADY FOR A 'VDU 2' COMMAND TO E
  NABLE IT).
  3050 REM TO ENTER THE DISASSEMBLER,
TYPE 'CALL DISASMX' ENTER THE ADDR
ESS FROM WHICH YOU WISH TO STAR
T DISASSEMBLING (BUT DO NOT PRESS RE
TURN). ONE PAGE OF DISASSEMBLE
  TURN). ONE PAGE OF DISASSEMBLE
D CODE WILL APPEAR. TO CONTINUE TO T
  HE NEXT PAGE HIT RETURN,
3060 REM TO END AND EXIT TO BASIC H
IT ESCAPE, OTHERWISE HIT ANY OTHER K
 EY, THEN TYPE IN THE NEW DISASS
EMBLY ADDRESS, WHEN A NEW PAGE OF DI
SASSEMBLED TEXT WILL APPEAR.
```

Cassette box inserts

Of practical use to all cassette users is this program originally designed for an Epson MX-100 printer from Ian Masters of Thetford, Norfolk. The program will print out six cassette box labels or inserts per run.

One requirement is that you have a printer capable of printing 128 characters, uncondensed. Use 128-column by 11in. paper. Line 140 sets the line spacing to 1/6in. Line 150 sets the emphasised mode On.

```
280 PRINTAS;" ";AS;" ";AS

290 FOR X = 16 TO 21

300 PRINT X;BS;"|";CS;" ";

310 PRINT X;BS;"|";CS;" ";

320 PRINT X;BS;"|";CS

330 NEXT X

340 PRINT:PRINT

350 NEXT Z

360 REM VDU3

370 END
```

Cassette box inserts.

```
10 REM CASSETTE BOX INSERTS by Ian Ma sters. Sept 1983
20 REM in BBC Ba sic(Z80)
30
40 REM For use with MX100 Printer and 128 column paper.
50 REM The program will produce 6 cas sette box inserts 60 REM per sheet of 128 col by 11 inch paper.
70 REM Don't be tight, use good paper 80gsm+ and a good 80 REM ribbon, for best results.
90 REM Line 180 sets the line spacing to 1/6".
100 REM Line 190 sets the emphasised m ode 0N.
```



Circle No. 178



Datalife

WORDFLOW ELECTRONIC OFFICE SERVICES LIMITED

The Datalife People

DISK PRICES PER BOX OF TEN	1-3	4-7	8+
5¼" Mini Disks	£	£	£
MD525-01/10 SSSD/SSDD	18.79	18.30	17.84
MD550-01/10 DSDD	26.71	26.01	25.36
MD577-01/10 SSQD	29.00	28.26	27.53
MD557-01/10 DSQD	35.07	34.16	33.30

8" DISKS FD34-9000 SSSD 26SEC 128 BYTES/SEC 26.50 25.00 23.00 FD32-9000 SSSD 32SEC HOLES + 1

INDEX HOLE 26.00 25.00 24.00 F010-4008 DSSD 8SEC 512 BYTES/SEC 31.00 29.00 28.00 DD34-4001 D2TM DSDD UNINITIALISED 1 INDEX HOLE 31.00 28.50 27.00

We are currently taking orders for the



We are currently taking orders for the new 3" and $3\frac{1}{2}$ " compact disks. Ring now for the best possible price.

19 SHEEPCOTE ROAD HARROW MIDDLESEX Telephone 01 863 0994/863 4463

• Circle No. 179

available now

Z80 second processor for BBC Microcomputer with SAGE 400 integrated accounts program £375

- VAT







GCC (Cambridge) Limited 66 High Street, Sawston, Cambridge CB2 4BG Telephone: Cambridge (0223) 835330

Trade and local authority enquiries welcome. Prices correct at time of going to press. ALTHOUGH I GAVE you a graphing program in February I am including another now because it has a different approach. The first one merely read in a series of values and plotted them as x,y values wheareas this one will allow the use to enter a mathematical function and plots the values of x against y. It will also allow points to be joined. This has been sent to me by M Jason Smith of Hemel Hempstead, Hertfordshire.

I would like to take Mr Smith to task over one point which is his commission of the unforgiveable sin of using I as a variable

Graphing

and he compounds his error by using it as a subscript in an array. If you wish to use I for your own programs which no one else has to look at that is fine but when a program has to be copied from a printout makes it more difficult and liable to error.

While in a correcting mood, I would also mention that I have had to reject a good game program because the author, who sent us a tape, used a separate line for every command, resulting in a long thin listing which would have taken a page to reproduce.

Sort routine.

```
10 CLEAR3000
20 DEFSTRA: DEFINTB-L, N-W, Z:DIM
G$(15), F1$(12), F1(12), F2$(13), F2(13), F3
(50), X1(20), Y1(20): J=0
30 CLS: QW=1: GDSUB450
40 =VARPTR(Z$):P=ABS(P):
L=PEEK(P+1)+256*PEEK(P+2):P=L+2
50 DATA=, 213, +, 205, -, 206, *, 207, /, 208,
E, 209, SGN, 215, INT, 216, ABS, 217, SQR, 221,
RND, 222, LOG, 223, EXP, 224, COS, 225, SIN, 226
 TAN, 227, ATN, 228, RND, 222, FIX, 242
60 FOR I%=1TO6: READF1$(I%),
F1(I%):NEXT I%:FORI%=1T013:READ
F2$(I%), F2(I%): NEXTIX
70 CLS: PRINT: PRINT: PRINT, "Graphing
Program": PRINT, "By Jason
Smith": PRINT: PRINT
Smith":PRINT:PRINT

80 PRINT, "F - Function (graph)"

90 PRINT, "P - Point"

100 PRINT, "C - Clear Axis"

110 PRINT, "S - Save Graph"

120 PRINT, "J - Join Points"

130 PRINT, "M - Menu"

140 PRINT, "X - Exit"

150 PRINT, "I - Instructions"
160 GOTO 210
170 CLS:A=" "+CHR$(129)+"
": PRINT@448, ;
180 FORD=1TD12:PRINTA+"
"; :NEXTD: PRINTA; : PRINT@31,
190FORD=1TO15:PRINTCHR$(136)
+CHR$(24)+CHR$(26); :NEXTD
200 IFQW=1 THEN QW=0: RETURN
210 AS=INKEYS
220G1=G1+1:IFG1=5THENPRINT@O,
CHR$ (140);
230 IFG1=10THENG1=0:PRINT@0, " ";
240 IFA$=""THEN210
 250 PRINT@O, " ";:G1=0
260 IFA$="F"ORA$="f"THEN350
 270IFA$="S"DRA$="s"THENQQ=1:
GOSUB590:GOTO210
 280 IFA$="P"ORA$="p"THEN530
 290 IF As="I"ORAs="i"THEN890
 3001FA$="C"ORA$="c"THENCLS:
 QW=1:GOSUB170:GOTO210
 310 IFA$="X"DRA$="x"THEN
POKEP+1, 147:CLS:END
 320 IFA$="J"DRA$="j"THEN 650
 330 IFA$="M"ORA$="m"THEN 70
```

```
350 CLS
360 D$="":PRINT@O, "Function
"::PRINT@64, ""::INPUTF$:13%=1:FOR
D=1TO LEN(F$): IFASC(MID$(F$, D, 1))) 96
AND ASC(MID$(F$, D, 1)) (123
THEND$=D$+CHR$(ASC(MID$(F$, D, 1))-32):NE
XTD:ELSE D$=D$+MID$(F$, D, 1):NEXTD
370 F$=D$
380 FOR 1%=1 TOLEN(F$):FOR12%=1T013:
IFMIDs(Fs, I%, 3)=F2s(I2%) THEN
F3(I3%)=F2(I2%):I3%=I3%+1:I%=I%+2:NEXTI
%:ELSE NEXTIC%
390FORI1%=1T06:IFMID$(F$, I%, 1)
=F1$(I1%)THENIF3(I3%)=F1(I1%):I3%=I3%+1
: NEXTIM: ELSE NEXTIIX
400 F4%=ASC(MID$(F$, I%, 1)):IFF4%)=35
AND F4% (=90 THEN F3(13%)=F4%:13%=13%+1
410 NEXTIX
420 FORIX=1TDI3X-1:POKEP+IX, F3(IX):
NEXTIX: POKEP+1%, 58: POKEP+1+1%, 147
4301FQQ=1THENQQ=0:CLS:FDRG=0TD15:
PRINTG$(G);:NEXTG:ELSEQW=1:GOSUB170
440 PRINT@0, "";:FOR X=-6TD6STEP 0.05
450 Z$="":REM=X*3:REM4:
REM.....
460 IFQW=1THENQW=0:RETURN
470 IF Y) 70RY (-7THEN GOTO510
480 X1=10*X+62.5
490 Y1=-3*Y+22.5
500 SET(X1, Y1)
510 NEXTX
520 GOTO 210
530CLS:PRINT@O, "Point.";:
PRINT@64, ""; : INPUT X, Y
5401FQQ=1THENQQ=0:CLS:FDRG=0TD15:
PRINTG#(G);:NEXTG ELSE QW=1:GOSUB170
550 X1=10*X+62.5
560 Y1=-3*Y+22.5
570 SET(X1, Y1)
580 GBTB 210
590 6$=""
600FDRI=OTD15:G=VARPTR(G$):PDKEG, 64:
POKEG+1, 64*(I-INT(I/4)*4):POKEG+2, I/4
+60
610 IF I=15THEN G$=LEFT$(G$,63)
620 G$(I)=G$
630 NEXTI
640 RETURN
650 CLS
660 PRINT"Joining Points"
```

(continued on next page)

340 GDTD210

1040 601070 **BYO NEXTX** 1020 IEINKEA#=""THEN1020 800 SET(X, M*(X-X1)+Y1) Contine. "; 850 FORX=X1TOX2STEPS 1020 PRINT"Press (NEW LINE) to 840 IFX1)X2LETS=-S TOIO PRINT 920 ILUBS(W)) IS=UBS(I\W) EFSES=I ".brammoo zidt dtiw marporq (TX-ZX)/(TA-ZA)=以 OZB ALWAYS exit 1000 PRINT"(X) : Exit. NEXTY: GOTO880 " .ethioq bns edgarp 81 OF DRY=Y1TOY2STEPS: SET(X1, Y): 990 PRINT"(C): Clears Axis of all 800 IFY1) Y2THENS=-1ELSES=1 ".bettoiq etnioq "TNIAG OBE JOO IEXZ () XITHENBZO "bns edgare lis diw yarra -2*人1(67+1)+5512 970 PRINT"(S) : Saves the Axis in an -ZA:5.54-(1+14)1X*01-2X087 " seulev 0640109 then enter the (X, Y) "TNIAG 03E "betnsw etniog to redmbN ent AND IEDIEDO THEN -edniod qu niot : (t) "TNIA9 OZE Enter 455° 2 ".eeulsV (Y,X) \COXT=TO*XI(bI)+62.5\T=-3*YI(pI) 940 PRINT" (P) : Plot a Point. Enter 750 IF Y1(P1) (-70RY1(P1)) 7THEN880 'カ/(X)NIS=人 "\Z] X+(X) +N [\Z]" 740 IF X1(P1)(-60RX1(P1))6THEN880 EB. Y=2*X+5, "TNIAG OZE 730 FDR P1=1TDPD "XIA GNB NTA EXIC ELSE QW=1:60SUB170 LOG EXP COS SIN TAN "TNIAG OSE IFDD=1THENDD=0:FORG=OTO15:PRINTG\$(6);N +-=*/[SGN INT ABS SQR RND" Commands allowed :-"TNIAG OLE 710 NEXTP1 "X=Y mrot ant (14) 14 (14) 1XTUQNI: :14:" 900 PRINT" (F) : Enter a Function of 700 PRINTUSING" (££) TNIAG: TNIAG 690 FDRP1=1TDPD 890CLS:PRINT"Instructions.": Od: "etrioq vnsm woH"TUQNI 088 880 NEXTP1:GOTO210

Reinforce

the program, which is very near for this type in Middlesex. Instructions are included in prime. He is Stephen Daniels from Pinner advanced age — 13 no less, almost past his writer of the game Reinforce is of a fairly though this may not be exceptional. The of a boy of six writing games in Basic, credibly early age — the other day I heard Children start programing at an in-

PRACTICAL COMPUTING April 1984

GRIME" IYO PRINTESIY, "PRESS ENTER FOR NEW M" BROOR SCORE YOURS"ELSE PRINT@335, "BEST TEO IF V)W THEN W=V:PRINT@335, "BEST SAS' "ESCAPED IN"V 120 F2: PRINT@13, "REINFORCE": PRINT@

PRESS SPACE BAR TO START" TIME WHEN YOU BOX YOURSELF IN, HOLD WITH THE FOUR ARROW KEYS. SCREEN. TO STOP THE DOT BUILD WALLS BOUNCING DOT FROM ESCAPING FROM THE IO SEE HOM FONG JON CHA KEEP THE SOO DESERVINITHE IDEA OF THE GAME IS ETRE A=0:010 TO 180 D#=INKEA#: IF D# (>CHK# (12) THEN 180

STRE SRO SZO BREINKEAR: IE BRE: " THEN RETURN SZO PRINT" MOVE": PRINT: PRINT" DOWN THE SPACE BARMHILE YOU";

THEN RESUME 150 ELSE

스 시 시 이 이 시 시 시 이 IGO IF X (O DR X)127 SO ELSE SET(A, B):60T0 50

130 IF POINT(A, B) THEN A=A1:B=B1:GOTO INO IF L=1 THEW L=0:RESET(A, B):60T0 50 THEM B=B-1

TIO IE GEIG THEN BEB+1 ELSE IF GEB THEM B=B+1

100 IE 8= 32 THEN A=A-1 ELSE IF 6=64

G=G-128:L=1

90 A1=A:B1=B: IF G)128 THEN

80 V=V+1:G=PEEK(14400)

TO RESET (X1, Y1):SET(X, Y) TA=A:0 'GGZ

YY=-YY: RESET (X, Y): OUT 255, 6: OUT

60 Y=Y+YY: IF POINT (X, Y) THEN

IX=X::0'SSZ 100:9'SSZ PUD:(X, Y) THEN XX=-XX:RESET(X, Y):OUT

SO X1=X:Y1=Y:PRINT@120, V;:X=X+XX:IF

AO X=63:Y=23:XX=1:YY=1:ON ERROR GOTO (22°1): SEL(\22'1): NEX1 I

TBS:82 OT 81=1 AOR:I

I=22 10 73:SET(1,18):SET(1,28):NEXT

127:SET(1,0):SET(1,47):NEXT I:FOR I=0 127:SET (0,1):SET(127,1):NEXT I:FOR I=0

SET(A, B): FOR I=0 TO 20 DES: U=BND(150):B=BND(15):

OOS BUSUB NEHT "Y"=#A

SO D#=INKEA#: IE D#="" THEN SO EFRE IE

"SNOITOUS"

DUNIELS": PRINTEREZ, "DO YOU NEED

MEHINTRYE, "BY STEPHEN

10 CLS: PRINT@19, CHR\$ (23)"RE-INFORCE":

for as many uses as YOU can imagine!

Operating Guide to CERAFPAD



With Grafpad you can now add a new dimension to your computer enjoyment, but most important, it helps you create your own application programmes by the simple use of the Grafpad!

The Grafpad comes complete with a cassette comprising two programmes.

THE FIRST PROGRAMME

displays the co-ordinates of your screen area. The co-ordinates are based on the screen with a grid size of 1023 x 1279 pixel, also in the Grafpad giving you a grid size of 320 x 256 pixels!

THE SECOND PROGRAMME


provides you with the utilities for circles, squares, triangles, free-hand, erasing line-drawing etc, and of course, full "Fill-in" facility in 16 different colours by the simple use of the pen!


Draw from a simple apple to a computer circuit - store in cassette or disk, perhaps transfer direct to a printer - in black and white or full glorious colour!

Purchase unique C.A.D. (Computer Aided Designs) programme and add further enjoyment and professionalism to your computer designs! The Grafpad comes complete with Operational Manual, Programmes, The Grafpad and Pen and it simply plugs

(Size: 25mm height x 55mm width x 260mm depth) Weight: 1.2 kg (Gross)







HOW TO ORDER: BY TELEPHONE:

BY TELEPHONE:
If you are an American Express,
Barclaycard, Diners Club or Access
Card Holder simply telephone us giving
your Card No., Name, Address and
item(s) required and your orders will be



Simply fill in the coupon, enclosing your cheque/PO. made payable to: BRITISH MICRO, or use the special section for Credit Card Holders, and post to the address below Please allowed Please allow 14 days for delivery.





(The above designs were drawn by a 12-year-old at our showrooms!)

- DEALER INQUIRIES WELCOMED
- SPECIAL DISCOUNTS FOR EDUCATIONAL **AUTHORITIES**

BRITISH MICR

A HEGOTRON GROUP COMPANY

Unit Q2, Penfold Works, Imperial Way, Watford, HERTS WD2 4YY TEL: (0923) 48222. TELEX: 946024



Post to: BRITISH MICRO, UNIT Q2, PENFOLD WORKS IMPERIAL WAY, WATFORD, HERTS. WD2 4YY

Please send me Grafpad for:

dispatched within 48 hours!

BBC MODEL 2

SINCLAIR SPECTRUM (Please tick)

COMMODORE 64

in your computer.

Ex. VAT Inc. VAT Total Qty. Item £125.00 £143.75 Grafpad Complete £18.00 £20.70 C.A.D. Programme Postage, Packing & Insurance £5.00 TOTAL £ I enclose my cheque/P.O. for £.....

prefer to pay with my American Express, Barclaycard, Diners, Access Card (Please cross out whichever is not applicable)

CARD NO. SIGNATURE NAME

ADDRESS Address above must be the same as card holder

PC4/84







In today's fast moving business world, your information has to move with you. Over the past few years there has been an increasing demand for a totally portable computer with the ability to meet so many challenges.

Epson, with over 20 years experience in designing and manufacturing high quality printers, have produced the HX-20, a precision machine with its own rechargeable power supply that can be used for just about any task within todays discerning business; from data capture to word processing, from card indexing to sales order entry.

The HX-20 with the acoustic coupler has transformed it from being just another portable computer into a powerful communications terminal for sending and receiving personal telexes, electronic mail and communicating with other computer systems.

Don't be fooled by its size, the HX-20 has all the software back-up you'd expect from a much larger machine and incorporates many "bigger computer" features – 16k RAM expandable to 32k with serial interfaces, a full size typewriter keyboard, it's own built in LCD

screen and a dot matrix microprinter. A microcassette facility is available as an optional extra.

A complete computer that will either stand on its own or could be the obvious extension to your existing system.

More and more people are finding out just how big the small compact HX-20 is. Why don't you find out for yourself – you owe it to your business.



Extraordinary product. Exceptional quality.

Epson (UK) Limited, Freepost, Wembley, Middlesex HA9 6BR. Sales Enquiries: Freefone EPSON. General Enquiries: 01-902 8892. Telex: 8814169.

Please	send	me	full	details	of	the	HX-20	

☐ Please ask my Epson dealer to contact me.

Name _____

Position

Company

Address _____

Tel:_

● Circle No. 181

Keyboard suppress

AN EARLIER Atari column included a sectorby-sector disc-copying program. In spite of the flippant headline — well, it was meant to be humorous — this was not a recipe for piracy. As was stressed at the time, the program would not, and was not intended to, copy protected commercial discs, but was for information only. However, it did raise a certain amount of interest in techniques for protecting programs.

In fact Atari programs are not easy to protect if you want to stop them from being copied. However, more likely you just want to prevent children from deliberately crashing programs, or perhaps stop people from reading your code — especially if your Basic looks as uncouth as mine.

With joystick-operated programs, the first obvious step is to disable the keyboard. It is very easy: just use

POKE 16,255

However, the the Break and System Reset keys still offer ways into the program.

Disabling the Break key is harder, because Print statements to the screen reenable it, as do printing to the screen using Open and S: or E:. There is also the 6502's Interrupt Request to be disabled. The minimum you can try is

POKE 16,64:POKE 53774,64 You Poke both locations with 192 for a reenable.

Then there is the System Reset key. Someone has published a routine in *Compute!*, June 1983, page 254, which effectively disables it. The program works by putting a Run statement on the screen

when System Reset is pressed, then using Poke 842,12 to do a read from screen, and thus rerun the program. It is incredibly tedious.

A less friendly technique is simply to use Poke 580,1, known as Coldstart or, colloquially, The Plug. With any non-zero number in this location, pressing System Reset simply dumps the program. There is no automatic reboot.

More amusing is to change all the variables in the program. When you type in a variable name, the Atari puts it in a table. Each time the name is used after that, instead of remembering the name, Basic just remembers which position it occupies in the Variable Name table, VNT. This, of course, is how Basic allows long, meaningful variable names such as Totalsalaries without incurring an overhead in memory. It also means that once the program is finished you can change the names in the table.

The pointer to the start of the VNT is held in locations 130 and 131 decimal, while locations 132 and 133 hold the end. So it is a simple matter to Peek the start and end of the table, then Poke another character into each location in between. For example

FOR VNAME = PEEK(130) +
PEEK(131)*256 TO PEEK(132) +
PEEK(133)*256:POKE VNAME,155:NEXT

In this case, CHR\$(155) has been chosen because it is the Return character, which makes the resulting listing pretty hard to follow. However, any character can be

used instead, just by Poking in the ATASCII code.

If you have easier ways to protect Basic programs, please share details with the rest of us.

Before.

```
1 REM THIS PROGRAM REPLACES
2 REM THE VARIABLE NAMES
3 REM WITH CARRIAGE RETURNS
4 REM CHR$ (155)
5 REM
10 JELLO=2
20 MORE=3
30 PRINT MORE*JELLO
40 FOR VNAME=PEEK(130)+PEEK(131)*256 TO
PEEK(132)+PEEK(133)*256
50 POKE VNAME,155
60 NEXT VNAME
```

After.

```
1 REM THIS PROGRAM REPLACES
2 REM THE VARIABLE NAMES
3 REM WITH CARRIAGE RETURNS
4 REM CHR*(155)
5 REM
10
=2
20
=3
30 PRINT
4
40 FOR
=PEEK(130)+PEEK(131)*256 TO PEEK(132)+PEEK(133)*256
50 POKE
,155
60 NEXT
70 LIST
```

Blinking Atari

Nick Pearce of St. Leonards on Sea, East Sussex, points out that the Atari lacks a set of flashing characters, and he supplies a short machine-code routine to provide them. The machine code lives in page 6 of RAM, and is executed during the vertical blank period, VBlank, 50 times per second. It works by switching between two character sets at a rate controlled by a delay counter.

The demonstration program uses the normal character set in ROM, and one in RAM that has space characters instead of lower-case letters and graphics. This makes these characters flash.

After running the program, Nick suggests using Poke 1549,10 to increase the flash rate, and

POKE CHMEM2 + 135,255

to underline all the zeros. The results are very impressive. Once initiated, the routine will continue until disabled by

K = USR(1596)

or by pressing System Reset.

Blinking Atari.

```
99 REM *** DEMO PROGRAM ***

100 GOSUB 9000

200 LIST

900 END

8998 REM

8999 REM *** DEFINE 2 CHAR-SETS AND START BLINK ROUTINE ***

9000 RAMTOP=106

9020 MYTOP=PEEK (RAMTOP)-8:POKE RAMTOP, MYTOP

9030 GRAPHICS 0:? "WAIT";

9098 REM *** setup chset1 ***

9099 REM CHSET1 POINTS TO THE NORMAL CHAR-SET IN ROM AT PAGE 224

9100 CHSET1=224:CHMEM1=CHSET1*256

9118 REM *** setup chset2 ***

9119 REM CHSET2 POINTS TO A CHARSET WITH SPACES FOR LOWERCASE CHARS

9120 CHSET2=MYTOP:CHMEM2=CHSET2*256

9130 FOR I=0 TO 511:POKE CHMEM2+I,PEEK(57344+I):NEXT I

9140 FOR I=CHMEM2+512 TO CHMEM2+1023:POKE I,0:NEXT I

9299 REM *** page 6 charset blink routine ***

9300 FOR I=1540 TO 1606:READ J:POKE I,J:NEXT I:REM data 9500/9530

9310 POKE 1539,CHSET1:REM normal

9320 POKE 1539,CHSET1:REM includes spaces for lowercase chars etc

9330 POKE 1549,25:REM flash delay

9350 K=USR(1580):REM switch on the routine

9370 REM to switch the routine off either use K=USR(1596) or RESET

9400 RETURN

9500 DATA 206,0,6,173,0,6,208,29,169,20,141,0,6,238,1,6,173,1

9510 DATA 6,201,2,208,5,169,0,141,1,6,174,1,6,189,2,6,141,244

9520 DATA 2,76,98,228,104,169,0,141,1,6,162,6,160,4,169,7,32,92

9530 DATA 228,96,104,162,228,160,98,169,7,32,92,228,96
```



Isn't it about time you considered an interface system for data acquisition and process control? A system versatile enough to link up with most popular micro-computers,

at once but simple enough to be used by even the most junior member of staff.

It is?

Then meet the missing link: The "Rexagan" Family. Designed and developed by ICI to meet the widely varying needs of our own scientists and engineers, The "Rexagan" Family has been tried and tested by leading computer manufacturers Commodore and proved to be one of the most versatile

and integrated interface systems available. So, which member of the "Rexagan" Family is right for your requirements?

Well, if all you call for is a simple, easy to understand interface, we suggest Junior "Rexagan." The first low cost interface designed especially for schools, colleges and universities, Junior "Rexagan" offers students and beginners the opportunity to become familiar very quickly with the fundamentals of computer interfacing. Complete with its own software for teaching and demonstrating, Junior "Rexagan" is conceptually simple because it's memorymapped and has analogue input and output plus digital inputs and outputs all contained within a single, neat package.

For something more powerful, then "Rexagan" itself is the answer. A compact, modular system, "Rexagan" saves on space and time.

And as a means of automating laboratory instruments or for simple process control, it's incredibly cost effective too.

Nor does it occupy the computer's IEEE or RS232 ports, so these remain available for other peripherals. "Rexagan" also comes complete with its own assembly and programming instructions in an easy to follow, well-written, well-illustrated manual.

What's more, ICI guarantee "Rexagan's"

compatibility with many different makes of micro-computers. Of course you

might need something still more sophisticated.

No problem.

Say hello to Super "Rexagan." Developed for more complex interfacing tasks, Super"Rexagan" is quite simply expandable without practical limit. In fact.

it's a system so versatile that ICI alone found over one hundred different, valuable applications during its intensive development programme.

Available for 19" rack mounting, Super "Rexagan" is also memory-mapped for very high speed operation.

Also available is an advanced operating

system "Tomult," which allows the writing of true multi-tasking programs in BASIC which can, therefore, be easily altered at will, so



YOUR MICRO IN CONTROL WITH OUR

ITIPURPOSE COMPUT



An easy-to-build, inexpensive Add-on for any micro equipped with a parallel Printer Port or User Port (with + 5V supply).

This unit provides eight independently controllable power switches under software management. The article contains full, easy-to-follow constructional and testing details. There are software examples for the RM380Z and VIC-20 Microcomputers for controlling model train speed and direction.


Work on your own where you're not alone

ness or open a branch office and not have to worry about who answers the phone when you're out And the location gives swift access to M4/M3 motor-ways, the North Circular, the Underground, British Rail and Heathrow Airport in a leafy environment with the Thames nearby

It's London without the hassle.

UNITS FROM 100 SQ. FT. AT £28 pw.

Call in, phone or write: Barley Mow Workspace, 10 Barley Mow Passage, Chiswick, London W4 4PH. Telephone 01-994 6477.



Circle No. 184



QUALITY 51/4" FLOPPY DISKS

Take our choice of three top quality brands - BASF, Wabash or Xidex. C/WP has tested most available disks and offers these as the best value for money, combining reliability, with low prices.

Single-sided, single-density (100k)


£13

Single-sided, double-density (200k)

Double-sided, double-density (400k)

Double-sided, quad-density (800k)

Includes VAT per box of 10.



FLOPPY DISKS STORAGE BOXES

A neat box with transparent lockable cover to hold up to 35 disks. With the top off the disks are presented as in a card index. A larger version will hold up to 80 disks.

Small size £14 Large size £19 inc VAT

LISTING PAPER

2000 sheets fanfold listing paper 9 inch or 14 inch. £12 inc

SELF ADHESIVE LABELS

1, 2 or 3 across. Per thousand. £5 inc VAT

C/WP Computers Willow House Willow Place London SW1P1JH Telephone 01-828 9000

Please send me details of/I Barclaycard (No.)	enclose cheque/Access/
for £	and am ordering*
☐ Floppy Disks (size)	-
☐ Storage Boxes (size)_	
Name	
Address	
	_Telephone
*Delete where applicable	Delivery charge £3.00

Designed by Kevin Toms

Some of the features of the game:

* Matches in 3D graphics

* Transfer market * Promotion and relegation * F.A. Cup matches * Injury problems * Full league



* Pick your own team for each match. * As many seasons as you like * Managerial rating * 7 skill levels * Save game facility.

* ZX81 Chart

Home Computing Weekly 1.8.83 and 111 83.

Comments about the game from press and our customers

Comments about the game from press and our customers.

"FOOTBALL MANAGER is the best game I have yet seen on the
Specifium and my personal favourille of all the games on any micro. To the ordinary
person it is an excellent view of what can be done in the field of computer games.
The crowning glary of this game is the short set pieces of match highlights which show little
stick men running around a pitch, shooting, defending and scoring. It is a compulsive
game but people who cannot take game sessions of 9 hours are, which happened on one
lappy Sunday, will be grateful to know that there is a "save to tape" option. FOOTBALL
WANAGER has everything it could. The originator, Addictive Games, certainly deserve the
name. Rating, 19 20 (Practical Computing – August 1983)

From software stockists nationwide, inc WHSMITH 🛊 🖊 John M

Addictive Games 7A RICHMOND HILL, BOURNEMOUTH BH2 6H Dealers! For urgent stocks send your headed notepaper direct to our address.

• Circle No. 183

MICRO TO MICRO FILE TRANSFER SYSTEM



"Get your microcomputers talking to each other!"

SWAP allows you to transfer any programs and data between 2 computers of different manufacture. SWAP consists of 2 floppy disks and a cable configured for your 2 chosen computers. Any combination is available from:

IBM PC Sirius Apricot Superbrain Televideo Apple (CP/M) DEC Rainbow ICL PC Rair

North Star Advantage

Tandy II (CP/M) Comart Communicator Epson QX10

P-SWAP-SWAP-SWAP-

The price of SWAP is £158 (£135 plus VAT and postage and packing). Please specify your computers when ordering.

MERCATOR COMPUTER SYSTEMS LTD 3 Whiteladies Road, Clifton, Bristol BS8 1NU. Telephone: (0272) 731079 Telex 44220 Comtel Ref 247

MIEIRICATIOIR COMPUTER SYSTEMS

SWAP-SWAP-SWAP-SWAP-SWA

• Circle No. 187

Practical Electronics MICROSTEPPER— "Freeze Frame" your micro, instruction by instruction, to see what's going on during educational and debugging exercises.



TRANSPUTER BREAKTHROUGH

British design enabling a great step forward in technology. PE takes a close look at this single chip processor capable of 10 MIPS with memory expansion of up to 4G bytes. Find out more about this revolutionary processing system...

RACTICAL


APRIL ISSUE 90p ON SALE NOW





• Circle No. 189





COMPUTERS

Also OSBORNE and EPSON SYSTEMS

17 WEST BAR BANBURY OXON. (0295) 65023

• Circle No. 188



£299 inc VAT

SILVER REED EXP 500

The ulitimate in reliability. Approximately 12 cps. Superscript, subscript and all WordStar features. Daisywheels available from W.H. Smiths, Ryman etc.



SILVER REED EX 44

Well known typewriter with manufacturer supplied interface. Service available from 250 warranty centres.



18 cps, proportional spacing. Uses Triumph Adler daisywheels and IBM 82 ribbons. 2k buffer.

ACCESSORIES

VIC 20/Commodore 64 interface & cable £49.

Apple interface & cable £72.

BBC cable £15. IBM PC cable £21. 2k Serial buffers £49. 16k

Serial or Parallel £79, £109.

C/WP Computers
Willow House Willow Place
London SW1P 1JH
Telephone 01-828 9000

Please send me details of/I enclos	e cheque/Access/
Barclaycard (No.)	
for £	and am ordering*
□ EXP 500 □ EX 44 □ JUKI 6	100
Accessories	
Name	
Address	
Telephor	ne
*Delete where applicable	Delivery charge £9.00

• Circle No. 190

This man can use...

46 Microcomputers 6 Word Processors 16 Printers 2 Mini Computers



I am interested in Clearway – the low cost Networking device, please send me details
Name
Position
Address
Telephone
Send to: Real Time Developments Lynchford House, Lynchford Lane, Famborough, Hampshire GU14 6JA Telephone: Famborough (0252) 546213 Taley: 858893 Fletal G

Isn't it time you stopped running your computer at printer speed?

In ten seconds, your computer can output enough print data to keep your printer busy for five minutes, or longer.

Instead of waiting around for the printer, you could install a print buffer, and free your computer for its next task in seconds.

Print buffers take care of the printing

— and the waiting. And the more you print,
the more time a buffer will save.

Buffers for any combination of micro and printer/ plotter. Internal buffers for Epson printers; Apple Computers. 'In-line' buffers for IBM PC, Sirius, Commodore 20/40/80 series, Super Brain, BBC, Tandy, etc.

Data transfer in RS232c serial, Centronicsparallel, IEEE-488 formats. Protocol conversion. RAM sizes from 2K to 256K.

A, Line Computer Systems

1 Church Farm Lane, Willoughby Waterleys, Leicestershire LE8 3UD.

Telephone:
Peatling Magna (053 758) 486

Talk to the specialists. We have the answers.

The natural development for Commodore 64 users

If you want to unlock the full potential of your disk-based Commodore 64, you need Superbase 64 – the complete records-handling system that puts business-style power and practicality at your fingertips.

Invoices/Finance & Banking/Membership/ Collections/Recipes/Personal Filing/Stock/ Prospects/Management Accounts/Car Fleet Records and many, many more!

Superbase 64 solves a host of filing problems with its easy record formatting, powerful indexing and sorting, extensive outputting options, and its 'Superbasic' programming capability.


Superbase 64 – The complete information control system for the Commodore 64. From the authors of Easy Script.

Precision

Precision Software Ltd. 6 Park Terrace, Worcester Park, Surrey, KT4 7JZ

Precision Telephone: 01-330 7166 Software Telex: 8955021 PRECIS G





Isn't it about time you considered an interface system for data acquisition and process control? A system versatile enough to link up with most popular micro-computers,

at once but simple enough to be used by even the most junior member of staff.

It is?

Then meet the missing link: The "Rexagan" Family. Designed and developed by ICI to meet the widely varying needs of our own scientists and engineers, The "Rexagan" Family has been tried and tested by leading computer manufacturers Commodore and proved to be one of the most versatile

and integrated interface systems available. So, which member of the "Rexagan"

Family is right for your requirements?

Well, if all you call for is a simple, easy to understand interface, we suggest Junior "Rexagan." The first low cost interface designed especially for schools, colleges and universities, Junior "Rexagan" offers students and beginners the opportunity to become familiar very quickly with the fundamentals of computer interfacing. Complete with its own software for teaching and demonstrating, Junior "Rexagan" is conceptually simple because it's memorymapped and has analogue input and output plus digital inputs and outputs all contained within a single, neat package.

For something more powerful, then "Rexagan" itself is the answer A compact, modular system, "Rexagan" saves on space and time.

And as a means of automating laboratory instruments or for simple process control, it's incredibly cost effective too.

Nor does it occupy the computer's IEEE or RS232 ports, so these remain available for other peripherals. "Rexagan" also comes complete with its own assembly and programming instructions in an easy to follow, well-written, well-illustrated manual.

What's more, ICI guarantee "Rexagan's"

compatibility with many different makes of micro-computers.

Of course you might need something still more sophisticated.

No problem. Say hello to Super "Rexagan." Developed for more complex interfacing

expandable without practical limit. In fact,

tasks, Super "Rexagan"

is quite simply

it's a system so versatile that ICI alone found over one hundred different, valuable applications during its intensive development programme.

Available for 19" rack mounting, Super "Rexagan" is also memory-mapped for very high speed operation.

Also available is an advanced operating

system "Tomult," which allows the writing of true multi-tasking programs in BASIC which can, therefore, be easily altered at will, so



providing an extremely powerful resource for microcomputer control of processes which, in the past, required an expensive mini or main frame computer.

If you'd like to

know more about The "Rexagan" Family, just cut the coupon and put an end to your search for the missing link today.



The 'Bexagan' Family from ICI

Imperial Chemical Industries PLC Petrochemicals and Plastics Division Physics and Radioisotope Services PO Box 1, Billingham, Cleveland, TS23 1LB. Tel: (0642) 523260

Cx commodore COMPUTER

Tell me more about the missing link.
Name
Position
CompanyAddress
Address
PC/A

>NEXT MONTH

> INTEGRATED SOFTWARE

First the Lisa and now the Macintosh, Lotus 1-2-3, Visi On and The Incredible Jack: these days much of the excitement in computing is generated by integrated software. In the Special Section inside the May issue, *Practical Computing* will be looking at the state of the art in integrated software development, and asking fundamental questions like: What is it? How worthwhile is it? What is really available?

PREVIEWS

Hewlett-Packard gear has always sold well to scientists, engineers and other sophisticated users, but now HP has produced a machine for everyday office use. The HP Series 100 Model 150 may not have a mouse, but it does have a touch screen for ease of use. We check it out. In software, the major development at the moment is the arrival of long-awaited versions of Logo. We hope to report on the implementations for Atari, Commodore, Research Machines and the Sinclair Spectrum.

HOME INTO

Many small micros tout their potential for serious work, particularly if there is a route to CP/M. We will be surveying the field, and reporting on the arrival — or non-arrival — of Z-80 second processors for machines like the Acorn BBC Model B, Atari and Commodore 64.

AND MUCH MORE

Chris Naylor will be telling you all you ever wanted to know about power supplies, but were afraid to ask, and reviews of the latest Spectrum games and BBC books. Plus there will be the usual round-up of news, views and programming tips, not to mention all that free software in Open File.

Make sure you don't miss the May issue of

President Complishes

On sale at W H Smith and all good newsagents after April 11.

Contents may vary due to circumstances beyond our control, and are subject to change without notice

COLOUR

7 COLOUR INK JET PRINTER

Logic seeking in dot address mode £499 + VAT

With Centronics parallel interface and free BBC Micro dump listing.

Options available:

- Buffered RS232 interface.
- Viewdata & RS232 interface.
- Apple II interface.
- IBM PC dump.

Specifications:

640 dots/line.

84 dots/inch both axes.

Friction feed rollpaper with single sheet feed A4.

37cps in full colour.

Ink cartridges, 4 million character life.



from BBC Micro screen - ½ size mode



Church Gresley, Burton-on-Trent, Staffs DE11 9PT Tel: 0283 215432 Telex: 377106

Dealers, OEM & Educational enquiries welcome • Circle No. 195

Saracen Data Products



M Danger	FLEXIBLE DISKETTES										
Jan Dysan	Prices per Box (£)										
CORPORATION	1-4	5-9	10-49	50-99							
104/1 Single Sided, Single Density	21.30	19.20	18.30	17.39							
104/1D Single Sided, Double Density	23.43	21.20	20.13	19.12							
104/2D Double Sided, Double Density	35.20	31.46	29.92	28.42							
204/1D Single Sided, Quad Density	35.20	31.46	29.92	28.42							
204/2D Double Sided, Quad Density	44.22	39.60	37.62	35.74							
3740/1 Single Sided, Single Density	33.11	29.59	28.16	26.75							
3740/1D Single Sided, Double Density	34.21	30.58	29.10	27.59							
3740/2D Double Sided, Double Density	40.51	36.41	34.54	32.81							

Dysan UHR II Media Contact us for prices & delivery

DYSAN RIGID DISK PACKS

THE FULL RANGE OF DYSAN DISK PACKS IS AVAILABLE CONTACT US FOR PRICES.

RING US NOW FOR YOUR COPY OF OUR ILLUSTRATED PRICELIST

SONY.

3½" OMD 3220 AVAILABLE FROM STOCK

£45.00 PER BOX OF 10

MEDIAGUARD — Fire Safe £279.00 Each — FREE BOX OF 8", 5\frac{1}{4}" OR 3\frac{1}{4}" DISKETTES WITH EVERY MEDIAGUARD.

THIS OFFER ONLY AVAILABLE TO RETAIL CUSTOMERS

- LARGE VOLUME DISCOUNT PRICES
- TRADE PRICES AVAILABLE ON REQUEST
- FREE DELIVERY ON ORDERS OVER £100.

ALL PRICES SUBJECT TO V.A.T.

Saracen Data Products Limited

176-180 High Street, Dorking, Surrey, RH4 1QR

Tel: (0306) 887550 1888271

• Circle No. 196

uninterruptible power supply

THE POWER BANK



The COMPLETE solution to your POWER SUPPLY problems with the POWER BANK ... "BLACK OUTS" will not affect the operation of your computer system.

Micro Systems Networks

Hard Disks **Printers**

Data

Transmission etc.

- ** Output derived constantly from self contained sealed *
 for life batteries. *
- * Sine wave shaped output voltage and frequency closely regulated.
- * Genuine "NO-BREAK" unit with continuous output rating of 500-250 & 120VA.
- * Much more than a "spike and surge" suppressor.
- Far superior to a voltage stabilizer.
- * Overload and short circuit (output) indication and protection.
- * Bench or rack mounting (500VA).
- Battery level monitored mains on mains off indication.

Manufactured by:- POWER TESTING (SALES) LTD 25, Tallon Road, Hutton, Brentwood, Essex CM13 1TH.

Tel: 0277 233188 Telex: 24224MON Ref. 586

If you want it tomorrow. call us today 01-455 9823

COMPUTER/CALCULATORS										
HEWLET PACKARD HP 4 1C (Comp Call) HP 4 1C (Card Reader) HP 4 1CV (SCI Comp Call) Printer 82143A Printer 82162A SHARP PC 1500 Pocket Computer CE 148 RS232 and Cent IF CE 158 printer cassette IF CE 159 8K Add on mem with CE 152 Cassette MZ-711 Computer MZ-711 Printer Plotter MZ-8080AEU Exp Unit MZ-804 4BK Computer	£129.95 £129.95 £176.00 £230.00 £300.00 £130.00 £115.00 £115.00 £199.00 £199.00 £110.00 £86.00	HP 16C (Hex Con) HP 15C (Adv Sci) HP 75C (Portable) HP 75C (Portable) HP 75C portable cassette drive HP Plotter 747OA RS232 or HP New HP 150 personal office con terminal unit or upgradable with drives to 14.7M bytes Epson QX-10 (desk top comp) EPSON HX20 Briefcase computte expandable. 64k Rom. 32K Ram ascii keyboard. Runs on own por 50 hours. Serial and RS232 inte £375. Accessories & Software f HX20 available from stock.	18 £832.00 pputer disc £2300.00 £1700.00 er. 16K i. Full size wer for rface.							
WORD	PROCES	SING PRINTERS								

£598.00

£399.00 £715.00

£1200.00 £136.00

WOND	THOOLS	SING I MINITERS
NEC 2000 (RS232 or Centronics) 7710 RS232/7730 Centronics Tractors, Sheet Feeders and Pa for NEC, Ex-Stock	£1650.00	BROTHER* HR1 'Highly Recommende Serial or Centi HR15 (3K Buffer 13 CPS) HR25 (3K Buffer 25 CPS)
UCH IDA 305 (18CPS) Low cost daisywfieel QUME 9/45 RO-FFP 9/55 RO-FFP 11/40 RO (Also IBM-PC)	£375.00 £1650.00 £1999.00 £1225.00	DIABLO 630 620 (RO)
TEC STARWRITER* F10-55 CPS (serial/parallel) Tractor (Bi-Di) Sheet Feeder	£13500	BES WHE

RUTISHAUSER Starwriter, Olivetti, etc. From £99.00
 RICOH*

 Model RP 1300 (S) (4K Buffer)
 £990.00

 Flowriter (8K) PR 1600
 £1450.00

 IBM-PC Version
 £1500.00

 Mechanical Sheet Feeder
 £475.00

 Tractor Feed
 £175.00
 RICOH *

DOT MATRIX	K PRINTERS
OKI*	
M82A (120 CPS) £295.00	SEIKOSHA GP700A
M92P 1160 CPS	Colour £378.00
Tractor£50.00	GP-100A£210
M83A£499.00	(RS232 Option)£63
(120cps Friction, removeable Tractor and	GP-100 (VIC 20)£175.00
RS232 and Centronics Parallel as	GP-250X£220.00
standard)	EPSON
M84A£695	
ANADEX*	Epson RX80 (100cps)£245.00 Epson FX80 (160cps)£350.00
DP-900 B.B£850.00	Epson RX80FT£260.00
DP-9500 B IB	Epson MX100 Type III£399.00
DP-960 B £999.00 DP-9625 B £1155.00	Keyboard£210.00
DF-3025 B£1155.00	Epson FX100FT (160cps)£487.00
BROTHER	Epson I/F and accessories from £29.50
EP22 Portable	(Ideal for Atari/Commodore 64/Vic Nec
Printer/Typewriter/Calculator£165.00	PC8201/sharp. PC1500 Etc.

STOP PRESS NOW IN STOCK IBM/PC IBM/PC SUPPLIED ON VERY COMPETITIVE TERMS. ALSO AVAILABLE EXTENSIVE RANGE OF SUPPORT HARDWARE/SOFTWARE

£89.00 card £85.00 £129.00 ec Microline

Word Processing APPLE Applewriter 1. 1 Applewriter 2 Wordstar Applewriter Ille Word Processing SIRIUS Supr Calic Multiplan Wordstar Select Mail Merge	£85.00 £245.00 £105.00 £140.00 £149.00 £269.00 £265.00	Word Processing IBM Wordstar Easywriter II. Volkwriter. Mailmerge Easyspeller Superwriter. Epson HX20 Word Processing M list (cassette) Epson QX10 Peach Text Spell Cheker. Mailton List Management	£230.00 £149.00 £140.00 £115.00 £230.00 £85.00 £30.00
		Mailing List Manager	£175.00

Other Software including Microsoft/Comsoft/BOS etc. also in stock GOODS FULLY GUARANTEED PRICES EXCLUDING VAT AND P+P.

Company and Government orders accepted by phone.
Barclaycard Access Visa accepted by phone.

Tel.: 01-455 9823


MOUNTAINDENE 22 Cowper Street London EC2

• Circle No. 198

Anglia Computer Centre

88 ST BENEDICTS STREET NORWICH NR2 4AB TELEX 975201 ACOMP G

SPECIALISTS IN BUSINESS COMPUTERS



• Circle No. 199

TRANSFORMS THE COMMODRE 64

INTO A FULL-FEATURED AND
PROFESSIONAL DATABASE
SYSTEM! WITH UP TO 1000
CHARACTERS PER RECORD, ON UP
TO 4 SCREENS... AND UP TO
128 ITEMS PER RECORD,
DEFINABLE AS VEY, TEXT.
SUPERBASE 64 EVEN HAS SPREADSHEET AND CALCULATOR CPABILITY. CALENDAR
FUNCTIONS, EASY INPUT FROM WORDPROCESSOR/DATA FILES, BOTH MENI-DRIVEN AND
ROCRAM DPITONS, SORTING/SEARCHING, FULLY DEFINABLE OUTUTS... SUPERBASE 64
IS ESSENTIAL IF YOU WANT THE MOST FROM YOUR 64! SUPPLIED ON CEM 1541 DISK
WITH EXCELLENT TUTORIAL/REFERENCE MANUAL.

OUR PRICE 159.35 168,001

VIZAWRITE 64 IS A HIGHPERFORMANCE, LON-COST WORD
PROCESSOR, MITH ON-SCREEN
FORWATTING, THAT TAKES FULL
ADVANTAGE OF THE 64'S COLOUR, CRAPHICS AND MEMORY FEATURES... AND SUPPORTS
VIRTUALLY ANY PRINTER! WITH A COMPREHENSIVE AND EASY-TO-FOLLOW USER MANUAL,
VIZAWRITE IS THE ULTIMATE PERSONAL COMPUTER WORD PROCESSOR! AVAILABLE ON
CARTRIDGE (£89.95 £75!), DISK (£79.95 £68!) OR WITH VIZASPELL (£99.95 £85!)

MASIER 64 IS A TOTALLY NEW CONCEPT... A COMPLETE PROGRAM OF COMPLETE PROGRAM OF COMPLETE PROGRAMMER'S TOOLKIT, MACHINE CODE MONITOR, BUSINESS BASIC, KEYED DISK ACCESS, MULTITLE SCREENS, USER-DEFINABLE INVII ZONES, REPORT GENERATOR, 22-PLACE ARITHMETIC, DISK DATA COMPRESSION, DATE CONTROL, SCREEN PLOT, SCREEN DUMP, AND MORE... EVERYTHING YOU NEED TO PROGRAM YOUR 64 TO TOP PROFESSIONAL STANDARDS! (£\frac{143.75}{2.15}.1)

MUNE SUFTWARE FUR CUM	LUCKE 64:	SUFT
PRACTICALE (DISK/TAPE)	£44.50 £41.50	SUPER
VIZASPELL (DISK)	[49,95	SUPER
DIL COMPILER (DISK)	00.0011 14+441	SUPER
DIL COMPILER (TAPE)	£30,05 £36.95	SUPER
TOOL 64 (CARTRIDGE)	£40.05 £46.95	HASTE

SUPERBASE (700/8096)	£\$17.50	£425.00
SUPERSCRIPT (700)	£\$17,50	£425.00
SUPERSCRIPT (8096)	1454-25	£375,00
SUPERSCRIPT (3000-8000)	£284.16	£225,00
MASTER (4000/8000/8096)	1130-26	£225,00

PRICES SHOWN ABOVE INCLUDE 15% VAT, AND ARE CORRECT AT TIME OF GOING TO PRESS. PLEASE ORDER BY POST OR TELEPHONE, USING CHEGUE, ACCESS, BARCALY CARD OR OFFICIAL ORDER, DESPATCH IS BY SAME-DAY 1ST CLASS POST, AND FREE (EXCEPT FOR OVERSEAS AND CREDIT ORDERS). FULL PRODUCT INFOGRAMINIS AVAILABLE ON REQUEST. (REF A27)



LAKESIDE HOUSE, KINGSTON HILL, SURREY, KT2 70T. TEL 01-546-7256

Subscribe Now!

Make sure of your copy every month. Practical Computing is mailed direct to subscribers in a strong polythene wrapper, ensuring that it arrives unfolded and in good condition.

Free information!

Make Practical Computing work for you! Use the reader enquiry service to obtain information about hardware and software products before you buy them.

Place a regular order!

Even if you don't want to subscribe you can still ensure a regular supply of copies. Fill in the order form and pass it to your newsagent to reserve your own personal copy of Practical Computing.

Please send me Practical Computing each month for 12 months:

Practical Computing SUBSCRIPTION ORDER FORM

□ I enclose cheque/PO to the value of £13.00 (UK) £19 (Overseas). Cheques should be made payable to Business Press International Ltd. Air mail rates available on request OR □ Please debit my credit card account: Enter number □ □ □ □ □ □ Tick relevant box: Access Barclaycard/Visa Diners Club American Express □ □ □ □ □ Signed □ Date □ Name □ Address	Job Title (if any)
Number of 1 2 3 4 5 Employees (if any) 1-24 25-49 50-99 100-249 250-4	Registered in England 151537
ADDII 1004 DCO 0464	

APRIL 1984 PCO 8464

(This card is valid for 6 months only)

To obtain free information about items advertised in this issue circle the appropriate enquiry numbers listed below:

Practical Computing READER ENQUIRY SERVICE

101	102	103	104	105	106	107	108	109	110	111	112	.113	114	115	116	117	118	119	120	121	122	123	124
125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148
149	150	151		153			156		158	159	160	161	162	163	164	165	166	167	168	169	170	171	172
173	174	175	176	177		179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196
197	198	199	200	201		203	204	205	206			209	210			213		_		217		2.0	220
221	222	223	224	225			228		230	231		233	234			237				241	242		244
245	246	247		249			252					257				261					266	267	268
269	270												282							289	290	291	292
293	294	295											306						312	-			316
341	318		320	345			324						330 354	331		333				337			340
365	366	367	368	369			372							379		381				361 385		-	388
	390	391					396						402			405		407		409			412
		-	416										426			429		431	432			435	
																					-		
Job 7	litle (i	ifany)									Na	ame										
Туре	of Bu	sines	s (if a	ny)								Ac	idress										
Do y	ou ov	vn a i	comp	uter?		Yes			No E			٠.											
Ifso	pleas	estat	e type																				
Plea	se rer	nove	□ inc	lude	□ my	nam	e for t	usine	ess di	rect n	nail.												
Noof				1	2		3		4		5			6	•	7			8	3		9	,
	yees (if	any)	1.	-24	25-	49	50-9	9 11	00-24	49	250-4	199	500	-999	10	100-1	999	1 2	000-	4999	9 1	500	0+

HAND THIS CARD TO YOUR NEWSAGENT

(Tick appropriate box)

Practical Computing NEWSAGENT ORDER FORM

Why not place a regular monthly order for Practical Computing
with your local newsagent? Just fill in the coupon and hand it to
your newsagent.

Name		
Address		
	-	
ري دي		• • • • • • • • • • • • • • • • • • • •

Date

PRACTICAL COMPUTING
SUBSCRIPTION MANAGER
BUSINESS PRESS INTERNATIONAL LTD
OAKFIELD HOUSE
PERRYMOUNT ROAD
HAYWARDS HEATH
SUSSEX RH16 3DH

Postage will be paid by licensee

Do not affix Postage Stamps if posted in Gt Britain, Channel Islands, N Ireland or the Isle of Man

BUSINESS REPLY SERVICE Licence No CY711

PRACTICAL COMPUTING
READER SERVICE DEPARTMENT
OAKFIELD HOUSE
PERRYMOUNT ROAD
HAYWARDS HEATH
SUSSEX RH16 3DH

2

HAND THIS CARD TO YOUR NEWSAGENT

1111111111111 minimi ministra anamininininin 111 11111 A new accent on PC performance These instantly installed plug-in expansion boards offer major functionality enhancement for the IBM PC and other micros. They come with full software support on floppy disk. FORTE MODEL PC 78 Gives your PC direct access to your nainframe (IBM 43xx through 30xx). Parity check memory on display RAM. Complete configuration from keyboard. Re-configures colour attributes to taste. Choice of Basic or C, with broad sub-routine single plug-in board connects to your IBM 274/3276 Cluster Controller via existing oaxial cable. No extra phone lines, modems library r peripherals. Serial interface Entire functionality on floppy disk, no PROM User-friendly, high-speed file transfer. PARADISE MULTI-DISPLAY BOARD Flicker-free scrolling, even in colour. aves a slot in the PC. Colour display External switch or software control for ontroller, monochrome display controller nd printer interface all on one plug-in monochrome or colour mode. IBM character sets and test modes Compatible with widest range of RGB and composite video monitors. Compatible with PC/XT and all the best productivity software. High-resolution colour graphics, fully IBM IBM type printer port. compatible. IBM-compatible light pen and RF modulator 2 pages of high-resolution graphics, facilitating animation or high demand graphics operation. Accent **/LSI 1553-NET** he ultimate in user-friendly Local Area letworks (LAN's) — very low cost, very high peed, plus reliability that approaches a .OE⁻¹⁷ bit error rate. Connects IBM PC, Apple II/IIE and any S100 ☐ Lives entirely within constraints of host operating system, preserving upward compatibility; e.g. the interface to the IBM PC is at the ROM BIOS level. Simple coax connection. Up to 4000 feet, without the use of bus micro 3 megabit/sec transmission rate, operating at around 15% utilization and giving a repeaters. Protocol entirely contained in software, permitting various implementations of LAN protocols. throughput which approximates to that of current 10 megabit bandwidth LAN's. Superior error checking, collision detection and collision avoidance. Variable blocks sizes supported, from 20 bits to over 64K bytes. ACCENT ON PERFORMANCE ccent Computers is a new European force in To Accent Computers, I would like further information on: To Accent Computers, I would like further information on: To Accent Computers, I would like further information on: Please tick BOARD VSLI 1553.NFT Please tick pecialised hardware distribution, bringing you elected state-of-the-art products from ome of the world's most innovative Please tick ' Circle No. 267 esigners and manufacturers. BOARD VSLI 1553.NET Name Tel-Address Dealer enquiries welcome Accent Computers Ltd PO Box 62 London SW10 9LT Tel: 01-370 0862 Q

ORBIT—ORBIT—ORBIT—ORBIT—ORBIT—ORBIT—ORBIT—ORBIT—ORBIT—ORBIT

FOR THE

IF YOU HAVE AN ACORN ELECTRON OR ARE THINKING OF BUYING ONE THEN YOU SHOULD JOIN THE ELECTRON USER GROUP.

Members receive 10 copies of the magazine ELBUG each year. ELBUG is devoted EXCLUSIVELY to the ELECTRON MICRO. It is packed with news, Reviews, Hints, Tips, Programming ideas, Major articles, plus Regular program features including games and useful utilities.

ELBUG, is produced by BEEBUG Publications Ltd., publishers of BEEBUG, the magazine of the National User Group for the BBC Micro. BEEBUG now has some 20,000 members, and has achieved a high reputation both in this country and abroad. Acorn and the BBC have both taken out multiple memberships, for example, and our articles are now syndicated in Australia. (For further details of BEEBUG, see separate advertisement elsewhere in this issue.)

The formula which makes BEEBUG an invaluable companion for users of the BBC micro will be applied to ELBUG. By subscribing to ORBIT you gain all the advantages of a single-micro magazine, with no space wasted on programs and articles for other computers.

Further benefits of membership:

Members' discount scheme with national retailers of software, hardware and books, with savings of up to 25%. Members' software library with a growing range of titles at special prices for members.

SPECIAL OFFER SUBSCRIBE NOW, AND GET A FREE INTRODUCTORY CASSETTE CONTAINING 8 TESTED PROGRAMS FOR THE ELECTRON.

- SPACE CITY Defeat the invading Aliens with your laser, and save the city.

 3D NOUGHTS AND CROSSES Pit your wits against the ELECTRON on a 4×4×4 board.
- RACER Guide your racing car to victory, avoiding other cars and obstacles on the track
- 3D MAZE In this challenging game, you must escape from the maze The screen displays a 3D view from inside the
- PATCHWORK A multicoloured display of continuously changing patterns.
- KEY SET ROUTINE A program to set up the user function keys.

 MEMORY DISPLAY An efficiently written utility to diplay the contents of memory (ROM and RAM).
- CHARACTER DEFINER Define individual graphics characters with this useful utility for use in your own programs.



BEEBMAZE



RACER



SPACE CITY

HOW TO JOIN

To subscribe for one year, and get your free cassette, send £9.90 (payable to Orbit) plus a strong stamped addressed envelope (for the cassette) to: ORBIT, PO BOX 109, High Wycombe, Bucks HP11 2TD
SIX MONTH TRIAL SUBSCRIPTION (5 ISSUES) UK ONLY 25,90 — FREE CASSETTE OFFER STILL STANDS,
Membership outside UK (one year only): Eire and Europe £16, Middle East £19, America & Africa £21, other countries £23. Editorial address BEEBUG Publications, PO Box 50, St Albans, Herts, ALI 2AR

• Circle No. 201



Single sided – double density £1.50 each.

Double sided - double density £2 each.

Now you can buy high quality media in any quantity you like at really low, low prices. 51/4" disks with labels, read/write protect tabs in a convenient mailing pack.

AND SO GOOD THAT WE GUARANTEE IF YOU CAN FIND A FAULTY ONE WE'LL SEND YOU TWO BY RETURN.

Just clip the coupon and send it with a cheque to the address below.

Disco Technology Ltd., 20 Orange Street London WC2H 7ED. Tel: 01-930 3873 Part of the Rushworth Dales Group

Access card holders can ring 01-930 3873 (24 hours) Dealer enquiries on 01-930 3619

Circle No. 202

ADDRESS

To DISCO TECHNOLOGY

Calc Result Turns a Commodore 64 into a powerful professional tool

Thousands of senior managers, sales professionals, scientists, doctors, dentists, business people, barristers, bankers, accountants and other top professionals have suddenly discovered the value of **Calc Result**. Overnight they've transformed their Commodore 64 from a family computer into a powerful, professional tool.


Calc Result is versatile . . . use it to calculate loan and mortgage payments, forecast budgets, balance cash flow, monitor stocks and shares, plan personal and corporate taxation, check expenses, log and analyse all kinds of bills.

| AC | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 1932 | 19

Calc Result

offers you a new perspective on financial planning. Our 3-dimensional spreadsheet sums up pages of figures in one easily understood financial model.

Calc Result instantly translates figures into multi-coloured bar charts.



Calc Result

has a built-in
'HELP' function.
This program
actually shows
you how to exploit
its full potential
and versatility.

Calc Result is absolutely accident proof. A built-in program protects your formulae.

Calc Result Advanced

All functions in Calc Result Easy
plus 32 pages (Three-dimensional
viewing). Page add, window,
split-screen (up to four pages
on the screen at the same
time), and help functions.
Delivered on plug-in
cartridge plus disk.
Requires disk drive.

£99-00 (inc.VAT)

For more information contact our Advisory Centre on 0344-778800 or simply contact your local Commodore or Lightning dealer, or clip the coupon.

Calc Result Easy

Single page spreadsheet (64 columns x 254 rows).
Built-in graphics. Formula protection, flexible print-out, colour conditional functions and mathematical functions. Delivered on plug-in cartridge. Data storage on cassette or disk.

£49-95 (inc.VAT)

I would like you to send by return post further information on the Handic 64 range.

Address

5 Albert Road, Crowthorne
Berkshire, RG11 7LT
Tel: 0344 778800 Telex: 849426

Thinking ahead

Commodore 8000 Users

160K RAM EXPANSION

for existing 8032/96 computers. Also available

LOS-96/160 **BASIC OPERATING SYSTEM**

128K BASIC User Memory, with BASIC and 6502 Assembler Programmer's Kit facilities if required.

For details contact:

SM Software UK Ltd

Raglan House, 56 Long Street, Dursley, Glos. Telephone: Dursley (0453) 46065

or your nearest Commodore dealer.



• Circle No. 259

CIVCO ACRE COMPUTER CONSUMABLES

SPECIALISTS IN DATALIFE (VERBATIM) DISKS

5 YEAR WARRANTY LOW PRICES

MONEY REFUNDED IF NOT SATISFIED

Disk Prices per Box of Ten	QTY SECT COST
5\\(\frac{1}{2}\)" Mini-Disks \\(\phi\) MD 525 S/S, D/D, 48 TPI \\(\phi\) 4550 D/S, D/D, 48 TPI \\(\phi\) 25.30 \\(\phi\) 577 S/S, Q/D, 96 TPI \\(\phi\) 33.25	
48 TPI suitable for 35 or 40 track operation 96 TPI suitable for 77 or 80 track	OTAL EX VAT
Please specific sectored	ge & Packing (50p per box)
TOT	AL PAYABLE
Name	
Address	Strictly cash with order
Address	To: Civco Acre Computer Consumables
Post code	Dept. (PC1) 58 Great Cullings Romford RM7 0YL
I enclose cheque/P.O. payable to CIVCO ACRE COMPUTER CONSUMABL	
 Quotes for 8" Datalife Disks, Listing Pa supplied on request. 	per, Printer Ribbons

• Circle No. 265

LIMITED

Basildon Essex SS15 5DF Tel. (0268) 412545

65 Falstones

THE COMPUTERPRO PROMISE

ComputerPro is owned and run by electronic engineers. We test and evaluate the equipment to ensure quality — then we negotiate the best possible price. IF YOU CAN BUY CHEAPER — WE'LL REFUND THE DIFFERENCE*

our price includes VAT and fast delivery by Courier or 1st class Post. As engineers we will interface any computer to any printer or

Ring for a Quote on any product.

SOFTWARE

dBase 11	£399.05
Lotus 1-2-3	£341.55
VisiCalc	£183.97
WordStar	£270.25
MailMirge	£143.75
SpellStar	£153.75
Perfict Writer	£189.75
Perfict Speller	£115.00
Perfict Calc	£112.21
Perfict Files	£228.08
Basic Compiler	£272.55
Pascal Compiler	£241.50
C Compiler	£345.00
(APPLE, COMMODORE, IBM, DEC,	TEXAS,
CP/M 8")	

COMPUTERS

UNITRON 2200 — Dual Processor 6502/Z80A, 48k RAM, 24K ROM, 40/80 6502/Z80A, 48k RAM, 24k ROW, 40,000 column display, Disc control, Remote Keyboard, Total compatibility with APPLE software, expansion Cards and CPM.

	L447.00
As above but without 80 col.	£401.35
Sanyo data cassette recorder	£44.85
ALPS Disc Drive Unit	£163.30
INTEC 5MB Hard Disc System	£895.00
Perfict Writer & Speller add	£198.95
Lode Runner No. 1 game add	£21.85

APPLE 11/11e EXPANSION CARDS

APPLE 11/11e EXPANSION	CARDS
Z-80 Card	£41,40
Z-80 Card II, with Software	£124.00
L/C Character Generator	£18.30
Kraft Joystick	£47.15
Kraft Paddles	£41,40
Printer Card with Cable (P)	£46.00
RS232 Card £46.00; PAL CARD	£41.40
16K/32K/64K Printer Card (P)	£80.50
16K RAM Card	£46.00
Language Card	£50.60
80 Column Card with S. Switch	£65.55
Disc Drive Control Card	£42.55
A/D Card, 16 Channel	£79.35
Grappler Printer Card (P)	£46.00
Eprom Writer, Most Eproms	£55.20
Forth Card	£39.10
Clock Card with BBU Power	£56.35
IEEE 488 Card	£82.80
RGB Card for Apple 11/11e	£88.55

*If we receive documentary proof of a lower price within 7 days of order

Callers welcome by appointment PRINTERS & MONITORS

	10 a Month	110
Shinwa CT-1 CP8	30 (P)	£230.00
Star Gemini 10X	(P)	£248.40
Star Delta 10 (P+	· S)	£379.50
Mannesmann MT	80 (P)	£241.50
Epson FX80 (P)		£389.85
Epson RX80FT (P)	£289.80
Epson FX 100FT	(P)	£494.50
Silver Reed EX44	(P)	£399.05
Smith-Corona TP	1 (P/S)	£235.75
Daisy Step 2000	(P)	£318.55
Juki 6100 (P)		£385.25
Brother HR15 (P/S		£389.95
Ricoh RP1300 (P		1044.05
Ricoh RP1600 (P		1500.75
Superspoolers for		
2K (S) £67.85; 1		
	2K (P/S) £142.60	
Cables for most M	licros	£20.70

2K (5) LO / .85; TOK (P/S) £98.90	
32K (P/S) £142.60	
Cables for most Micros	£20.70
Printer Cable for BBC	£11.50
COM64/VIC20 Printer IF	£29.90
COM64/VIC20 Cassette IF	£11.50
Kempston Sinclair IF	£40.25
Tasword Two for above	£11.50
Sanyo SM12N 12" Green	£79.35
Philips 12" Direct ETCH Grn	£92.00
Phoenix 12" 24MHZ Amber	£98.90
Fidelity 14" RGB, RGBY,	
Comp Video and Sound	£210.45
Sanyo 14" RGB (400 Pixels)	£198.95

ACCESS | Discs | SS/SD (10) | £13.80 | WELCOME | LIB Box Add | £2.60 | £8.05 |

BASF/WABASH 5.25"

Circle No. 266

There are some people who think that if a Printer looks like an Epson, it will perform like one.



It won't.

Imitation is the sincerest form of flattery. But there's only one Epson.

EPSON Extraordinary product. Exceptional quality.

Epson (UK) Limited
Freepost, Wembley, Middlesex HA9 6BR
Sales Enquiries: Freefone 2730
General Enquiries: 01-902 8892
Telex: 8814169

PC4

SHOCKING NEWS FROM **MICRO MIRACLES..!!**

GIGANTIC STOCKTAKING CLEARANCE

EPSON FX80	£436	£325
EPSON RX80FT	£319"	£239
EPSON RX80	2279	£209
EPSON FX100	2569	£419
STAR	2259	£199
APPLE IIe	£845	£545
COMMODORE 64	£199	£159
BASF DISKETTES 51/4 SS/SD	22.75	£1.00
TEXAS TI820	£1340	£899
TEXAS TI820KSR	£1,500	£995
RICOH 1600 DL	£1635	£1190
QUME 5/55	£1795	£995

BROTHER HR15		CALL
APPLE III 128K	£2418	£1395
TEC F10-40	£1285	£849
APPLE L/Q PRINTER	£1,350	£995
APPLE MATRIX PRINTER	£425	£345
JUKI D/WHEEL PRINTER		CALL
IBM PC		CALL
EPSON QX10 256K	_£1800-	£1550
EPSON HX20	£402	£369
ACT SIRIUS		CALL
APRICOT (S/DRIVE)	_£1495	£1245
LIBRARY CASES	-£2.50	£1.50

DELIVERY NATIONWIDE AT £5 PER ORDER

- Official orders accepted
 Nationwide maintenance contracts arranged
- Prices exclude VAT and delivery

50A Stockbridge Road, Winchester, Hants SO22 6RL England

• Circle No. 260

WHY NOT PHONE FOR SOME MORE SHOCKING NEWS Tel. Nos. are: 0962 66191/0962 66783

OR call at our showroom, next to Winchester BR Station

available packaged with



Compressed Library Interchange Program

- **Backs up a Winchester** on to floppies.
- Compresses text or data to less than half size.
- Large files can span multiple discs.
- Selective backup or retrieval, on an inclusive or exclusive basis.

CLIP has no equal in reputation, convenience, power or economy. CLIP comes standard with the CIFER Business Management System, and with all Winchester systems supplied by COLT and RML

CLIP offers effortless backup.

You can create new commands using a menu procedure, and give each command a name, for later use. To repeat that command, the name alone is sufficient.

With CLIP's powers of selection and compression, the user can expect a four-to-one saving over global copying, with no effort except to feed discs on cue.

Or, CLIP can select just the new/updated files and reduce the backup load still further.

All prices excl. VAT, post free in U.K. Most popular disc formats from stock.



KEELE CODES LTD

University of Keele, Keele, Staffordshire, U.K. Tel: (0782) 629221 Telex: 36113

Access accepted

dBASE II is a trademark of ASHTON-TATE

DOMSDOS

In a special report we reveal the story behind the operating system of the eighties, suitable for all known domestic micros.

MANY HOME-MICRO owners have longed for an operating system like CP/M. Now it's here in a form that will run on virtually any machine — in Basic.

One day, at the beginning of 1984, when the winter snows still sat hard in their icy grip on the rolling terrain of northern Alaska, and apparently wiser people sat snug by their fires drinking warm punch and feeling the pleasant heat soak into their chilled bones, three men were climbing a mountain.

But they were not climbing it just because it was there. These were men with a mission. Arnold Headcrash, Arnold Byteswapper and Arnold Brownout had taken their ball-point pens and a tally roll of 4.5in. listing paper for a purpose. "We wanted to write an operating system that would genuinely be the operating system of the eighties. It had to be portable. It had to be transparent. It had to be concurrent. It had to be multi-tasking. It had to be user-friendly. It had to have easily modifiable error-messages..."

Round the bend

"And," interjected Headcrash, who faced the mammoth task of documenting the system, "it had to be written in British Intelligent Riting-Oriented Language — Biro-L." The rest is, as they say, history. All that remained was to get the coding done, and the product could be launched in an avalanche of publicity.

Here the intrepid trio had another brainstorm. Instead of releasing the new program on disc and getting users to do the final debugging, they would publish the entire source code in a leading computer magazine. The readers would then do the debugging and perhaps even add enhancements before the commercial version was put on the market on April 1.

In fact, given only an Apple II version, they reasoned, it would be pretty simple for readers of a certain calibre to convert it to their own obscure micros, as only line 50 is really machine-specific — it clears the screen and returns the cursor to the top left-hand corner. Part of the deal was, of course, that all conversions immediately became the sole copyright of the three Arnolds.

The deal was quickly done. *PC* provided three blank American Express cards, 100 packets of crisps and a complete set of Stanley Matthews' Cup Final programmes, and the code was handed over for publication.

"Thinking up a name nearly drove us round the bend!" exclaimed Byteswapper.

"You see, it had to say it was disc based: ask anyone who's ever tried to ram a cassette into a floppy-disc drive. So it was a DOS. But it had to be better than that, it had to be a Super-DOS, which is where we got the concept of S-DOS. And then it hit us. It had to be available for every domestic micro known to man. That's how we got it: DOMSDOS.

And now DOMSDOS is here. It is

written in Basic for ease of transcription. It is genuinely portable, given a lightweight machine. It is concurrent inasmuch as it exists all at once. It is multi-tasking inasmuch as it carries out all tasks equally. It is user-friendly to the extent that it is possible to use it at all. It runs on all popular makes of micro. And, best of all, it is fully user-transparent: just about any-body could see through it if they tried.

```
10 RESTORE
20 H = 1:N = 0:I = H
30 DIM E$(100)
          READ EX(I): IF EX(I) < > "ENO" THEN :N = N + W:I = I + \dot{\rm H}: GOTO 40 HOME : UTAB 3 PKINI " OOMSDOS" PRINT " UERSION 13"
 76
            PRINT "(C) COPYRIGHT STATE HATCHERIES, 1984"
         PRINT "(C) COPYRIGHT STATE HATCHERIES, 1984"
PRINT : PRINT
KEM COP ROUTINES
INPUT "A:>";A$
IF RND (1) < .2 THEN : PRINT A$;"?": PRINT : GOTO 110
REM ERBOT ROUTINES
IF S = Z THEN : S = INT ( RND (H) + N + H)
PRINT : PRINT E$(S): PRINT
PRINT : PRINT E$(S): PRINT
IF S > Ø THEN : S = S + H: IF RND (H) * 2 < H THEN : S = Z
GOTO 1861
 90
   1411
  150
              IF S > 0
6070 160
  176
                              CAN'T CONTINUE ERROR
FRANKLY CAN'T CONTINUE ERROR
CAN'T TAKE ANY HORE ERROR
                             FRANKLY CAN'T CONTINUE ERROR

CAN'T TAKE ANY HORE ERROR

BOOS ERR ON P

OISC ORIVE INOPERABLE

HAIN BUS FAILURE ERROR

ARE YOU SURE ?

I HEAN ARE YOU REALLY SURE ?

COMMAND NOT RECOGNISED

REBOOT AND RETRY

DIVISION BY ZERO ERROR

DIVISION BY ZERO ERROR

DIVISION BY ZERO ERROR

AGAIN

PLEASE RECONSIDER

PRESSING HRONG KEYS ERROR

FIRE ON HAIN BOARD ERROR

YOU CAN'T BE SERIOUS! ERROR

TRY KEYING 'HELP'

KEY 'SYSSEN' TO RECOUER

ILLEGAL QUANTITY - CALL POLICE

OUT OF MEMORY

OUT OF SIGHT

OUT OF SIGHT

OUT OF HIND

TOO MUCH!
               DATA
DATA
   199
   200
               DATA
  210
   220
230
               DATA
   240
250
               DATA
   260
270
280
                DATA
DATA
                DATA
DATA
DATA
   290
300
                DATA
                 DATA
     340
350
                 DATA
     370
386
                 DATA
                 DATA
      400
                                  TOO MUCH !
TOO COMPLEX
                   DATA
                   DATA
                                  MUCH TOO COMPLEX
NEXT HITHOUT FOR
                   DATA
                   DATA
DATA
       441
                                   FOR WITHOUT NEXT
FOR WITHOUT FOR
NEXT WITHOUT NEXT
      450
                    DATA
                   DATA
       47Ñ
                                   GOTO UNIL DO NOT PASS 60 DO NOT COLLECT $200 BAD SUBSCRIPT NAUGHTY SUBSCRIPT EVIL SUBSCRIPT
                                    GOTO UNDEFINED
                   DATA
DATA
        49A
       566
                    DATA
        520
530
                                    SYNTAX ERROR
SYNTAX CURRENTLY 15%
FILE LOCKED
FILE MISSING
FILE MISSING BELIEVED KILLED IN ACTION
                    DATA
        540
550
                    DATA
        560
570
                     DATA
                     DATA
                                    LANGUAGE NOT AVAILABLE LANGUAGE NOT PRINTABLE
         580
                     DATA
                      DATA
                     DATA
                                     UNSPEAKABLE ERROR
        600
                                     PROGRAM TOO LARGE
PROGRAM TOO SHALL
                     DATA
        620
                                     RANGE ERROR - AIM HIGHER
HRITE PROTECTED
REALLY HRITE PROTECTED
READ PROTECTED
                      DATA
         640
650
                      DATA
         660 DATA
670 DATA
                                       READ AND HRITE PROTECTED
                                                    HORTH READING AT ALL FRANKLY
                       DATA
```

DOT MATRIX PRINTERS



ALL PRINTERS HAVE CENTRONIC PARALLEL INTERFACE UNLESS OTHERWISE STATED. ALL PRINTERS HAVE HI-RES, DOT ADDRESSABLE GRAPHIC MODE, PLEASE SEND SAE FOR FULL DETAILS.

EPSON PS 107 wide hr. & pri heed PS 80 160 CPS 157 wide hr. & haar heed PS 80 160 CPS 157 wide hr. & haar heed PS 80 160 CPS 157 wide hr. & haar heed RX80 FT 100 CPS 107 wide hr. & haar leed LO1500 200 CPS Lettler quality printer 8143 RS 23 intelated to PS 43 and RX printers 8143 RS 23 intelated to PS 43 and RX printers 8143 RS 23 intelated to PS 43 and RX printers 164 RS 165 R	£344 • VAT £395 £431 • VAT £495 £261 • VAT £299 £234 • VAT £269 £29 • VAT £33 £60 • VAT £69 £7 • VAT £1
STAR Gemini 10X 120 CPS 10" wide fric & fract feed Gemini 15X 120 CPS 15" wide frict & fract Delta 10 160 CPS 10" wide frict & fract feed Delta 15 160 CPS 15" wide frict & fract feed	£200 • VAT £229 £295 • VAT £339 £327 • VAT £375 £414 • VAT £475
Radix-10: 200 CPS NLO 16K Buffer Par & serial interface, downloadable characters incredible value at Radix-15: 15" wide version of Radix-10	£431 • VAT £495 £518 • VAT £595
SEIKOSHA GP100A 50 CPS, 10" wide tractor feed GP250X 50 CPS, 10" wide tract lend ser & par GP100VC 30 CPS, 10" wide VIC 20 & 64 infert GP500A 50 CPS, 10" wide wide VIC 20 & 64 infert GP550A 50 CPS, 10" wide fractor feed	£156 • VAT £179 £196 • VAT £225 £174 • VAT £199 £187 • VAT £215
correspondence quality GP100AS Serial interface ideal for Spectrum with microdrive	£234 • VAT £269 £174 • VAT £199
SHINWA CP80_80_CPS, 10" wide friction & tract_feed Spare ribbon_cartridge_for_CP80	£187 • VAT £215 £6 • VAT £6
RITEMAN Compact 120 CPS 80 col frict & fract feed CANON PW1080A 160 CPS 10" wide 27 CPS NLO	£200 • VAT £229
24 x 16 matrix PW1156A 160 CPS, 15" wide 27 CPS NLQ 24 x 16 matrix	£283 • VAT £325 £347 • VAT £399
COLOUR PRINTERS Serkosha GP700A 7 colour 50 CPS printer Canon PJ1080A 7 colour 40 CPS ink jet printer CPP40 40 column 4 colour battery operated	347 · VAT £399 £391 · VAT £449 £118 · VAT £135

DAISYWHEEL PRINTERS

ALL OUR PRINTERS HAVE 1 YEAR WARRANTY



Tractor Unit RS 232 Interlace Spare Daisywheet	£95 · VAT £199 £52 · VAT £59 £17 · VAT £19	
BROTHER HR-15 13 CPS Birdirectional 10 12.15 CP1 • PS Keyboard Unit Single Sheet Feeder Unit Tractor Unit	£344 - VAT £395 £139 - VAT £159 £217 - VAT £249 £95 - VAT £109	
DAISY STEP 2000 20 CPS Unidirectional 10 12 15 CP1	£260 • VAT £299	

PROFESSIONAL MONITORS

SMITH CORONA TP1 12 CPS 10 12 CP1 unidirectional

SANYO MICROVITEC FIDELITY *PHOENIX



£208 - VAT £239

SANYO DM8112 12: Green screen 18 MHZ Hi-Res DM2112 12: Green screen 15 MHZ Monitor CD3125 14: RGB Normal Res Colour Monitor CD3117 14: RGB Medium Res Colour Monitor CD3115 14: RGB High Res Colour Monitor	£86 • VAT £99 £66 • VAT £75 £173 • VAT £199 £286 • VAT £329 £391 • VAT £449
MICORVITEC CUB 1431 MS 14" RGB Normal Res. Cotour Monitor 1451 MS 14" RGB Medium Res. Colour Monitor 1441 MS 14" RGB High Res. Colour Monitor	£173 • VAT £199 £321 • VAT £369 £417 • VAT £479
FIDELITY Colour Monitor CM14 14" RGB RGBY Composite sound col	£187 - VAT £215
PHOENIX Phoenix High Res. 12" Green Monitor Phoenix High Res. 12" Amber Monitor	£66 · VAT £75 £69 · VAT £79

BBC MICROCOMPUTER SYSTEM

WE ARE AN OFFICIAL BBC COMPUTER DISTRIBUTOR

DEALER ENQUIRIES ARE WELCOMED

Acorn Electron £199 NAT

WE SUPPLY FREE 30 HOUR BASIC BOOK AND A DUST COVER WITH EACH COMPUTER

his is the best microcomputer currently on the market, 32K RAM, PK ROM, 8 modes of operation, full colour, full-size keyboard, internal spansions such as disc interface, speech synthesizer. Econet interface, should be a personal computer, carable of expanding of the application.

зат сотрине сарапи	* Of P*panding into a	SINAII
Model R	£348 - \	/AT £399
id econet intendens		
	£699 · \	/AT £803
including Z80 2nd		
and CPN operating		
t Software	£696 - V	/AT £799
r (Aura)		
endo 13		
Garage Kit		
O B upgrade kil		
2 K/I		
nitor incl cable	£89 · \	/AT £102
ncl cable	£199 ·	
e fitting)		
(AIGA)		
cassette		
assette	£15 ·	VAT £17
	Model B terface interface d Econel interfaces d Econel interfaces under the properating to the pro- traction of th	terface

APPROVED ECONET SERVICE CENTRE
WE STOCK A LARGE RANGE OF SOFTWARE FOR BBC MICRO
INCLUDING ACORNSOFT BBC SOFTWARE LONGMANS SOFTWARE
FOR FULL DETAILS
FOR FULL DETAILS

TORCH Z80 2nd PROCESSOR For only £347 + VAT

Torch 2nd Processor Z80 is supplied with perfect writer (a powerful Word Processor) perfect spelling checking program - I should have used one for making his advert! Perfect Filer IA Database Program. Perfect Calc (Spread Sheet) it includes 64K memory (Almost 60K available to user) Fils inside BBC Computer

£695 · VAT £799

GUARANTEED LOWEST PRICES

100% BBC COMPATIBLE MITSUBISHI AND TEAC SLIMLINE DISK DRIVES



These drives are supplied ready cased with all the necessity cables or mating program and User Guide. There are some very useful withlies included on formating discleding DISASSEMBLER. This is 6502 machine code disassembler. DUP, To copy and rename at lie on disc. FORMAT Formating program for 40.6.80 tracks. FREE This utility provides a disk usage analysis. MDUMF. Enables you to display and modify any part of BBC memory. RELOCATE on number of text files into one file. RELOCATE on number of text files into one file. SDUMP. Screen dump for EPSON. Organia to account of the SPON verifies verifies every sector on a disk. MENU. A flexible menu program.

All albored divises are two power stimline. (0.3.4 typ. a1 * 12v and 0.4 A per drive?) Normally saffa bower supply is not required the BBC Corpover supply in the state of the state of the supply of the state of the supply of t

49 Ffack SS, DD disketts (10 Box) 18-00-00 178 - VAT 620 40 Ffack SS, DD disketts (10 Box) 123 - VAT 620 80 Ffack SS, DD disketts (10 Box) 123 - VAT 620 80 Ffack SS, DD disketts (10 Box) 123 - VAT 620 80 Ffack SS, DD disketts (10 Box) 123 - VAT 620 80 Ffack SS, DD disketts (10 Box) 124 - VAT 620 80 Ffack SS, DD diske

YOUR CONTACTS AT AKHTER ARE

DEALER/BULK ENQUIRIES HAMAYUN MUGHAL DEALEH-BULK ENQUIRIES
TELEPHONE ORDERS
DEALER ORDERS
BUSINESS SYSTEMS ENQUIRIES
EXPORT ENQUIRIES
EXPORT ENQUIRIES
ECONET SYSTEM TECHNICAL ENQUIRIES
ACCOUNTS
DESPATCH
REPAIRS PAULA HAYES TONY GLOVER DENNIS SUTCH MAHAMAD EDIB ALAN LAFFOLEY CARON ANDREWS PAUL SWIFT JOHN MAULE

BUSINESS SYSTEMS



APRICOT - SIRIUS - SANYO IBM - TEXAS - TORCH

APRICOT "Portable Executive Computer" 16 Bit Micro, 256K RAM, up to 1.44 megabytes floppy disk storage 31s," Sony disks Portable brief clase styling Modern with auto dialiter (optional) hard disk potional Vastsoffware library (compatible with Sirius 1) Apricol with Single Drive and Monitor and Free Printer or 2nd Monitor and Free Printer or 2nd Monitor 10 E1890 - VAT

SANYO PROFESSIONAL COMPUTER
16 Bit Micro 128K RAM expandable to 226K Single or Double Disk Drive
built in full Colour graphics (640 x 200 pixels in 8 colours) 1BM compatible
Free software Sanyo MBC 550 128K RAM single drive and free software
including Wordstar and Calcistar
Sanyo MBC555 128K double drive and free software including Wordstar
Calcistar inforstar Datastar etc.

SIRIUS 1 Strius 1 Computer with 128K RAM and 12 megabyte Floppy disc storage including CP/M 86. MS DOS and Microsoft Basic

Sirius 1 Computer with 256K RAM and 2.4 megabyte Floppy disk storage Including C C/M 86 MS DOS & Microsoft Basic £2895 • VAT

TORCH
CESON COMPUTER with colour monitor includes Twin 400K dass. Torchied
CESON COMPUTER with colour monitor includes Twin 400K dass. Torchied
Operating System free perfect softwale (perfect dark representations). Torch Mars
Perfect Cale Perfect filer). Torchmal Plus (Electronic Mail). Torch Mars
(Financial modelling with graphics). Torchiel (Viewdata Access System)
Executive Aid (Menu System).
Datel 600 (Link to outside maintrame services i.e.
L2950 • VAT

TEXAS INSTRUMENTS PROFESSIONAL COMPUTER
T1 502 Dual 3/20KB Drives 256K RAM. Up to 10 megabyte on board storage
possible T1 speech command hardware option brings a new level of user
finendiness to computing. Allows voice operated keyboard control
(Optional)

MAINTENANCE CONTRACTS ARE AVAILABLE.

COMPLETE WORDPROCESSING SYSTEMS INCLUDING DAISYWHEEL PRINTER From £695 + VAT



SYSTEM 1BBC Micro model B Wordwise Phoenix monitor. Smith Corona TP1 Daisywheel Printer. Cassett Recorder - all the necessary cables and £696 - VAT - £799.25

SYSTEM 2. BBC Micro model B + Disk Interface. Phoenia Monitor 100K Single Disk Drive. Wordwise. Smith Corona Daisywheel Printer + all the necessary cables and documentation. Price only £895 + VAT £1029.25

SYSTEM 3. BBC Micro model B • Disk Interface Phoenix Monitor, Dual Disk Drives 200K, Wordwise, Smith Corona Daisywheel Printer • all the necessary cables and documentation.

SYSTEM 4. BBC Micro model B * Disk Interface Sanyo High-Res Green Monitor Wordwise (or view) Juki 6100 Daisywheel Printer Single 400K Disk Drive * all the necessary cables and documentation 11039 VAT £1206.35

SYSTEM 5. BBC Mod B Micro + Disk Interface: Sanyo High Res Green Monitor Wordwise (or view). Juki 6100 Dasywheel Printer. Dual Disk Drive 800K + all the necessary cables and decumentation. Prince 61195. VAT 61374.25

SYSTEM 6. Sanyo 16 Bri. IMB pc Compatible Micro. 128K RAM. Single Dask Drive 160K. Wordstar: Calc Star. Sanyo High Res. Green Monitor. Jus. 6100 Daisywheel Printer + all cable and documentation. Price Only. £1095 • VAT = £1259.25

SYSTEM 7. Sanyo 16 Bit. IBM pc. Compatible Micro 128K RAM. Dual Disk Drives 380K. Wordshar. Calc Star, Mailmerge. Infostar. Spelistar Datastar Sanyo High Res Green Monitor Jusis 6100 Daisywheel Printer - and all necessary

Price £1295 - VAT | £1489.25

SYSTEM 8, All the components of System 6 but with Sanyo High Res Colour Monitor and Wordstar with Colour Facilities Price £1395 • VAT = £1604.25

SYSTEM 9. All the components of System 7 but with Sanyo High Res Colour Monitor and Wordstar with Colour Facilities

Price £1595 • VAT • £1834.25

WE CAN ALSO SUPPLY PACKAGES WITH COMPONENTS OF YOUR OWN CHOICE. PLEASE PHONE (0279) 412639 AND ASK FOR HAMAYUN MUGHAL FOR A PRICE.



COMPUTER GROUP

28/29 BURNT MILL HARLOW, ESSEX. CM20 2HU U.K Tel. HARLOW (0279) 443521 Telex: 818894 AKHTER G

ORDERING INFORMATION:

We accept official orders from UK Government and Education establishments Carrage is Free (UK only) for normal delivery. If express delivery is required plases and 18 0.0 v. AT per paracel We accept elephone orders on Barclay and Access Card please ring (02/9) 443521 (10 lines). All cheques made payable to "AkHTER INSTHUMENTS".

N.B. ALL VAT INCLUDED PRICES ARE THE CORRECT PRICES.
EXCL. VAT PRICES HAVE BEEN ROUNDED UP TO NEAREST POUND



OPENING HOURS: MON-FRI 9am-6.30pm, SAT 10am-5pm We welcome callers, no parking problems.

Firm up your S/ware with an

EPROM PROGRAMMER

AT LAST! for the Spectrum user. Put your programs, utilities, Assemblers into FPROMs for instant load from the unique ROM-SP.

PIO-SP

NO OF SYSTEM —HEX EPROM TYPE —27128 RAM START ADDR —4999 EPROM ST ADDR — 9999 JOB LENGTH — 4999 TASK — CHECK

Ingenious unit for Spectrum, with 2 + 28 pin sockets and a Reset burnti allows up to 16K of Basic of M C program to RUN or 1 OAD instantly from FPROMS. Cabled connector and full extender card. NOTI: Does not disable Sinclair ROM. £29.95

NEW PROMER-SP for Spectrum A brand new Spectrum programmer for 2764-128. Zero insertion force socket & software on tape. £29.95

PROMER 81.5 NEW for Spectrum the very popular PROMER-81 for the ZN81 has been adapted to the Spectrum, and the price kept low.

for ZX81 Provides two 24 pin sockets for up to 8K of FPROM memory in the 8-16K area. C An use 2516-32 or 2716-32 £14.95

ROMER-81 for ZX81 1 last! A low cost reliable programmer for 2516-32, 2716-32 FPROMS. This is the solution to using FPROMs instead of tape. Repaires 4 - PP3 batteries for a regulated 25 volts. Remarkably priced at £19.95 PROMER-81

BLOPROM-81 A uniquely sophisticated **EPROM** PROGRAMMER

In use at various labs incl. Sinclair Research

1 prom programmer for the 2516, 27XX single supply families. 27XX single supply families, yes, even the 27128 from Intel. Check, Read, Program - Verify all of part of Eprom. o minimisely user friendly you'll hardly need the manual. Designed

hardly need the manual. Designed to the beginner but includes a single key entry tonic for the protessional. Supplied as humane, the meditive rouning alone sworth more than the price of BLOPROM-SI. No personality Cards, or other additions, tust a ZSE. Several inbuilt safety features. On-board Vpp generation, 28pin ZH socket. Cabled connector and extender plug. MBS case.

Note: Can provide up to 36 inputs of 40 outputs as an LO £79.95

WHICH TASK DO YOU WISH TO DO
W) CHECK THAT EPROM IS CLEAN
X) READ THE CONTENTS OF EPROM INTO
RAM
Y) BLOW AN EPROM WITH DATA FROM
A SIN RAM
R TO RESTART

FAST CODES AVAILABLE
D HOST TO WALLED
WXYZ

(in the control of In an ABS case with an LLD indicator UV ERASER

ompact. Mains powered. Save. Fully cased. Up to 34 PROMS £18.95

DHOBI 2

With automatic timer MFMIC-81

A 4K CMOS RAM and lithinm battery unit. Lasy SAVI ing. 10y1 storage and instant retrieval of programs. Resides in 8-12K of 12-16K of 7X81.

CRAMIC-81

PROMER

INTER STA

Ingenious hardware software allows this 16K CMOS RAM with lithium battery to CO-exist in same memory area as ordinary RAN NSI can imilitiask on two completely independent programs. £79.95



PRINTER/MONITOR ACCESSORIES

SL Large model 17" - 14.5" -P&P (3.50 £19.95

PSC-3 for Epson MX-100 etc. etc. 21" + 14" + 3.75" P&P U3.50 £22.95 £22.95 CUSTOM PRINTER

STANDS for larger printers PO1 Printer Output Tray for 11 fanfold paper P&P €3.50 £16.95



UK, VAT extra. No VAT on exports P + P UK. Free Europe + 5% - Overseas + 10% TLX 81574

ronics Ltd., One Milton Rd., Cambridge CB4 TUY

Tel (0223) 314814 Circle No. 166

S

REGISTERED REFERRAL CENTRE

NDEPENDENT NA GROUP FOR THE

MEMBERSHIP NOW EXCEEDS 20,000

20,000 MEMBERS CAN'T BE WRONG — BEEBUG PROVIDES THE BEST SUPPORT FOR THE BBC MICRO BEEBUG MAGAZINE — NOW 62 PAGES INCLUDING NEW PRODUCT GUIDE SUPPLEMENT — DEVOTED EXCLUSIVELY TO THE BBC MICRO. Programs — Hints & Tips — Major Articles — News — Reviews — Commentary, PLUS members discount scheme with National Retailers. PLUS members Software Library — a growing range of software from around 63.50 per cassette. 10 Magazines a year. First Issue April 1982. Reprints of ell Issues available to members.

March Issue: program features: Krazy Football game, the Manhole game, requiring quick thought and fast reaction, Extending ASTAAD, our popular Computer Aided Design Program, The Stonemason, Multiple Disc Catalogues, a program version of Bach's Cantata No.147, a program for Printing Your Own Function Key Labels. Plus articles on Acorn's Latest Developments, Testing Out Your Micro (Sideways ROMs), Machine Code Graphics (part 2), Compact Function Key Definitions. Plus Reviews of FORTH for the BBC micro, Memory Expansion Board Review, Software Reviews, Hints and Tips.

Magazine programs now available on cassette to members at £3.50 inc: VAT & p+p — see
April/May Issue for details

SPECIAL ANNIVERSARY OFFER

Join by April 15th for your

£1 voucher

Exchangable for software & hardware The voucher will be mailed to all members with the May issue of Beebug magazine.

Send £1.00 & SAE for Sample.

Membership: UK £5.40 for six months

£9.30 for one year

Overseas one year only:

Europe £16.00 Middle East £19.00

Americas & Africa £21.00

Other Countries £27.00

Make cheques to BEEBUG and send to: BEEBUG Dept 5, PO Box 109 Baker Street, High Wycombe, Bucks HP11 2TD. Send Editorial material to: The Editor Beebug PO Box 50 St. Albans, Herts.

• Circle No. 167

ALL THE BEST FROM A + G

APPLE SOFTWARE

Send now for new 1984 catalogue Over 700 items Lots of new bargains Write or call now

PRINTER BARGAINS

New Daisystep 2000 Daisywheel Printer
Wordstar compatible Bidirectional 20 CPS
Qume Ribbons and Printwheels
Free delivery on UK mainland
at only £289!!
Full warranty. Unbelievable value!

Business Starter Pack
Based on Apple lie computer plus all necessary cards & cables includes *Monitor* D/Wheel Printer and Software. Inclusive Price £1679 Ask for details

New! Commodore 64 Printer interface to give screen dump
— Hi-Res graphics — Block Graphics and text dump
without, software!
Includes print rotated * inversed * double size * graphics.
Send for info sheet — for all popular printers

Monitors Green — Amber — Colour Acoustic hoods for all makes of printers printer buffers — internal — external — 2K to 64K All at amazingly low low prices

DO IT NOW! RING FOR OUR BARGAIN OFFERS

GOVT & EDUC. OR<mark>DERS WELCOME.</mark> FREE DELIVERY BY FAST INTERLINK COURIER PLEASE ADD VAT TO ALL TOTALS

P.O. Box 34, Cheadle, Cheshire, SK8 4PT Telephone 061-428-2014



Circle No. 168

means business

DISKING MEANS BUSINESS

* FREE SOLID BRASS LACQUER PEN for ALL Computer Users * Write or call (24hr answering) for our General Price List. Name this magazine and you will get your pen.

OUR business is here to serve YOUR business, and if you don't find us the slickest and most reliable UK disk supplier - we'll refund your monies in full. UK P&P is free, if we can't ship inside 4 working hours!*

FREE WITH EVERY TEN-PACK OF DISKETTES FROM DISKING

1. SEE 10 LIBRARY BOX The Superb See 10 library box for storing and displaying ten diskettes. Available individually at £2.50 exc VAT, see under 'Diskette storage' PLUS



2. Disking 'COLOU CODERS

A multicoloured pack of te fibre tipped pens for colo coding your diskette label Available individually at 49 exc VAT per pack of te

MEMOREX



MEMORY EXCELLENCE

Memorex diskettes will work well in ANY computer - they have a reputation which is second to none.

51/4" DISKETTES

Certified for single OR double density and with hub ring reinforcement

PRICES EXC VAT

	10-40	50-90	100+
3481 S/S 48 tpi	21.90	20.90	19.90
3491 D/S 48 tpi	27.90	26.90	25.90
3504 S/S 96 tpi	27.90	26.90	25.90
3501 D/S 96 tpi	35.90	34.90	33.90

48 tpi suitable for 35 or 40 track 96 tpi suitable for 77 or 80 track 10 & 16 Hard Sector at same prices

DISKING 'SHATTERING' OFFER



To prove just how good MEMOREX are, we at Disking are packing a FREE MEMOREX C-90 Cassette with every ten-pack of

MEMOREX floppies until June 30th 1984. This offer does not affect any of our other promotions, and is in addi-

tion to them.

SONY

31/2" MICRODISK 10-40 50-90 100+ OM-D3320 S/Sided 42.90 41.90 40.90

(Auto shutter 0.5 MByte rating) No library box available yet - sorry



MAXELL - The Gold Standard

Maxell's newly packaged diskettes, consistently meet or exceed all standards.

A quality to match the best.

51/4" DISKETTES

Certified for Single OR Double Density 48 tpi media with hub ring

PRICES EXC VAT

	10-40	50-90	100+
MD1-DS/S48 tpi	24.90	23.90	22.90
MD2-D D/S 48 tpi	32.90	31.90	30.90
MD1-DDS/S96tpi	32.90	31.90	30.90
MD2-DD D/S 96 toi	42 90	41 90	40.90

48 tpi suitable for 35 or 40 track 96 tpi suitable for 77 or 80 track 10 & 16 Hard Sector at same prices

8" DISKETTES PRICES EXC VAT

	10-40	50-90	100+				
FD1-128 S/S S/D	29.90	28.90	27.90				
FD1-XDS/SD/D	34.90	33.90	32.90				
FD2-XD D/S D/D	39.90	38.90	37.90				
32 Hard Sector available at same price							



DYSAN

With new lower prices Dysan's impeccable reputation is now a bargain. Go on, spoil yours

51/4" DISKETTES

Certified for Single OR Double Density, and all with Hub Ring reinforcement
PRICES EXC VAT

	10-40	50-90	100+
104/1D S/S 48 tpi	23.90	22.90	21.90
104/2D D/S 48 tpi	34.90	33.90	32.90
204/1D S/S 96 tpi	34.90	33.90	32.90
204/2D D/S 96 tpi	42.90	41.90	40.90

48 tpi suitable for 35 or 40 track 96 tpi suitable for 77 or 80 track 10 & 16 Hard Sector at same prices

8" DISKETTES PRICES EXC VAT

	10-40	50-90	100+
3740/1 S/S S/D	29.90	28.90	27.90
3740/1D S/S D/D	32.90	31.90	30.90
3740/2D D/S D/D	40.90	39.90	38.90
32 Hard Sector avail	lable at	same prio	e

'PERFECT DATA' CLEANING KIT

In our experience the only cleaning kit that really

Works, arr	a works reliably.	
Part No:	Description	Price
CK5	For 51/4" Drives	14.90
CK8	For 8" Drives	14 90

51/4" DISKING SUPERMAILERS

Will mail up to 4 diskettes in their envelopes, and very rigid due to copyright design. Packed in 100's

Part No:	Desc.	100	200	300
DSM	Mailers	24 90	22 90	10.00

Disking Swing Lld Box NEW Product! STORES 60 MINIDISKS

Keep your lid on with the new superior anti-static Disking lockable swing-lid box with convenient hinged smoked perspex lid. dividers and two keys. Always keeps your disks in perfect condition and even has concealed carrying handles front and rear for your convenience.

RRP is 21.50. Our price exc VAT is just.

Part No: Description

DSLB 60 Minidisk capacity
Packed individually and 4 to an outer carton

How To Contact DISKING:

By Telephone: By Telex:

By PRESTEL:

By FAX:

1/4" DISKETTES

(0428) 722563 858623 Telbur G

Page 2477310 - Please allow 5 days

for the order to reach us.

(0252) 721521

DISKING INTERNATIONAL

FREEPOST LIPHOOK HAMPSHIRE **GU307BR** UNITED KINGDOM

U.K. SHIPPING RATES INC. INS. BUT EXC. VAT

2 PACKS each pack @ 95p 5 PACKS each pack @ 75p

9 PACKS each pack @ 60p + PACKS POST FREE

1/4" CLEANING KITS ame postal rate as packs of 51/4"

skettes, 10+ POST FREE

8" DISKETTES 1-2 PACKS each pack @ 1.60 3-5 PACKS each pack @ 1.20 6-9 PACKS each pack @ 90p 10+ PACKS * POST FREE *

8" CLEANING KITS Same postal rate as packs of 51/4" diskettes, 10+ POST FREE

51/4" NEW 'SEE 10' LIBRARY BOXES SEE 105-9 off @ 30p

SEE 10 1-4 off @ 40p SEE 10 10+@ 20p 8" LIBRARY BOXES

LB8 1-4 off @ 60p LB8 5-9 off @ 45p LB8 10+@30p

DISKING SUPERMAILERS (51/4" only) 100-PACK 3.00 **DISKING COLOUR CODERS** 10-Pack Multicolours 25p LOCKABLE DISKETTE STORAGE All versions: 1 off 2.00, 2-7 off 1.30 each, 8+ post free

erbatim_®



atalife - Five Year Warranty

s easy to see why they're the world market aders. Perfect data retention everytime - for a etime - Datalife.

1/4" DISKETTES

ertified for Single OR Double Density, and all ith Hub Ring reinforcement

RICES EXC VAT

10-40 50-90 100+ D525 S/S 48 tpi 22.90 21.90 20.90 27.90 D550 D/S 48 tpi 29.90 28.90 D577 S/S 96 tpi 28.90 27.90 26.90 D557 D/S 96 tpi 36.90 35.90 34.90

3 tpi suitable for 35 or 40 track 5 tpi suitable for 77 or 80 track 0 & 16 Hard Sector at same prices

DISKETTES RICES EXC VAT

10-40 50-90 100+ D34-9000 S/S S/Dens 31.90 30.90 29.90 D34-8000 S/S D/Dens 31.90 30.90 29.90 D34-4001 D/S D/Dens...... 36.90 35.90 34.90

2 Hard Sector available at same price

erbatim_®



Verbatim Verex come with a full one year warranty but at a very popular price - you can't lose!

51/4" DISKETTES PRICES EXC VAT

10-40 50-90 100+ MD200-01 S/S S/D Soft 19.90 18.90 17.90 MD200-ASSSS D Apple 19.90 18.90 17.90

8" DISKETTES PRICES EXC VAT

10-40 50-90 100+ FD34-1500 S/S S/D Soft 22.90 21.90 20.90 22.90 21.90 20.90 FD32-1500 S/S D/D Hard DD34-1501 D/S D/D Soft 29.90 28.90 27.90

STOP PRESS * STOP PRESS * STOP PRESS * STOP PRESS

400 Brand New, Unlabelled Grey Superluxe Disk Libraries (20 minidisk capacity) at half price to clear. Minimum order quantity 10 pieces.

Only ... 4.90 each. (3.00 p&p per 10, 30+ FREE) This offer is open to the trade OR end users. First come first served

NORMAL ORDERS – WE NOW WELCOME ALL OFFICIAL GOVERNMENT ORDERS

We welcome orders from all Government Bodies including Schools. Universities, Colleges, Hospitals, the Utilities, Research Establishments. Armed Forces, the Ministries and local Authorities etc. We will despatch within 4 working hours from receipt of your official order number received either by post or over the telephone.

Everyone else cheques with order please payable to DISKING. If you are a large establishment, and cannot raise cheques without an invoice please post or telephone us with your order, and we will send a pro-forma invoice by return, lor your accounts department to pay against. Also bear in mind, that you do have to pay VAT, which will be added to these prices. If you are in any doubt, please telephone us for assistance.

CREDIT CARD ORDERS

CREDIT CARD ORDERS

We welcome Access (Mastercharge). Barclaycard (VISA) & Diners Club International, & there is NO credit card surcharge. You may write your C Card No. on your order or telephone the order day or night, 365 days a year. You may speak for as long as you like (but please speak up and don't leave long gaps otherwise our machine thinks you've gone home) and don't forget to give the following details:

1. Day time telephone number
2. Cardholder Name & Address
3. Delivery Invoice Address if different
4. Your Credit Card Number
5. Part Nos and quantity of what you wish to order.

- 5. Part Nos and quantity of what you wish to order 6. Normal, First Class or Special Post YOU MAY LEAVE THE REST TO US!!

URGENT ORDERS

If you're posting your order, omit the word FREEPOST from our address, and use our normal postcode GU30 7EJ and do not forget to stamp it FIRST CLASS. If you are a Government body as defined under NORMAL ORDERS' and are telephoning your official order OR are an individual or company using your Credit Card No. please make it clear that you wish to pay for your goods to be sent to you by FIRST CLASS POST

FIRST CLASS RATES **EXC VAT** First TEN-PACK 2.00

Second & subsequent TEN-PACK

DESPERATE ORDERS U.K. Your options are:

DATAPOST Next day U.K. - order by 3.00pm or: EXPRESSPOST Same day (ENGLAND) - order by

Please telephone for further information. PRICES SUBJECT TO EXCHANGE RATES & AVAILABILITY

EE 10 LIBRARY BOXES ores 10 Minidisks AND when open displays them all at the same ne – Quite simply the best library box these in ne – Quite simply the best library box there is! RICES EXC VAT

art No: EE 10 Description Library Box Library Box 1-49 50+ 2.20 38 3.00 3.00 BA LOCKABLE DISKETTE STORAGE

nese storage boxes come in four sizes, two for mini disks and two r 8" disks.

ney hold 40 or 80 diskettes and come complete with keys and viders.

RICES EXC VAT Price 40 minidisk capacity 80 minidisk capacity 14.90 18.90 40 8" diskette capacity 80 8" diskette capacity 40 30 18.90

HARD DISKS FOR YOUR MICRO

We can supply Hard Disk sub systems for most micros - 5Mb from 1190.00 up to 40MB from 2480.00 - please call for details.

SAGE BUSINESS SOFTWARE

With a SAGE fully integrated Sales, Nominal & Purchase ledger system costing only 375.00 how can you go wrong?

In fact they even let you try-before-you-buy for only 20.00, and refund that against your purchase. Please call for a full list of packages and prices. We will enclose a FREE pack of ten diskettes with every SAGE software package sold.

WATCH THIS SPACE TRADE CORNER WATCH THIS SPACE

* * FREE AEROPLANE * *

Being in the micro trade means you're dynamic and energetic but probably sit in front of your VDU too long like we do. So we've devised a way of getting you out into the fresh air - an aeroplane that flies. Just call and ask for your flier and of course we'll send you our 1984 trade price list (Yes it's printed at last and even our secretary can't believe it) We'll include your FREE sample unlabelled diskette and supermailer AND an application form for a DPC card to enable you to buy at our 10,000 prices yet order only in '50s.

2.50

200



STOPMENDO

Telephone Claire Notley on 01-661 8163

ADVERTISEMENT RATES

Display Rates £15.00 per single Column Centimetre Minimum 5cm x 1col

One Insertion Three Insertions Six Insertions Nine Insertions

Twelve Insertions

£15.00 per scc £14.25 per scc £14.00 per scc £13.50 per scc £13.00 per scc

Micro Ads. Linage 25p per word minimum of 15 words. Prepayable.

Copy Date

Shopwindow advertisements for the edition will be accepted up to 20th March for May edition, subject to space being available.

Post to

Practical Computing, Classified Department, Room H211, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

SCIENTIFIC SUBROUTINE LIBRARY

VOLUME 1 — STATISTICS AND FITTING FUNCTIONS

FUNCTIONS

Mean, SD, normal distribution, partial expectation, Chauvenets criterion, least squares fit to polynominal and arbitrary function, repetitive least squares fits, covariance matrix, chi-squared statistic, matrix inversion, solution of simultaneous equations.

VOLUME 2 — LINEAR PROGRAMMING Reduction of a Simplex tableau, integer programming, partial integer programming, conversational linear programming system, least cost mix problem.

conversational linear programming system, least cost mix problem.

VOLUME 3 — FURTHER STATISTICS
Ranking, quantiles, frequency, 2-way table, correlation coefficient, T, chi-squared and F distributions and their inverses, T test, chi-squared test, Wilcoxson test, linear and multiple regression, ANOVA 1-way and 2-way.

VOLUME 4 — TRANSFORMATIONS & SORTING ALGORITHMS
Fourier, FFT, Laplace, numerical integration and differentiation. Exchange sort, Quicksort, Shell sort, Tree sort.

Tree sort.

Manuals including full source listings with implementation notes and documentation —

BASIC £25 per volume

PASCAL £30 per volume

Software in CP/M (8" SSSD) or DEC RT-11

(RXO1) formats — £75 + VAT per volume.

CP/M TO DEC FILE TRANSER

Software to read and write RT11 format RXO1 diskettes under CP/M. Supplied on 8" SSSD diskette

£25 + VAT.

MICRO LOGIC CONSULTANTS LTD. 57, Station Rd., Southwater, Horsham, W. Sussex.

MJ MICRO SUPPLIERS

Standard 80 Col 50.00 80 Column + 64K B4X Upgrade 45.00
Apple [1]. I/e Compatible Accessories (P&P Joystick 13.00 Cooling Fan 52 Key ASCII upper/lower case Keyboard KGP40 40 Col 2 colour Printer Interface SEMD FOR OUR APPLE BROCHURE FOR FULL DETAILS Cash with order. Add P&P & 15% VAT to prices.
Also: CASSETTES DISKS STATIONARY BINDERS

MJ MICRO SUPPLIES, FREEPOST (BS3661), Nailsea, BRISTOL BS19 2BR.

Tel: Nailsea (0272) 857354 24 hr. Answer Phone 19

Telephone: 0403 731818

• Circle No. 210

Does your SUPERBRAIN

blink and then go blank? For all your Superbrain problems, telephone Bristol (0272)45222

COLDHARBOUR DEVELOPMENTS

FOR MUTLI-USER BUSINESS SYSTEMS

• Circle No. 212

COMPUTER STANDS

A full range of moderately-priced robust units for offices, schools and computer

From £42.00 + VAT

Repairs to personal computers and instrumentation

Telephone for details.

PROTOTYPE DEVELOPMENT SYSTEMS LTD Enterprise House, 44-46 Terrace Road, Walton-on Thames, Surrey, KT12 2SD Tel:Walton-on-Thamesi(0932)245670

Circle No. 215

OPEN HOUSE FOR **NOVICES AND BEYOND**

Choose your time - day or evening Learn at your own pace on OSBORNE, RAIR or BBC BASIC, D BASE II, SUPERCALC, WORDSTAR, Graphics Introductory Course £45 Also evening club

MICROCOMPUTER ADVISORY

CENTRE Polytechnic of the South Bank Borough Road, London SE1 0AA

Monitor and Colour TV

Why buy just a monitor, when you can have a monitor AND a colour TV. Based on the superb Philips 14" Colour TV. Inputs for RGB, VIDEO, SOUND and UHF. Suitable for home computers, video discs and VCRs£245.00

cFORTH FOR SINCLAIR SPECTRUM with MICRODRIVES Supplied complete with assembler, editor, utilities and documentation£19.95

FIG-FORTH Installation manual + source listing£12.50 Available for the following CPU's; 6502, 8080/Z80, 6800, 68000, 6809, PDP-11/LSI-11.

FORTH Disc systems available from£25.00

CONGUIN SOFTWARE

14 GOODWOOD CLOSE, MORDEN, SURREY, SM4 5AW

No callers please.

or ring: 01-928 8989 ext. 2468

Circle No. 213

: GO FORTH & *;

Laboratory Microsystems FORTHs - the professional FORTHs complete with editors, assemblers, turn-key compiler, many system utilities, multi-tasking, and compiler, many system utilities, multi-tasking, and extensive documentation. These FORTHs are available for 8080, Z80, 8086/88, and 68000 processors using CPM-80, CPM-86, MSDOS/PCDOS, or CPM-68K. CPM-80 £60 CPM-86 £10 MSDOS/PCDOS £105 CPM-68K £19

NEW — FORTH + packages have 32-bit stacks and can access the processor's full address space for both

program and data. CPM-86/MSDOS/PCDOS £190 CPM-68K Nautilus Systems Cross-compilers — transport FORTH to different processors, generate ROMmable code, these compilers will run on any of the FORTHs above. The compilers will run on any of the FORTHs above. The complete development system — a real time saver. Choose targets from — 8080, 8086/88, Z80, 6800, 6301/6801, 6809, 68000, 1802, Z8, 9900/99000, Z8000, LSI-11. First compiler from £230, additional targets from £95.

NEWBRAIN FORTH in PROM — includes screen editor, full integration to NEWBRAIN i/o handlers, a complete 280 assembler, decompiler, utilities and manual — £55 + VAT EPROM/RS232 card and comms software also

DRAGON FORTH cartridge - full fig-FORTH with editor, colour management, sound facilities, and manual - £45

??? III JUPITER ACE DISC CONTROLLER !!! ??? Well ain't that magic — just add 12 volts and a disc drive — 3", 5", or 8". Includes full FORTH DOS software. A snip at £98 + VAT. Additional disc utilities £15.

DIY FORTH Kits Installation manual — How to do it,

model, definitions, editor £7
Source code listing for one processor — choose from 6502, 6800, 6809, 8080, 280, 8086/8088, 9900, 1802, 68000, Z8000, VAX, Apple ||, LSI-11, Eclipse £7

Comprehensive range of FORTH books includes 'Starting FORTH' by Brodie — the classic 'Systems Guide to fig-FORTH' by Ting







• Circle No. 216

• Circle No. 211

(P&P £1.50) 22.00

Phone 0524 381423 Circle No. 214

Write for full prices to

SHOP WINDO



Sinclair Spectrum

Secondhand computers * EASY PAYMENTS ALL ACCESSORIES SALES AND SERVICE *

northern Churchfield Road, computers:

FRODSHAM Cheshire WA6 6RD


TEL: FRODSHAM (0928) 35110 •

WE WILL PURCHASE AND PUBLISH YOUR PROGRAMS: Call Steve Rhodes for de

• Circle No. 217

HAVE YOU CONSIDERED





libraries, filing systems, security & checkpoint verifica-tion, point of sale terminals, spare parts identification, etc. etc. Already most grocery products are bar-coded at source and many other areas of industry and com-merce are following. Bar-codes will soon be commonplace.

APPLE 2 PET BBC micro

A complete low cost bar-code identification system is available for these micros. It contains all the hardware, software and documentation needed to read and print bar-codes (using an Epson dot matrix printer). Most bar-code formats may be read and the system may easily be patched into an existing applications

£199.00 + VAT *** NEW *** RS232 bar-code reader

This new stand-alone unit decodes the bar-code and converts it into ASCII for transmission to the host computer via a RS232 port. Complete with scanning wand, power supply & cables. Works with virtually any computer.

£385.00 + VAT

More information on these products is available on re-quest. Please state your micro & area of interest. The decoder board is available separately to OEMs.

DOT MATRIX & DAISYWHEEL PRINTERS LOWEST PRICES GUARANTEED!

EPSON FX80 RX80 NEC 8023 STAR SHINWA CP80 BROTHER TEC etc. etc. etc.

Our pricing policy is to match or better any other advertiser. In addition

enthusiastic and knowledgeable technical advice and backup is available to all our customers. Delivery is from stock to your door, often within 24 hours. Phone for a quote or write for full

ALTEK (PC) 1 GREEN LANE WALTON ON THAMES SURREY

please phone before calling (0932) 244110

Circle No. 218

MICROCOMPUTER INSURANCE

Comprehensive cover at a reasonable

- All Risks Cover (incl. Transit) up to £8,000 for £20
- Increased Cost of Working to reinstate lost data
- Breakdown & Derangement alternative to maintenance agreement

Write with details of equipment to:

Geoffrey Hoodless & Associates Freepost (no stamp required) Woking

Surrey GU21 3BR

Tel: Woking (04862) 61082 (24 hrs)

• Circle No. 219

DISKETTES

VERBATIM 51


VERBATIM 8
 VERBATIM 51"
 VERBATIM 8"

 SSDD BOX 10 £21.80
 SSD BOX 10 £30.60

 SSDD BOX 10 £30.90
 DSDD BOX 10 £36.10

Prices include delivery but exclude VAT

SPECIAL OFFER — COMPUTER TABLE FOR HOME OR OFFICE. 2 TIER FULLY ADJUSTABLE IN TEAK OAK OR WHITE MELAMIME. \$26.50 £36.50





21, High Street, Amblecote, Stourbridge, DY8 4DE Tel: 03843 74880

Circle No. 220

	Price		oxes of 10	discs	
Soft	Sector Nas	hua Xide	ex Dysa	n CenTech	
		5.25" Disa	ettes		
SS/S	SD 48 15	00	22 00) -	
SS/I	DD 48 17	00 191	00 23.00	25 00	
DS/I	DD 48 19	00 24 (00 31.00	31 00	
SS/I	DD 96 24	00 25	00 32 0	35 00	
DS/I	DD 96 25	00 310	00 40 0	0 40 00	
		B"Diske	ettes		
SS/S	SD 48 20	00	26 0	0 -	
SS/I	DD 48 21	00 23	00 30 0	0 30 00	
DS/	DD 48 22	00 27	00 35 0	0 37 00	-
	Sony	3 5" (Apricot)	Diskettes £40	000	200
Add carriage (f Prices correct Please write fo	at time of goi	nd VAT (15 ng to press rice list	%}	ur fi	les U.
KINGSLE 87 Whitef Stockton	ield Road	PRISES	danis	your fi	
		_	19 -1	1 :: 60	

organienT

Circle No. 221

NEWBURY DATA PRINTERS

Warrington WA4 6NB

8510 from £480.00 1550 from£600.00 are, what other printers want to be Continuous Stationary 1000 SHTS£5.25 Min. Quantity = 1 Box (2,000 sheets)

> **Contact Chris Pearce** CDP Consultants Ltd.

Wicken Rd., Clavering, Essex CB11 4QT. (079985 617)

• Circle No. 222



Genuine phoneme synthesis - not just recorded speech - hence unlimited vocabulary. Programmable pitch for more natural intonation (exclusive to Wm Stuart Systems)- solid tone cabinet for quality sound - integral beep music amplifier. PLUS expansion socket for BIG EARS voice recognition system. Full instructions technical notes and software supplied with this outstanding educational unit.

DEALER ENQUIRIES WELCOME **CHATTERBOX II**



SPEECH INPUT FOR ANY COMPUTER



Hugely successful Speech Regnition System complete with microphone, software and full

ONLY £49 INSTRUCTIONS

BUILT TESTED & GUARANTEED

PLEASE STATE COMPUTER: UK101.

SPECTRUM, ATOM, NASCOM2, Vic 20, Micron,
ZX80.81, PET, TRS80, MZ80K, APPLE II, BBC MICRO

ZX81/SPECTRUM

Play 3-part music, sound effects, drums etc. Full Control of attack, deeay and frequency. Input Output lines provide control and monitor facility for Home Security, Robot Control, Model Railway etc. etc. Works with or without 16K RAM.

Full instructions software included. Add keyboard to make a live perform polyphonic synthesiser! Note: up to 3 units can be used simultaneously: giving 9 music channels & 48 l 0 lines

AMAZING VALUE £19.50 (KIT) £25.50 (BUILT)

NEW!

VIBRATO



TALKING HANGMAN

ZX ARP/DRUMSEQ

CHROMACODE??????

COLOUR MODULATOR Please add VAT at 15% to prices.
Barclay/Access orders accepted by telephone

KIT £16 BUILT £22 All enquiries S.A.E. please

WILLIAM STUART SYSTEMS Ltd

R E

Quarley Down House Cholderton Nr. Salisbury Witshire. SP4 ODZ Tel: 098 064 235



• Circle No. 223

REPAIRS & SERVICE

- * COMPUTERS (Business & Personal)
- * DISC DRIVES (51 & 8")
- * VDU's
- * MONITORS
- * PRINTERS
- * S100 BOARDS
- * EPROM PROGRAMMING
- * MAINTENANCE CONTACTS

48 hour service for alignment and test of disc drives

A.N. ELECTRONIC & COMPUTER SERVICES LTD

130B North Lane, Aldershot, Hants Tel: Aldershot (0252) 25608

Circle No. 224

SHOP WINDOW

INTERFACE PROBLEMS? NOT ANY LONGER!

You can now connect almost ANY computer to ... almost ANY printer.

Allows connection of parallel printers to serial computers, and is UNIVERSALLY COMPATIBLE. If you change your computer or your printer, you need not change your interface.

Especially suitable for EPSON HX20, NEWBRAIN, SINCLAIR INTERFACE 1, QL etc...

Alternatively, state which computer you have, and we will supply the interface complete with BOTH leads.

Also available: SWITCHABLE INTERFACES...

SERIAL to 2-WAY CENTRONICS.
SERIAL to 4-WAY SERIAL
SERIAL to SERIAL plus CENTRONICS.
please add £25 per additional way.

Most combinations of SERIAL / CENTRONICS available. Please enquire about your particular combination.

Please enquire about our range of software for the NewBrain.

All the above prices include VAT postage and packing in EUROPE. Please address orders and enquiries to:

TYEPRO LIMITED, 30 CAMPKIN ROAD, CAMBRIDGE CB4 TELEPHONE: DAY 0487 830361 EVE 0223 322394

• Circle No. 225

ZORBA

THE SERIOUS PERSONS PORTABLE PLUS

LUCAS LOGIC LX80
The Low Cost 80cps Printer (A great Parternship)

DBASEII

The Most Powerful Micro Database (Now the system is complete) And you can take it anywere Deliveries are immediate

Contact Chris Pearce **CDP Consultants Ltds** Wicken Rd., Clavering, Essex. CB11 4QT (0799 85) 617

• Circle No. 226

POOLS PREDICTION POOLSWINNERS"

The most sophisitcated Pools Prediction Aid available, Gives probabilities of score draws, draws, homes or aways, based on two databases holding over 20,000 matches (included).

The databases are automatically updated as results are entered.
Can be used in simple mode, or with parameter adjustments to develop your own unique forecast method.
Fully documented, available now for Apple, Spectrum (48K), Dragon, ZX81 (16K), BBC Model B, Commodore 64 (others — please enquire).

£15.00 (discs/tapes)

"POOLSDATA"

Complete record of all Engish Football League matches 1978-83. Teams, scores and dates of 10,000 matches held in simple format, ready for your analysis. Starter analysis programs and full documentation included. Available for Apple. Spectrum, ZX81, BBC, Dragon, Commodore series.

Discs (5 year) £15.00

Tapes (5 year) £15.00 all prices Tapes (2 year) £7.70 (p&p included)

SELEC SOFTWARE (PC)

37 Councillor Lane, Cheadle, Cheshire 061-428 7425

Circle No. 227

NISug is for

send stamped addressed envelope 100+225mm for **£ree** programs and details of the

New Brain Users Group

36 ARMITAGE WAY, CAMBRIDGE CB4 2UE

• Circle No. 228

supercharge your

- Much improved operating system
- *Fast and friendly utilities
- *Powerful programming aids
- *Unbreakable security routines
- *Hi, Med & Lo Graphics
- *Screen handling info pack
- *Communications to outside world
- *Memory-mapped Wordstar & Formstar
- *Video-output for extra monitors
- *Hard-disk & back-up systems

Software from SeeDee, Phipps, Keele, McMillan Hardware from ICE, Fullbrook, Micronex

Full details from: 0734 867855

COMPUTER FACILITY

32 Redlands Road, READING. Berks.

Circle No. 229

APPLE 11 + 48K with microsoft 16K Ram-card and VisiCalc 3.3 and Omnis (Brand New, Unopened) £750 ONO Tel. 09947 457

SEIKOSHA GP80A Matrix Printer. Little Used. £140 (03727) 22105 (Eves).

EPSON MX80III F/T new unused. Spare Ribbon. Manual Lead. £265 + P.P. £3. Tel. (0308) 862241.

SPECTRUM USERS - We specialise in professional programs for Home and Business Management. SAE for catalogue. SD Systems (PC) Po Box 24 Hitchin, Herts. Trade Enquiries welcome.

If you are interested in a particular article/special feature or advertisement in this journal

HAVE A GOOD LOOK AT OUR REPRINT SERVICE!

We offer an excellent, reasonably priced service working to your own specifications to produce a valuable and prestigeous addition to your promotional material. (Minimum order 250 copies).

Telephone Michael Rogers on 01-661 3457 or complete and return the form below.

To: Michael Rogers, Practical Computing, Reprint Department, Quadrant House, Sutton, Surrey SM2 5AS.

I am interested in copies of article/advert.

headed featured in this

journal on pages, issue dated

Please send me full details of your reprint service by return of post.

Name

Company

Address Tel No

HEWLETT 150 PC is a PACKARD touch of class

A touch of Magic.

Apricot that is not round!





The choice is yours. We give you the service you deserve. And your secretary the Most Intelligent Typewriter Printer



to communicate with people and machines!

ASCO BUSINESSES

43 Windmill Way, Reigate, Surrey RH2 0JB. (07372) 48055

Circle No. 269

DISK COPYING SERVICE

different disk format standards. manufacturers have adopted made difficult because different one machine to another is often Moving data and program files from

CP/M, MSDOS, PCDOS, TRSDOS, ISIS, APPLE, SIRIUS, POPLI, VAX, and IBM. almost any disk format including We can copy your files to and from

day they are received. Disks are normally despatched on the

and tape to disk transfers. Special prices for quantities Our charge is £10.00 + disk + VAT.

FOR MORE INTORMACION CALL US.

4 Prigg Meadow, Ashburton, Devon DEVOR 1013 7DF

• Circle No. 230

their interests before to take steps to protect readers are recommended Classified advertisements, When replying to

· Yənom gnibnəz

monitor, paddles, Applewriter 2 word pro-cessor. £850. Tel. Aldershot 20215. APPLE II, Europlus, Disk Drive, 80 col,

Trade Enquiries welcome. Management. SAE for catalogue. SD Systems (PC) PO Box 24, Hitchin, Herts. fessional Programs for Home and Business Management, SAE for catalogue. SD APECTRUM USERS — We specialise in Pro-

NASCOM-2, Ram B. Manuals, games. Tandy Monitor £130 ono. 08675 3750.

hand. Charlbury (0608) 810374. WANTED — Altos 8,000/2 or 8,000/10 2nd

MICROMODELLER (Sirius Version) £395 + VAT (RRP £595 + VAT). Tel. 061-775

management. SAE for ctalogue. SD Systems(PC) PO Box 24 Hitchin, Herts. tessional programs for home and business SPECTRUM USERS — We specialise in pro-6208 evenings.

plus VAT. Telephone 01-486 1670 anytime. Datastar, Calcstar, Spellstar, Supersort, Bstam, DBase2, CBasic, MBasic, Cobal, pascal, PL/1, List over £8,000 accept £3,800 Wordstar, Mailmerge Microcomputer, TELEVIDEO (1983) TS802H 10 Mbyte Trade enquiries welcome.

ing, label and mailist programs included with full package. Richards (0482) 843303 MX80 printer £300. Desk £20. Word Process-TRS80 Model 1 and expansion interface 48K £300. Green VDU £50. Two disc drives £300.

Enquiries welcome. fessional programs for home and business management. SAE for catalogue. SD System(PC) PO Box 24 Hitchin Herts. Trade SPECTRUM USERS — We specialise in pro-(Hull) after 8.00pm.

TRS-80/16K Level 2 with Green Screen Monitor, Cassette Recorder and Software £350. Tel: Brierley Hill 78022

requirements £2500 Tel. 01-837-0891 NIXDORF 8820 Fully maintained hardly used. Spare Discs software available to your

01-231-2151. Daytime. printer offers accepted Paul Clarke 8032 PET 8050 Disk drive 8027 Daisy wheel

APPLE PASCAL MILL Speed Kit, £120. Full documentation. SKENFRITH 317.

North London, 01-387 7050 ext. 413 new with Toolkit. £150 or offers considered. COMMODORE PET 2001. Small Keys, as

sham Road, Exeter. ing quality DOS and sound routines. Only £20 each. SAE for details. J.P. Bick, 182 Top-APPLE SOFTWARE DOS 3.3 disk contain-

price. Tel.: 0249 76602. stock. All 1 year old and less than half lift £1300, Microline 83A printer £300. Bankrupt SUPERBRAIN OD 1.4 Mbyte computer

Woking 69522. Monochrome Monitor, 9in screen £60. Fyte, ports, in steel case, plus related books £280. TUSCAN, 40K static RAM, 4MHz Z80, BASIC in ROM, four parallel two serial

(Evenings). tion \$100 Bus. Ideal for expansion. £500. 64K RAM card £100. Tel. 0920 66429 TRANSAM TUSCAN (Z80A) excellent condi-

(L670) Software available. 0923 SAKER DATA ENTRY PAD; Internal Z80;

	10.100	uii	in Voit > .										
	£12.00	i	£12.50										
	57.013		511.25						-				
	£9.50		00.013										
	£8.25		27.83										
•	00.73		09.73										
	65.75		52.25							1			
	£4.50		00.23										
	£3.25		83.75										
/	2 Ins.	1	'sul l	1 - 1 - 1 - 1									
su	oihəsn	i 16	Cost be										
	/CE	/N	п	Buitudi	Con	ractical	4 ni tn	əməsih	aqve	iniwol	ot ant tr	əsui əs	Ыеа
-					-								

Box No. Required YES/NO

(Please include initials)

VDDRESS

THIS FORM SHOULD BE RETURNED BY 20TH MARCH FOR THE MAY ISSUE

Company Registered Number: 151537 (ENGLAND). Registered Office: Quadrant House, The Quadrant, Sulton, Surrey SMZ <mark>5A5</mark>

l enclose herewith cheque/PO for INTERNATIONAL LTD. and crossed.

payable to BUSINESS PRESS Cheques etc should be made Method of Payment

Available on request. Contact: Claire Notley on 01-661 8163.

Minimum 15 words prepayable.

SERIES Discounts Minimum 5 cm Rate per single column Centimetre: £15.00 Display Advens.

> Linage 25p per word Classified Rates

Post to:

Surrey SM2 5AS. The Quadrant, Sutton, Practical Computing, Room H211, Quadrant House, Classified Department, together with your remittance to: Cut out the order form and return

Conditions of Acceptance

must be prepaid this order form. All Advertisements submitted on (or a photocopy of) Private readers only and must be Micro Ads are accepted from

insertions required

V lick number o

A Accent Computers Ltd A&G Computerware	179 187	Adver	tisem	ent Index		P Pete & Pam Computers Power Testing (sales)	126,127 177
A-Line Computer Systems ACT Pulsar ACT Pulsar 18.19	172 48 9Supp					Practical Electronics Precision Software Prentice Hall International	
Asco	1Supp 192					Psion Q	32
ATA Acorn 3 Aculab	67 33,61 20	D Data Disk Datac	194 19Supp	K Keele Codes Kingsway Data Supplies	184 128	Qubie Qume (UK) Ltd	53 142,143
Aculab Addictive Games	60 170	Dennison Kybe	IFC 36,37Supp	L	120	R	, , , , , , ,
	6Supp	Digithurst Ltd Direct Disk Supplies	94	Lantech Laskys	60 98.99	Real Time Developments	172
Akhter Instruments Alpha Micro	114	Disco Technology Ltd Disking International	180 188,189	London Computer Centre London Computer Centre	6	S SM Software	182
Anglia Computer Centre Audio Genic	178 40	Duplex (South) Ltd	70	M		Sage Systems Sanyo Marubeni	150 10,11
		E Eltek Computers	150,151	MT Direct Mannesman Tally	17 23Supp	Sanyo Marubeni Sapphire Systems	35Supp
В		Epson HX20 Epson Printers Etafield Ltd	166 183 32Supp	Mayfair Micros McGraw Ltd	145 26Supp	Saracen Data Products Simmons Magee Sinclair Research	177 24 18.19
BFI/Diskpost Banbury Computer Centre	79 171	Everyday Electronics	169	Memotech Ltd Memotech Ltd	38,39 45	Sintrom Sky Software	90
Barleymow Workspace	169 0.187	F Fox & Geller	28,37	Mercator Comp Systems Micro Miracles	170 184	Software SoftwareIndex	BC 121
	165 8,139	Fraser Assoc.	154	Micro Peripherals Microcomputer Disks Microcomputer Products	IBC 30 91	Swan Packaging Symbiotic	86,162 144
Bromcom	12	GCC Cambridge	162	Micronet 800 Micronix	42.43	I .	
		GW Computers	41		12,13Supp 54,55	Tandy Corporation Tasha Computers Telesystems	157 44 121
C C.K. Computers	125	HM Systems Ltd Handig U.K.	56 181	Microvalue Microvitec	158,159 133	Thames Software Torch Computers	24,25Supp
CAETeleprinter	168	Hewlett Packard	9	Microware Microware	14Supp	Triumph Adler	62,63
Calco Software Cambridge Micro Elec.	178 187	ICIP&P Division	174,175	Midland Computer Fair Mountaindene	116 178	V Varelco	154
Camden Computer Systems Ceedata 11 Civco	30 1Supp 182	Ibis Bus Info Systems Icarus Icarus Computer Systems	32Supp OBCSupp 22	N N.A.R.S.A.	32	Verwood Systems W	154
Comart Ltd 17			IBC Supp	0	32	WH Smith Softeam Wordflow Electric	86 162
Commodore 118 Compec North 84	8,119	Intelligence Research Intelligence Research	46,47 120	O.E.M. OKI Electric	71 26	X	102
Computech Systems	25,27 117	Interam	14	Opus Supplies Oryx	122 16	X-Data	136
Computer Interface Design Computer Pro Ltd	86 182	J Jarogate	8Supp	Oxford Computer Pub Oxford Computer Systems	146 145	Z Zero Electronics	171

ATA DISK (U.K.) LTD

3 Peartree Business Centre Peartree Road Stanway Colchester Essex

The small Company with the big name in consumables

0787210091 **COMPARE OUR PRICES**

PRINTERS

The New "JUKI" 6100 Daisywheel OUR PRICE (RRP £499 + VAT)

(RRP £265 + VAT) UCHIDA (RRP £399 + VAT) JUST ARRIVED

Our own brand of covers for the Commodore 20, 64 &

the B.B.C./V computer £3.95 + VAT Colours black or beige. ONLY £375 + VAT
"Free Delivery" No Extras

OUR PRICE ONLY £260 including VAT OUR PRICE £375 including VAT

Our own brand of disk binders with a capacity of 20 £3.95

+ VAT Colours black or beige. ALL CARRIAGE FREE

Floppy Disks by CONTROL DATA

Single Sided/Single Density Single Sided/Double Density £15.00 for 10 + VAT Double Sided/Double Density = £19.50 for 10 + VAT Disks and Quad Density also available

51 Plastic Library Cases £2.75 + VAT each

NEW FROM FRANCE!

LIBRARY CASES IN BROWN/CREAM.

 $5\frac{1}{4}$ " 20 - Capacity = £2.80 + VAT

Lockable Filing Cases with carrying handle Brown/Cream for $5\frac{1}{4}$ " disks \times 100 capacity ONLY £18.50 + VAT

Other lockable filing cases;

10-Capacity = £15.50 + VAT 5\rume{1}" 90 - Capacity = £21.95 + VAT 8" 40 - Capacity = £22.95 + VAT 8" 90 - Capacity = £31.95 + VAT

Contact us for all your computer needs. Anything from ribbons, listing paper, labels, disks, printers etc. etc.

Everything on mail order, enquire for our comprehensive price lists.

*Free delivery on all printers and disks *

Nominal charge for all other ranges.

EPSON FX80 OUR PRICE (RRP £438.00 + VAT)

ONLY £425.00 including VAT. "Free Delivery" No Extras.

EPSON RX-80 (RRP £298.00 + VAT)

OUR PRICE ONLY £285.00 including VAT "Free Delivery" No Extras OUR PRICE EPSON RX-80 FP

ONLY £315.00 including VAT "Free Delivery" No Extras. OKI MICROLINE 83a = £525.00 including VAT

OKI MICROLINE 80a = £225.00 including VAT

LISTING PAPER

11" \times 9½" Single pt = £8.50 + VAT per box 2000

11" \times 14½" Single pt = £11.50 + VAT per box 2000 All other sizes available. Either plain or green lined.

To Data Disk (UK) Ltd.
Please Supply
Please Supply
Please Supply
Please Supply
Enclosed my cheque/money order Total
Delivery to:- (Name)
Address

Telephone No Trade and Dealer Enquiries Welcomed, More Agents Urgently Needed Nationwide.





'THE POWER BEHIND THE PRINTED WORD' 69 The Street, Basing, Basingstoke, Hampshire RG24 0BY Telephone: 0256 3232 (12 lines) Telex: 859669 MICROP G

Call your local dealer NOW for ful Daisywheel Printer or clip this cou and print samples.	pon and we'll send you brochures
Name	
Address	
	Tel. NoPC4



You've a deadline to meet, the right CP/M Software package is needed, the right decision has to be made; which format, which product, when can it be delivered, at what price?

You need good advice, and just as important, you need to talk to someone who has a large enough range to be able to offer honest advice. Someone who can then deliver on time, someone whose catalogue is fast becoming the byword of the software industry.

So don't expose yourself, talk to Software Limited. Choice, advice and delivery, all aimed at meeting your deadline.

Software Limited... Because there's more to choose from, we're the only choice to make.

01-833 1173/6

Software Limited No. 2 Alice Owen Technology Centre 251 Goswell Road, London EC1

CP/M is a trademark of Digital Research

